GENFITT

GENERATIONS OF KNOWLEDGE AT YOUR SERVICE

ELECTRICAL & LIGHTING

PRODUCT CATALOGUE

VOLUME 1

ELECTRICAL & LIGHTING

Genfitt is a leading supplier of lighting & electrical accessories to the trade across Ireland and the UK. We offer a high-quality range of LED Lighting which includes Work Lamps, Handheld torches & Headlights. We stock a full range of trailer lighting – from LED lighting boards, Tail Lights, Side Marker lights to Wireless lighting sets.

Our range of LED beacons, lightbars & strobes will keep you legal & lit up during long summer evenings and dark winter nights.
We stock a full range of electrical cable & wiring accessories including all plugs, sockets and easy to use wiring connectors.

Our Genfitt Battery chargers & accessories will keep all your vehicles in tip-top shape. For emergency situations we stock a range of Jump leads & battery boosters to get you out of trouble. Our range of electrical fuses, connectors, switches and relays come in handy pack sizes, so you can always have them on hand when needed. Being safety conscious is more important than ever in the Agricultural sector. We have a range of safety signage, reflectors, Tape & Warning Alarms to keep you and those around you safe on the road and in busy yards.

We also stock a full range of Lucas replacement bulbs which cover the full automotive range. We stock both standard & halogen headlight bulbs along with indicator, brake & side lights bulbs. Finally, we still stock some bulb type vehicle lighting such as Lighting Boards, Beacons & Tail Lamps.

For further information, images and technical details on all products listed in this catalogue please visit our website **www.genfitt.ie** or contact your local sales rep.

TABLE OF CONTENTS

LED HANDHELDS & WEARABLES

LED SWIVEL BASE WORK LIGHT

- 2 function operation: 1 small LED on end and long LED beam on front of main body
- Ratcheting magnetic base which allows the torch to be angled and direct light where you need it
- There is also a magnet on the back of the body, along with a fold out hook which allows you to hang the torch if needed
- XPE & COB light source
- Built in rechargeable batteries which can be recharged by a USB lead
- 2x 18650 rechargeable batteries
- Dimensions: 214 x 56 x 47mm

CODE	SOURCE	LUMENS	FUNCTION
G20300	XPE & COB	260	2 Function

ADDITIONAL IMAGES

LED WIDE BEAM MINI HEADLAMP

- LED wide beam mini headlight
- 2 functions: High & Low beam pattern
- XHP & COB light source
- Built in rechargeable battery which can be recharged by a USB lead
- Head band strap included

CODE	SOURCE	LUMENS	FUNCTION
G20301	XHE & COB	170	2 Function

ADDITIONAL IMAGES

LED WIDE BEAM POWER HEADLAMP

- 3 functions headlamp: High, Low and flash beam in front and rear
- Comes with built in Red warning light on the rear of head band strap for pedestrians at night or in poor light work conditions
- Adjustable beam and focus
- T6 light source
- Built in rechargeable battery which can be recharged by a 3pin UK plug
- 2x 18650 rechargeable batteries
- Head band strap included

CODE	SOURCE	LUMENS	FUNCTION
G20302	T6	300	3 Function

ADDITIONAL IMAGES

LED CREE POWERED HEADLAMP

- 4 front functions: High, Low, High & Low together and Flash beam patterns
- 2 rear functions: Red beam & Red beam flash pattern
- Light source: x2 T6, x2 XPE, x2 COB
- Built in rechargeable battery which can be recharged by a USB lead
- 2x 18650 rechargeable battery
- Head band strap included

CODE	SOURCE	LUMENS	FUNCTION
G20303	T6/XPE/COB	400	4 Function

ADDITIONAL IMAGES

6

LED HIGH POWERED HEADLAMP

- 4 functions: High, Low, High & low and Flash beam pattern
- T6 & XPE light source
- Built in rechargeable battery which can be recharged by a 3pin UK plug
- 2x 18650 rechargeable battery
- Head band strap included

CODE	SOURCE	LUMENS	FUNCTION
G20304	T6 & XPE	400	4 Function

ADDITIONAL IMAGES

GENFITT FULL VISION LED HEADLAMP

- 110W COB + XPE
- 3.7v 1200mah rechargeable battery
- Sensor function
- IPX4
- Dimensions: 46x33x26mm

CODE	SOURCE	LUMENS	CHARGING TIME
G20318	COB + XPE	350	4 Hours

ADDITIONAL IMAGES

LED FOLDABLE WORK LIGHT

- 5 Watt COB light source
- Comes with a magnetic swivel base which allows the light to be used in many positions
- Dimmable light setting
- Built in rechargeable batteries which can be recharged by a USB lead
- 1x 18650 rechargeable battery
- Dimensions: 210 x 40 x 40mm

CODE	TYPE	LUMENS	SOURCE
G20305	COB	260	5 WATT

ADDITIONAL IMAGES

LED MINI WORK LIGHT WITH HOOK

- 2 functions: 24 front and 3 top LEDs for light source
- Magnetic and hook on the back for convenient placement during use
- x3 AAA Dry batteries
- 120 Lumens
- Dimensions: 97 x 63 x 35mm

CODE	LUMENS	FUNCTION
G20306	120	2 Function

ADDITIONAL IMAGES

ALUMINIUM POCKET LIGHT WITH TRIPOD

- Tripod comes with flexible legs
- Aluminium body
- x9 LED light source
- x3 AAA Dry batteries

CODE	LUMENS	LENGTH
G20307	100	90mm

ADDITIONAL IMAGES

ALUMINIUM POCKET ZOOM LIGHT

- Pocket torch with zoom brightness
- Slide the lens forward for longer distance or backwards for wide beam to adjust setting
- T6 light source
- x3 AAA Dry batteries

CODE	SOURCE	LUMENS	LENGTH
G20308	T6	300	133mm

ADDITIONAL IMAGES

ALUMINIUM LED SPOT WORK LIGHT

- 4 function with magnetic flexible grab: White, Red, Red flash and top magnet with light
- x3 LED (18 LED + 9 LED) light source
- x3 LR44 batteries & x3 AAA Dry batteries
- Dimensions: 252 x 28mm

CODE	SOURCE	LUMENS	FUNCTION
G20310	3 LED	200	4 Function

ADDITIONAL IMAGES

ALUMINIUM LED HAND TORCH

- Hand held LED torch
- Aluminium body
- 3 functions: High, Low and flash beam pattern
- T6 light source
- Built in rechargeable battery which can be recharged with a 3 pin UK plug
- 2x 18650 1200mAH rechargeable battery
- Length: 150mm

CODE	SOURCE	LUMENS	FUNCTION
G20309	T6	800	3 Function

ADDITIONAL IMAGES

GENFITT RECHARGEABLE LED HIGH POWER SEARCH LIGHT

- 13pcs 18650 battery
- Front LED 50pcs
- Back LED 18pcs 3030 SMD
- Equipped with Battery indication
- 50cm USB Charging Cable included
- Charging Time: 4-5 Hours
- Dimensions: 570x330x29mm

CODE	SOURCE	LUMENS	LENGTH
G20317	4500mAh	1700	570mm

ADDITIONAL IMAGES

GENFITT RECHARGEABLE LED CLASSIC TORCH

- 18650 Battery
- LED Type 5W CREE XPG
- Material ABS
- Dimensions: 210x128x107mm

CODE	SOURCE	LUMENS
G20319	Cree/XPG	200

LED SITE & WORK LIGHTS

GENFITT PORTABLE LED FLOODLIGHT

- Portable rechargeable LED floodlight
- Available in Power (W) : 10W 300LM, 20W 500LM & 30W 600LM
- Comes with 3 pin UK charging plug and cable
- Battery Operated

CODE	SOURCE	LUMENS	WORKING TIME	VOLTAGE
G20313	COB 10 Watt	300	4 Hours	3.7v 2000mAh
G20314	COB 20 Watt	500	4 Hours	3.7v 4000mAh
G20315	COB 30 Watt	600	4 Hours	3.7v 2200mAh

ADDITIONAL IMAGES

GENFITT MAGNETIC SPOT WORK LIGHT

- Cat-Eye 10w Rechargeable LED Work Light
- Battery: 3.7v 4400mah (2pcs x 18650,3.7v 2200mah)
- Discharging time : 2-3 hours(High mode), 5-6hours (Medium mode), 10-11hours (Flash mode)
- Material: Aluminium/ABS,TPR
- USB rechargeable, with micro port & with strong magnets
- 180° handle & Waterproof: IPX5
- Charging light indication

CODE	SOURCE	LUMENS	WORKING TIME
G20311	COB	800	5-6 Hours

ADDITIONAL IMAGES

GENFITT MAGNETIC SPOT WORK LIGHT 20W

- Cat-Eye 20w Rechargeable LED Work Lights
- Battery: 3.7v 6000mah (4pcs x 18650,3.7v 1500mah)
- Discharging time : 2-3 hours(High mode), 5-6hours (Medium mode), 10-11hours (Flash mode)
- Material: Aluminium/ABS,TPR
- USB rechargeable, with micro port & with strong magnets
- 180° handle & Waterproof: IPX5
- Charging light indication

CODE	SOURCE	LUMENS	WORKING TIME
G20312	COB	1800	2-3 Hours (High Mode)

ADDITIONAL IMAGES

GENFITT 2M PORTABLE TWIN LAMP TRIPOD

- 2 metre fold up tripod
- Conveniently folds up for easy transportation
- Attach up to x2 work lights

CODE	SIZE	SUITABILITY
G20316	2m	G20311, G20312, G20314, G20315

PORTABLE LED SQUARE WORK LAMP1000 LUMENS

- Heavy duty aluminium die cast housing with a strong magnetic base
- Adjustable position head
- 3 settings: High, Low & Intermittent SOS Flash
- Includes an AC adaptor and car charger
- Charging Time: 3 hours

CODE	TYPE	LUMENS	WORKING TIME
G18828	Magnet	1000	7 Hours

ELECTRICAL & LIGHTING

LED LIGHTING SYSTEMS

LED WIRELESS TRIANGLE KIT

WIRELESS

- Contains LH and RH tail lights, brake light, dynamic indicator, and number plate lights
- 100% cable free solution. Includes magnetic bases that are easy to install
- This Wireless LED Dynamic Lighting Set meets the standards of EN 301489, EN 300328, EN 62479
- E-approved

CODE	TYPE	VOLTAGE	FUNCTION
G20496	LED	12/24V	4 Function

SPARES FOR G20496

	ITEM	DESCRIPTION
	G20497	**PLUG 7 PIN REPLACEMENT WIRELESS KIT.** Replacement 7 pin plug with built in antenna for the wireless trailer magnetic LED light kit G20496.
	G20498	**CIGAR PLUG C/W DISPLAY & USB WIRELESS KIT.** Replacement cigarette charger plug with light up display for LED wireless kit G20496.
	G20499	**LED LH LIGHT REPLACEMENT WIRELESS KIT.** Replacement LED Light for wireless trailer magnetic LED light kit G20496. For pairing instructions, see website. Please choose the correct side, left or right.
	G20500	**LED RH LIGHT REPLACEMENT WIRELESS KIT.** Replacement LED Light for wireless trailer magnetic LED light kit G20496. For pairing instructions see website. Please choose the correct side, left or right.
	G20501	**CHARGING CABLE FOR WIRELESS KIT.** Replacement USB cable for charging wireless trailer magnetic LED light kit G20496.

14

WIRELESS LED DYNAMIC LIGHTING SET

WIRELESS

- The NEW Genfitt Wireless LED Dynamic Lighting Set contains LH and RH tail lights, brake light, dynamic indicator, and number plate lights
- Its quick-lock design makes it easier to install or remove
- This 100% cable free solution includes magnetic bases that are easy to install
- This Wireless LED Dynamic Lighting Set meets the standards of EN 301489, EN 300328, EN 62479 and is E-approved
- The four various functions gives you maximum visibility
- The kit also includes two lead chargers and a cigarette lighter plug for smart charging
- Easy installation

Brief case includes: (x1) LH tail light with magnetic base, (x1) RH tail light with magnetic base, (x1) 7 pin plug – wireless, (x1) cigarette lighter plug with two lead chargers.

CODE	TYPE	VOLTAGE	FUNCTION
G19753	LED	12/V	4 Function

SPARES FOR G19753

	ITEM	DESCRIPTION
	G19887	**REPLACEMENT LED LIGHT FOR WIIRELESS DYNAMIC LIGHT KIT. Left Hand.** Replacement LED Light* for the wireless trailer magnetic LED light kit G19753.
	G19888	**REPLACEMENT LED LIGHT FOR WIIRELESS DYNAMIC LIGHT KIT. Right Hand.** Replacement LED Light* for the wireless trailer magnetic LED light kit G19753.
	G19886	**7 PIN PLUG WITH TRANSMITTER FOR WIRELESS LIGHT KIT** Replacement 7 pin plug with built in antenna for the wireless trailer magnetic LED light kit G19753.
	G19889	**CHARGER PLUG C/W CABLE FOR WIRELESS LIGHT KIT.** Replacement cigarette charger plug. Comes with USB cable for the wireless trailer magnetic LED light kit G19753
	G19754	**CANBUS ADAPTOR FOR WIRELESS LED LIGHTING SET.** 7 pin plug - wireless canbus adaptor. To be used with wireless lighting kit G19753. For some vehicles where there is interference on standard plug.
	G19890	**PVC REPLACEMENT CASE FOR WIRELESS LIGHT KIT.** Replacement PVC brief case for the wireless trailer magnetic LED light kit G19753.

15

GENFITT

MAGNETIC LED LIGHTING SET 7.5M CABLE

- Pre-wired: 7.5m cable, male 7 pin plug
- EU approved light cluster
- Suitable for all types of agricultural machinery and trailers
- Easily interchangeable
- Metal plates must be fitted if used on wooden or aluminium structures

CODE	TYPE	VOLTAGE	FUNCTION
G17753	LED	12V	4 Function

LED TRAILER LIGHTING BOARD

- Electrics: 7 pin
- EU approved light clusters
- Lamps: 2 x LED 4 function lamps (stop/tail/indicator/number plate)
- Reflectors: 2 x triangle
- Cable: 915mm
- Height: 14cm
- Polybag packed with barcode
- Dimensions: 103 x 93 x 39mm

CODE	SIZE	VOLTAGE
G17750	4ft x 5m	12V
G17751	4ft x 10m	12V

LED DYNAMIC ROUND TAIL LIGHT SET

- LED 3 function round tail light with unique dynamic style indicator
- Functions: Stop light, Glow track style Tail light and Dynamic indicator
- LEDs: Tail 24pcs, Indicator 9pcs, Stop 12pcs
- Hamburger style light
- Two bolt fixing (supplied)
- Diameter: 136mm
- Standards: ECE R7, R6, R23, R38, EMC R10, ROHS
- IP 67 Rating

CODE	TYPE	VOLTAGE	FUNCTION
G19876	LED	12V/24V	3 Function

LED REAR LAMP SET

- LED 3 function round tail light with unique dynamic style indicator
- Functions: Stop light, Glow track style Tail light and Dynamic indicator
- LEDs: Tail 24pcs, Indicator 9pcs, Stop 12pc
- Hamburger style light
- Two bolt fixing (supplied)
- Standards: ECE R7, R6, R23, R38, EMC R10, ROHS
- IP 67 Rating
- Dimensions: 105 x 108 x 30 mm

CODE	TYPE	VOLTAGE	FUNCTION
G17752	LED	12V	4 Function

LED 3 FUNCTION RECTANGULAR REAR LAMP SET

- LED 3 Function Rectangular Rear Lamp Set
- Stop/Tail/Indicator
- 5 Pin Connector
- Bolt Hole Distance 100mm
- Dimensions: 165 x 80 x 36mm
- Green connector = RH
- Yellow connector = LH

CODE	TYPE	VOLTAGE	FUNCTION
G18526	LED	12V/24V	3 Function

ADDITIONAL IMAGES

LED GLO-TRAC 3 FUNCTION RECTANGULAR REAR LAMP SET

- LED Glo-Trac 3 Function Rectangular Rear Lamp Set
- Stop/Tail/Indicator
- 5 Pin Connector
- Bolt Hole Distance 100mm
- Dimensions: 165 x 80 x 36mm
- Green connector = RH
- Yellow connector = LH

CODE	TYPE	VOLTAGE	FUNCTION
G18527	GLO-TRAC	12V/24V	3 Function

ADDITIONAL IMAGES

LED 3 FUNCTION RECTANGULAR CABLE KIT

- LED 3 Function Rectangular Cable Kit
- Easy and fast installation
- Waterproof durable strong connector
- Customisable cable length
- Suitable for trucks, trailers and agricultural machines

Main features:
- 7 Pin PVC Plug
- 5 Pin PVC Connector
- 5 & 2 core cable
- Green connector = RH
- Yellow connector = LH

CODE	LENGTH	FUNCTION	SUITABILITY
G18579	5m	3 Function	G18526/G18527
G18580	10m	3 Function	G18526/G18527

LED 3 FUNCTION ROUND REAR COMBI LAMP

64.88 mm

140 mm

- LED 3 Function Round Rear Combi Lamp
- 3 function stop/tail/indicator
- Plastic base plate
- Supplied with short bare cable, colours: White, Brown, Red & Yellow
- Supplied with fixing screws
- ABS housing
- Polycarbonate lens
- EU approved
- Diameter: 140 x 64.88 mm

CODE	TYPE	VOLTAGE	FUNCTION
G17237	LED	12V/24V	3 Function

ELECTRICAL & LIGHTING

LED 3 FUNCTION SQUARE REAR COMBI LAMP

Diagram

115 mm

115 mm

34 mm

- LED 3 Function Square Rear Combi Lamp
- Hamburger style light
- 3 function stop/tail/indicator
- 36 LED
- Plastic base plate
- With fixing screws & wires
- ABS housing
- Polycarbonate lens
- EU approved light cluster
- IP67
- Dimensions: 115 x 115 x 34mm

CODE	TYPE	VOLTAGE	FUNCTION
G17232	LED	10-30V	3 Function

19

LED 3 FUNCTION SQUARE REAR COMBI LAMP

Diagram

94 mm

94 mm

30 mm

- LED 3 Function Square Rear Combi Lamp
- 3 function rear stop/tail/indicator
- 72 LED
- Plastic base plate
- With fixing screws & wires
- EU approved light cluster
- IP67
- Dimensions: 94 x 94 x 30mm

CODE	TYPE	VOLTAGE	FUNCTION
G17226	72 LED	12V	3 Function

GENFITT

LED DYNAMIC 4 FUNCTION OBLONG LAMP

- LED 4 function oblong tail light with unique dynamic style indicator
- Functions: Stop light, Glow track style Tail light, Reflector and Dynamic indicator
- LEDs: Tail 72pcs, Indicator 29pcs, Stop 45pcs
- Standard: ECE R7, R6, R3, EMC R10, ROHS
- IP 67 Rating
- Dimensions: 252 x 117 x 30mm

CODE	TYPE	VOLTAGE	FUNCTION
G19877	LED	12V/24V	4 Function

ADDITIONAL IMAGES

20

LED 3 FUNCTION RECTANGULAR REAR INDICATOR LAMP

Diagram

- LED 3 Function Rectangular Rear Indicator Lamp
- 3 function rear stop/tail/indicator
- Plastic base plate
- With fixing screws & wires
- ABS housing
- Polycarbonate lens
- EU approved light cluster
- IP67
- Dimensions: 174 x 94 x 32mm

174mm

94 mm

32 mm

CODE	TYPE	VOLTAGE	FUNCTION
G17228	LED	10-30V	3 Function

LED 3 FUNCTION RECTANGULAR REAR C/W REFLECTOR

- 3 Function LED rectangular rear lamp with reflector
- Lens: Polycarbonate
- Voltage: 10-30V
- IP Rating: IP67 Number
- LEDs: x25 Amber x25 Red
- Supplied with 4 core cable x 2.6 metre long
- Dimensions: 245 x 109 x 31.5mm

CODE	TYPE	VOLTAGE	FUNCTION
G18823	LED	10-30V	3 Function

LED 3 FUNCTION RECTANGULAR REAR COMBI LAMP

Diagram

- LED 3 Function Round Rear Combi Lamp
- 3 function stop/tail/indicator
- Plastic base plate
- Supplied with short bare cable, colours: White, Brown, Red & Yellow
- Supplied with fixing screws
- ABS housing
- Polycarbonate lens
- EU approved
- Dimensions: 170 x 93 x 32mm

CODE	TYPE	VOLTAGE	FUNCTION
G17234	LED	10-30V	3 Function

LED 3 FUNCTION 3 POD REAR TAIL LAMP

Diagram

- LED 3 Function 3 POD Rear Tail Lamp
- 3 function stop/tail/indicator
- ABS housing
- Polycarbonate lens
- Dimensions: 274 x 94 x 32mm
- EU approved light cluster
- IP67

CODE	TYPE	VOLTAGE	FUNCTION
G17229	LED	10-30V	3 Function

21

LED 5 FUNCTION TAIL LAMP WITH FOG RIGHT HAND

Diagram

- LED 5 Function Tail Lamp
- 5 function indicator/tail/brake/fog/reflector
- Polycarbonate lens
- Plastic base plate with fixing screws
- Aluminium backing
- ABS housing
- EU Approved
- IP67
- Dimensions: 174 x 206 x 54.5mm

54.5 mm
206 mm
174 mm

CODE	TYPE	VOLTAGE	FUNCTION
G18070	36 SMD LED	12V/24V	5 Function

LED 5 FUNCTION TAIL LAMP WITH FOG LEFT HAND

Diagram

- LED 5 Function Tail Lamp
- 5 function indicator/tail/brake/fog/reflector
- Polycarbonate lens
- Plastic base plate with fixing screws
- Aluminium backing
- ABS housing
- EU Approved
- IP67
- Dimensions: 174 x 206 x 54.5mm

54.5 mm
206 mm
174 mm

CODE	TYPE	VOLTAGE	FUNCTION
G18071	36 SMD LED	12V/24V	5 Function

LED ROUND FOG LAMP

Diagram

- LED Round Fog Lamp
- Polycarbonate lens
- Plastic base plate with fixing screws
- Size: 140 x 55mm

55mm
140 mm

CODE	TYPE	VOLTAGE	FUNCTION
G18075	20 SMD LED	12/24V	Fog

LED ROUND REVERSING LAMP

Diagram

- LED Round Reverse Lamp
- Polycarbonate lens
- Plastic base plate with fixing screws
- Size: 140 x 55mm

55mm

140 mm

CODE	TYPE	VOLTAGE	FUNCTION
G18074	20 SMD LED	12/24V	Reverse

LED FOG LAMP

Diagram

- LED Fog Lamp
- Polycarbonate lens
- Plastic base plate with fixing screws
- Dimensions: 94 x 94 x 32mm

94mm
94mm
32 mm

CODE	TYPE	VOLTAGE	FUNCTION
G17225	36 SMD LED	10-30V	Fog

LED REVERSING LAMP

Diagram

- LED Reversing Lamp
- Plastic base plate with fixing screws
- With wires
- Colour: Black/Clear
- Dimensions: 103 x 103 x 32mm

103mm
103mm
32 mm

CODE	TYPE	VOLTAGE	FUNCTION
G17227	36 SMD LED	10/30V	Reverse

ELECTRICAL & LIGHTING

23

GENFITT

ELECTRICAL & LIGHTING

LED NUMBER PLATE LAMP C/W CABLE/STUDS

Diagram

- LED Number Plate Lamp
- Plastic base plate with fixing screws
- ABS housing
- Polycarbonate lens
- EU approved light cluster
- IP67
- Dimensions: 120 x 45 x 59mm

CODE	TYPE	VOLTAGE	FUNCTION
G17220	12 SMD LED	10-30V	Number Plate

LED NUMBER PLATE LAMP

Diagram

- LED Number Plate Lamp
- Plastic base plate
- Dimensions: 89 x 30.2 x 20mm

CODE	TYPE	VOLTAGE	FUNCTION
G18090	4 SMD LED	12V	Number Plate

LED 45° SIDE MARKER LAMP

- LED 45° Side Marker Lamp
- 45° rubber casing
- Red / white lens
- Dimensions: 165 x 185 x 60mm

CODE	POSITION	VOLTAGE
G17241	Left Hand	10-30V
G17242	Right Hand	10-30V

G17241 Shown

LED 90° SIDE MARKER LAMP

Diagram

- LED 90° Side Marker Lamp
- 90° rubber casing
- Red / white lens
- Dimensions: 165 x 190 x 60mm

G17239 Shown

CODE	POSITION	VOLTAGE
G17239	Left Hand	10-30V
G17240	Right Hand	10-30V

LED SIDE MUDGUARD MARKER LAMP

Diagram

- LED Side Mudguard Marker Lamp
- Rubber casing
- Red / white lens
- Dimensions: 90 x 70 x 57mm

CODE	VOLTAGE
G17238	10-30V

LED INTERIOR ROUND TOUCH LAMP

Diagram

- LED Interior Round Touch Lamp
- Plastic base plate
- Snap fastening lens
- Spade connectors

CODE	VOLTAGE	DIMENSIONS
G18106	12V	140 x 12mm

LED INTERIOR LIGHT BAR

- Interior LED light bar

CODE	VOLTAGE	DIMENSIONS
G18091	10-30V	157 x 40 x 24mm
G18092	10-30V	257 x 40 x 24mm

ELECTRICAL & LIGHTING

25

LED VARIVOLT SIDE LAMP FM20

Diagram

- LED Varivolt Front Lamp FM20
- Plastic base plate with fixing screws
- With wires
- Dimensions: 120 x 63 x 20mm

CODE	COLOUR	VOLTAGE
G17215	Amber	12V/24V
G17216	Clear	12V/24V
G17217	Red	12V/24V

ADDITIONAL IMAGES

LED VARIVOLT SIDE LAMP FM20 TWIN PACK

Diagram

- LED Varivolt Front Lamp FM20
- Plastic base plate with fixing screws
- With wires
- Dimensions: 120 x 63 x 20mm

CODE	COLOUR	VOLTAGE
G18023	Amber	10V/30V
G18024	Clear	10V/30V
G18025	Red	10V/30V

ADDITIONAL IMAGES

LED VARIVOLT FRONT MARKER LAMP

Diagram

72 mm

35 mm

- LED Varivolt Front Marker Lamp
- Plastic base plate
- Dimensions: 72 x 35mm

CODE	COLOUR	VOLTAGE
G17691	Red	9-36V
G17692	Clear	9-36V
G17693	Amber	9-36V

ADDITIONAL IMAGES

LED VARIVOLT FRONT MARKER LAMP TWIN PACK

Diagram

72 mm

35 mm

- LED Varivolt Front Marker Lamp
- Plastic base plate
- Dimensions: 72 x 35mm

CODE	COLOUR	VOLTAGE
G18020	Red	9-36V
G18021	Clear	9-36V
G18022	Amber	9-36V

ADDITIONAL IMAGES

GENFITT

ELECTRICAL & LIGHTING

LED BEACONS, LIGHTBARS & STROBES

LED RECHARGEABLE MAGNETIC BEACON WITH REMOTE

- 7 functions: 3 modes flashing and 4 modes rotating
- Comes with a wireless key fob/remote controller
- Cigarette lighter charging plug
- IP 67 rating
- Standard: ECE R65, EMC R10
- 28 Watt
- Working time: 6 hours
- Dimensions: 140 x 130mm

WIRELESS

CODE	TYPE	VOLTAGE	FUNCTION
G20289	10 LED	12V/24V	7 Function
G20290	Replacement Key	-	-

ADDITIONAL IMAGES

LED MAGNETIC BATTERY BEACON

- 7 functions: 3 modes flashing and 4 modes rotating
- Cigarette lighter charging plug
- IP 67 rating
- Standard: ECE R65, EMC R10
- Voltage: 12/24V, 28 Watt
- Charging time: 4 hours & Working time: 6 hours
- Dimensions: 140 x 130mm

WIRELESS

CODE	TYPE	VOLTAGE	FUNCTION
G19875	10 LED	12/24V	7 Function

ADDITIONAL IMAGES

LED MAGNETIC/BOLT-ON BEACON

- LED Magnetic/Bolt On Beacon
- Flash / Rotation Rate: Quad
- Wiring: 400mm Pre-Wired Cigar Lighter Plug
- Approvals: ECE E24 10R-030513, CE, IP56
- Dimensions: 129 x 94mm

CODE	TYPE	VOLTAGE	FUNCTION
G18534	60 SMD LED	10-110V	Quad Strobe

ADDITIONAL IMAGES

LED MAGNETIC HIGH PROFILE BEACON

- Magnetic Mount
- 120 Flashes per Minute
- Supplied with Cigar plug
- Temperature range: -30°C to + 50°C
- Approvals: ECE R65, ECE R10
- Additional Information: E9-10r-05.11190 TA1-E9-00.1823
- Dimensions: 170 x 142mm

CODE	TYPE	VOLTAGE	STANDARD
G18247	Super Bright LED	12V/24V	IP56

ADDITIONAL IMAGES

ELECTRICAL & LIGHTING

LED MAGNETIC / BOLT-ON COMPACT BEACON

- LED Compact Magnetic / 3 Bolt Mount Beacon
- 120 Flashes per Minute
- Voltage: DC 12-24V
- Supplied with cigar plug
- Temperature range: -30°C to + 50°C
- Meets IP56 protection standards
- Standards: ECE R65, ECE R10
- Dimensions: 116 x 142mm

CODE	TYPE	VOLTAGE	STANDARD
G18845	Super Bright LED	12V/24V	IP56

ADDITIONAL IMAGES

LED BOLT-ON HIGH PROFILE BEACON

- Bolt on Flexible Mount
- 120 Flashes per Minute
- Voltage: DC 12-24V
- Meets IP56 protection standards
- Temperature range: -30°C to + 50°C
- Approvals: ECE R65, ECE R10
- Additional Information: E9-10r-05.11190 TA1-E9-00.1823
- Dimensions: 250 x 130mm

CODE	TYPE	VOLTAGE	STANDARD
G18246	Super Bright LED	12V/24V	IP56

ADDITIONAL IMAGES

LED BOLT-ON COMPACT FLEXIBLE BEACON

- LED Compact Flexible Bolt on Beacon
- 120 Flashes per Minute
- Temperature range: -30°C to + 50°C
- Standards: ECE R65, ECE R10
- Dimensions: 188 x 129mm

CODE	TYPE	VOLTAGE	STANDARD
G18844	Super Bright LED	12V/24V	IP56

ADDITIONAL IMAGES

LED BOLT-ON LOW PROFILE FLEXIBLE BEACON

- LED Low Profile Flexible Mount Beacon
- 360° revolving
- Flash / intermittent flash
- Temperature range: -30°C to + 50°C
- Standards: ECE R10 EMC Approved
- Dimensions: 245 x 129mm

CODE	TYPE	VOLTAGE	STANDARD
G18846	80 Super Bright LED	12V/24V	IP56

ADDITIONAL IMAGES

31

LED MINI BEACON LIGHT BAR

Diagram

- 10 flash patterns
- Supplied with cigar plug
- Temperature range: -30°C to + 50°C
- Includes Permanent Mount
- Dimensions: 275 x 160 x 50mm

CODE	TYPE	VOLTAGE	STANDARD
G18293	80 High Intensity LED's	12V/24V	ECE R10, E9

LED MEDIUM BEACON LIGHT BAR

Diagram

- 120 Flashes per Minute
- Supplied with cigar plug
- Temperature range: -30°C to + 50°C
- Includes Permanent Mount
- Dimensions: 440 x 165 x 60mm

CODE	TYPE	VOLTAGE	STANDARD
G18847	32 High Intensity LED's	12V/24V	ECE R65,R10

LED LARGE BEACON LIGHT BAR

Diagram

- 10 flash patterns
- Voltage: DC 12-24V
- Supplied with cigar plug
- Meets IP56 protection standards
- Temperature range: -30°C to + 50°C
- Dimensions: 600 x 300 x 60mm

CODE	TYPE	VOLTAGE	STANDARD
G18848	112 High Intensity LED's	12V/24V	E9, R10

LED WARNING STROBE SURFACE

Diagram

- Single / Double Flash
- Five cables
- 19 flash patterns with memory function
- Standards: ECE R10, SAE J595 Class 1
- Dimensions: 82 x 30mm
- Hole Centre: 71mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18851	9W 3 LED	12V/24V	Amber	IP67

LED WARNING STROBE SURFACE

Diagram

- Single / Double Flash
- Five cables
- 19 flash patterns with memory function
- Standards: ECE R10, SAE J595 Class 1
- Dimensions: 98 x 30mm
- Hole Centre: 87mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18852	12W 4 LED	12V/24V	Amber	IP67

LED WARNING STROBE SURFACE

Diagram

- Single / Double Flash
- Five cables
- 19 flash patterns with memory function
- Standards: ECE R10, SAE J595 Class 1
- Dimensions: 130 x 30mm
- Hole Centre: 119mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18853	18W 6 LED	12V/24V	Amber	IP67

ELECTRICAL & LIGHTING

33

LED WARNING STROBE

Diagram

- 3 LED Surface Mount Warning Strobe Light
- Five cables
- 9 flash patterns
- Standards: E9
- Dimensions: 80 x 27 x 18mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18854	9W 3 LED	12V/24V	Red	IP67
G18855	9W 3 LED	12V/24V	White	IP67

LED WARNING STROBE

Diagram

- 4 LED Surface Mount Warning Strobe Light
- Five cables
- 9 flash patterns
- Standards: E9
- Dimensions: 95 x 27 x 18mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18108	12W 4 LED	12V/24V	Amber	IP67
G18856	12W 4 LED	12V/24V	Red	IP67
G18857	12W 4 LED	12V/24V	White	IP67

LED WARNING STROBE

Diagram

- 6 LED Surface Mount Warning Strobe Light
- Five cables
- 18 flash patterns
- Standards: E9
- Robust aluminium housing to draw heat away
- Dimensions: 126 x 27 x 18mm

CODE	TYPE	VOLTAGE	COLOUR	STANDARD
G18858	18W 6 LED	12V/24V	Amber	IP67
G18859	18W 6 LED	12V/24V	Red	IP67
G18860	18W 6 LED	12V/24V	White	IP67

RECHARGEABLE LED FLARE (3 PACK)

WIRELESS

- Amber LED warning flare with 9 different functions.
- This smart and highly visible LED flare is ideal for plant and machinery to ensure maximum safety.
- This compact 12+3 LED light carries a powerful magnet to attach it to metal surfaces.
- The flare comes with an easy clip carry case for safety when not in use.
- Fantastic for the outdoors.
- The rechargeable LED warning flare glows brightly in the dark to make your emergency flares more noticeable in poor conditions.
- The magnet in the base will allow you to attach it to vehicles or safety equipment.
- The bright light will attract attention when safety is crucial.
- This product is waterproof and has a working voltage of 3.7V. Li-Polymer 600MAH battery.
- Charging time 2-3 Hours
- Working time: Varies depending on function. 2 hours constantly on high beam function - 48 hours single flash function
- Dimension: 33 x 100mm

CODE	TYPE	VOLTAGE	FUNCTION
G20004	12 + 3 LED	3.7V	9 Functions

ADDITIONAL IMAGES

BOLT-ON L-TYPE BEACON SUPPORT

- Bolt-on L-Type Beacon Support
- A bracket made to give support to beacons on farm machinery
- Simply bolt on the bracket onto your machine for secure support
- Pre wired with 2 core cable
- Dimension: 135 x 92 x 90mm

CODE	TYPE
G18110	Bolt On

BOLT-ON BEACON SUPPORT

- Bolt-on Straight-Type Beacon Support
- A bracket made to give support to beacons on farm machinery
- Simply bolt on the bracket onto your machine for secure support
- Pre wired with 2 core cable
- Dimension: 106 x 21mm

CODE	TYPE
G2759B	Bolt On

BOLT-ON T-TYPE BEACON SUPPORT

- Bolt-on T-Type Beacon Support Bracket
- Pre wired with 2 core cable
- Improves visibility
- Suitable for most farm machinery
- Made to give support to beacons on farm machinery
- Simply bolt the bracket onto your machine for secure support to your beacon
- Dimensions: 100 x 120 x 90

CODE	TYPE
G18111	T Type

BOLT-ON U-TYPE BEACON SUPPORT

- Bolt-on U-Type Beacon Support
- Pre wired with 2 core cable
- U-shaped vertical surface bracket
- Standard mount fits other manufacturer beacons
- Supports and secures your beacon in place
- Dimensions: 105 x 120 x 75

CODE	TYPE
G18112	U Type

TRACTOR WORK LAMPS

LED SQUARE WORK LAMP

Diagram

108mm 36mm 135 mm

- Bulb: 5pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 108 x 36mm

CODE	POWER	LUMENS	VOLTAGE
G17978	3W	900	9-32V

ADDITIONAL IMAGES

LED ROUND WORK LAMP

Diagram

115 mm 36 mm 135 mm

- Bulb: 6pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 115 x 36 mm

CODE	POWER	LUMENS	VOLTAGE
G17977	18W	1100	9-32V

ADDITIONAL IMAGES

MULTI POSITION LED RECTANGULAR WORK LAMP

- Aluminium housing and polycarbonate Lens
- Stainless steel mounting bracket
- Multiple position options
- 3 position options: Long mounting fixing, Middle mounting fixing & 35° rotatable fixing
- Middle mounting fixing
- Beam pattern: Spot beam
- Working temperature: -40°C to +50°C
- Approval: CE, RoHS approved
- Shock resistance 20g
- Dimensions: 156mm x 93mm x 85mm

CODE	POWER	LUMENS	VOLTAGE
G18826	24W	1800	12-28V

ADDITIONAL IMAGES

LED ROUND WORK LAMP

Diagram

- Bulb: 9pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 115 x 30mm

CODE	POWER	LUMENS	VOLTAGE
G17979	27W	2200	9-32V

ADDITIONAL IMAGES

LED SQUARE WORK LAMP

- Bulb: 9pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 108 x 61mm

Diagram

CODE	POWER	LUMENS	VOLTAGE
G17981	27W	2200	9-32V

ADDITIONAL IMAGES

LED SQUARE SPOT LAMP

- Bulb: 9pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 108 x 61mm

Diagram

CODE	POWER	LUMENS	VOLTAGE
G17982	27W	2200	9-32V

ADDITIONAL IMAGES

LED ROUND WORK LAMP

Diagram

- Bulb: 4pc. x 5W CREE
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 142 x 63 x 118mm

118mm · 63 mm · 142mm

CODE	POWER	LUMENS	VOLTAGE
G17983	20W	2800	9-32V

ADDITIONAL IMAGES

LED SQUARE WORK LAMP

Diagram

- Bulb: 4pc. x 5W CREE
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 135 x 108 x 61mm

108mm · 61mm · 108mm · 135mm

CODE	POWER	LUMENS	VOLTAGE
G17984	20W	2800	9-32V

ADDITIONAL IMAGES

LED ROUND WORK LAMP

Diagram

- Bulb: 9pc. x 6W
- Colour temperature: 6000-6500K
- -40°C to + 80°C temperature range
- Aluminium housing
- Stainless steel bracket
- Polycarbonate lens
- Lifespan: 30,000 hours
- Dimensions: 173 x 91 x 140mm

140 mm   91 mm
173 mm

CODE	POWER	LUMENS	VOLTAGE
G17986	54W	5400	9-32V

ADDITIONAL IMAGES

LED LIGHT BAR 1800 LM

Diagram

- Bulb: 9pc. x 3W
- Colour temperature: 6000-6500K
- -40°C to + 85°C temperature range
- Aluminium housing
- Stainless steel bracket
- Dimensions: 96x78x64mm

165mm   115mm
78mm

CODE	POWER	LUMENS	VOLTAGE
G17987	18W	1800	9-32V

ADDITIONAL IMAGES

GENFITT

GENFITT

CELEBRATING

50

OF EXCELLENCE

Genfitt are celebrating 50 years in business this year 2023.
We are delighted to reach this huge milestone. We would like to thank all our customers, suppliers and employees for being part of our company's success over the years. This monumental achievement would not have been possible without you.

Here's to many more years of success ahead!

www.genfitt.ie

LED LIGHT BAR 3600 LM

Diagram

- Bulb: 12pc. x 3W CREE
- Colour temperature: 6000-6500K
- -40°C to + 85°C temperature range
- Aluminium housing
- Stainless steel bracket
- Dimensions: 165 x 78 x 64mm

165mm
115mm
78mm

CODE	POWER	LUMENS	VOLTAGE
G17988	36W	3600	9-32V

ADDITIONAL IMAGES

LED LIGHT BAR 7200 LM

Diagram

- Bulb: 24pc. x 3W CREE
- Colour temperature: 6000-6500K
- -40°C to + 85°C temperature range
- Aluminium housing
- Stainless steel bracket
- Dimensions: 305 x 78 x 64mm

305mm
78mm
115mm

CODE	POWER	LUMENS	VOLTAGE
G17989	36W	7200	9-32V

ADDITIONAL IMAGES

ELECTRICAL & LIGHTING

43

ELECTRICAL PLUGS & SOCKETS

7-PIN PVC PLUG

12N Type Wiring Diagram

- PVC casing
- Replacement plug for caravans and trailers

CODE	TYPE	PIN	VOLTAGE
G2739	PVC	7 Pin	12V

7-PIN ALUMINIUM PLUG

12N Type Wiring Diagram

- Aluminium casing
- Easy to fit and use for convenience

CODE	TYPE	PIN	VOLTAGE
G2741	Aluminium	7 Pin	12V

3-PIN PVC PLUG

- PVC casing
- Easy to fit and use for convenience

CODE	TYPE	PIN	VOLTAGE
G17959	PVC	3 Pin	12V

3-PIN PVC PLUG TWINPACK

- PVC casing
- Easy to fit and use for convenience

CODE	TYPE	PIN	VOLTAGE
G17998	PVC	3 Pin	12V

13-PIN PVC EURO PLUG

- Replacement European-style plug for caravans and trailers
- Allows trailer board lights to mimic the towing vehicle
- Screw terminals
- Rubber grommet
- Cable hole: x 1 Ø 8/15 mm

CODE	TYPE	PIN	VOLTAGE
G17835	PVC	13 Pin	12V

3-PIN PLUG & SOCKET PACK

- PVC casing
- Easy to fit and use for convenience

CODE	TYPE	PIN	VOLTAGE
G17997	PVC	3 Pin	12V

3-PIN PVC SOCKET PREPACK

- PVC casing
- Easy to fit and use for convenience

CODE	TYPE	PIN	VOLTAGE
G17976	PVC	3 Pin	12V

7-PIN PVC SOCKET

- PVC casing
- Replacement socket for caravans and trailers

CODE	TYPE	PIN	VOLTAGE
G2735	PVC	7 Pin	12V

ELECTRICAL & LIGHTING

45

GENFITT

7-PIN ALUMINIUM SOCKET

- Aluminium casing
- Perfect for connecting lighting equipment on farm machinery and trailers
- Screw connector

CODE	TYPE	PIN	VOLTAGE
G2737	Aluminium	7 Pin	12V

13-PIN PVC EURO SOCKET

- PVC casing
- Replacement European-style plug for caravans and trailers
- Allows trailer board lights to mimic the towing vehicle
- Screw terminals

CODE	TYPE	PIN	VOLTAGE
G17836	PVC	13 Pin	12V

46

12V SOCKET CONVERSION ADAPTOR MICRO 13-PIN PLUG TO 7-PIN

- PVC casing
- Plugs into towing vehicles
- Can be used for a trailer or caravan
- Micro adapter from 13-pin plug to 7-pin 12V socket

CODE	TYPE	PIN	VOLTAGE
G17837	PVC	13 Pin	12V

12V SOCKET CONVERSION ADAPTER MICRO 7-PIN PLUG TO 13-PIN

- Micro adapter from 7-pin plug to 13-pin 12V socket
- Plugs into towing vehicles
- Can be used for a trailer or caravan
- PVC casing

CODE	TYPE	PIN	VOLTAGE
G17838	PVC	13 Pin	12V

ANDERSON PLUG

- 2 Pole power connectors
- Suitable for connecting and disconnecting battery/welding cables quickly and safely
- Complete with 2 terminals
- Colour: Grey

CODE	TYPE	AMP	SUITABILITY
G18921	PVC	175	Up to 60mm² Cable
G18922	PVC	50	Up to 60mm² Cable
G18923	PVC	350	Up to 60mm² Cable

CIGAR LIGHTER PLUG

- Suitable for 12 to 24V d.c. car, boat and caravan electrical systems
- Dual function plug Fits into cigarette lighter sockets or jack sockets (by removing the red plastic sleeve)
- Plastic casing

CODE	TYPE	VOLTAGE
G18358	Plastic	12V/24V

CIGAR LIGHTER & SOCKET

- 2 piece cigarette lighter and socket
- Comes with illuminated surround

CODE	TYPE
G18359	2 Piece

ELECTRICAL CABLE & WIRING

SINGLE CORE CABLE

- Ideal solution for switchgear and control gear wiring
- Flame retardant
- PVC tractor cable
- Rating: 8.75A and 17.50A
- Gauge: 14mm2 and 28mm2

Sold Per Metre

CODE	TYPE	AMP	ROLL
G2718	1C x 14G	8.75	50m
G2718A	1C x 14G	8.75	100m
G2719	1C x 28G	17.50	50m
G2719A	1C x 28G	17.50	100m

2 CORE CABLE

- PVC tractor cable
- Gauge: 14mm2 and 28mm2
- Rating: 8A and 17A

Sold Per Metre

CODE	TYPE	AMP	ROLL
G2720	2C x 14G	8.75	50m
G2720A	2C x 14G	8.75	100m
G2721	2C x 28G	17.50	50m
G2721A	2C x 28G	17.50	100m

5 CORE CABLE

- PVC tractor cable
- Gauge: 0.65mm2
- Rating: 5A

Sold Per Metre

CODE	TYPE	AMP	ROLL
G2732	5C x 0.65G	5	30m
G2732A	5C x 0.65G	5	100m

48

7 CORE CABLE

Sold Per Metre

- PVC tractor cable
- Gauge: 0.65mm2
- Rating: 5A

CODE	TYPE	AMP	ROLL
G2733	7C x 0.65G	5	30m
G2733A	7C x 0.65G	5	100m

13 CORE CABLE

Sold Per Metre

- For automotive, trailer, caravan and marine applications
- 13 core cable breakdown:
- Size: 5 x 2.5mm2 strands (13 AWG)
- Amplitude: 21.75 Amp (13 AWG)
- Size: 8 x 1.5mm2 strands (13 AWG)
- Amplitude: 12.75 Amp (15 AWG)

CODE	TYPE	AMP	ROLL
G18948	13C	21.75	10m
G18949	13C	21.75	30m

49

SINGLE CORE 5 AMP CABLE REEL

Sold Per Metre

- Comes in Black,Green, Blue
- Length: 7m
- Size: 9 x 0.3mm strands

CODE	TYPE	AMP	ROLL	COLOUR
G18924	1C 9/0.3mm	5	7m	Black
G18926	1C 9/0.3mm	5	7m	Green
G18927	1C 9/0.3mm	5	7m	Blue

Available Colours

SINGLE CORE 8 AMP CABLE REEL

Sold Per Metre

- Comes in Black, Green, Red
- Length: 6m
- Size: 14 x 0.3mm strands

CODE	TYPE	AMP	ROLL	COLOUR
G18932	1C 14/0.3mm	8	6m	Black
G18933	1C 14/0.3mm	8	6m	Red
G18934	1C 14/0.3mm	8	6m	Green

Available Colours

SINGLE CORE 17 AMP CABLE REEL

Sold Per Metre

- Comes in Black, Red, Green
- Length: 3.5m
- Size: 28 x 0.3mm strands

CODE	TYPE	AMP	ROLL	COLOUR
G18940	1C 28/0.3mm	17	3.5m	Black
G18941	1C 28/0.3mm	17	3.5m	Red
G18942	1C 28/0.3mm	17	3.5m	Green

Available Colours

50

SINGLE CORE 25 AMP CABLE REEL

Sold Per Metre

- Comes in Black, Red
- Length: 2.2m
- Size: 44 x 0.3mm strands

CODE	TYPE	AMP	ROLL	COLOUR
G18945	1C 44/0.3mm	25	2.2m	Black
G18946	1C 44/0.3mm	25	2.2m	Red

Available Colours

BRITAX 8-WAY JUNCTION BOX

- 8 terminals with clamping screw
- 15 amp rating
- Waterproof
- Easily mounted to any flat surface
- Can be used for joining mobile of static machinery wires
- Clear cover
- Rubber body
- Has 4 sealed cable access points which are cone shaped and can be snipped to suit the cable size

CODE	TYPE	AMP	MATERIAL
G2800	8 Way	15	Rubber

BRITAX 10-WAY JUNCTION BOX

- Spade terminals
- As fitted for IFOR Williams trailers

CODE	TYPE	APPLICATIONS	MATERIAL
G18282	10 Way	12V/24V	Rubber

CONNECTOR STRIP

- Designed for free hanging or panel mount applications
- Easy wiring installation
- 8 connectors in a strip
- Acid and erosion control
- 5.0A: Cable size: 6mm
- 15.0A: Cable size: 10mm

CODE	TYPE	AMP	MATERIAL
G2832	8 Connectors	5	Plastic
G2832A	8 Connectors	15	Plastic

CABLE CLIPS

- Electrical Cable clips, with adhesive base

CODE	MATERIAL
G18379	Plastic

ELECTRICAL TERMINALS & CONNECTORS

GENFITT BULLET TERMINAL PREPACK

Close Up Image

- Bullet Terminal Prepack
- Insulated
- Acid and erosion control

CODE	SIZE	COLOUR
G17494	5mm	12V-24V

GENFITT BUTT TERMINAL PREPACK

Close Up Image

- Butt Terminal
- Insulated
- Acid and erosion control

CODE	SIZE	COLOUR
G17487	1.5mm²	Red
G17493	2.8mm²	Blue

GENFITT SOCKET PREPACK

Close Up Image

- Genfitt Socket Prepack
- Insulated
- Acid and erosion control

CODE	SIZE	COLOUR
G17495	5mm	Blue

GENFITT BULLET TERMINAL PREPACK

Close Up Image

- Genfitt terminal prepack
- Insulated
- Acid and erosion control
- Available in male or female

CODE	SIZE	TYPE	COLOUR	SUITABILITY
G17496	4.8mm	Female	Blue	ATP119G20
G17488	6.4mm	Female	Red	ATP100G20
G17489	6.4mm	Female	Red	ATP101G20
G17490	6.4mm	Male	Red	ATP102G20
G17497	6.4mm	Female	Blue	ATP120G20
G17498	6.4mm	Female	Blue	ATP122G20
G17499	6.4mm	Male	Blue	ATP123G20
G17502	6.4mm	Male	Yellow	ATP138G20
G17503	6.4mm	Female	Yellow	ATP137G20

53

FEMALE UN-INSULATED LOCKABLE TERMINAL CONNECTOR

Close Up Image

- Lockable terminal connector
- Un-insulated
- Wire size: 4.8mm
- Pack of 50

CODE	SIZE	TYPE	COLOUR
G18910	4.8mm	Female	Zinc Plated

GENFITT RING TERMINAL

- Terminal Prepack of x20 pc ring terminals
- Hole sizes from 6mm, 8mm ,10mm & 12mm

CODE	SIZE	COLOUR
G17492	6.0mm	Blue
G20357	8.0mm	Blue
G20358	10.0mm	Blue
G20359	8.0mm	Yellow
G20360	10.0mm	Yellow
G20361	12.0mm	Yellow

ASSORTED INSULATED TERMINALS

- Assorted Insulated Terminals
- Insulated terminals pack
- 80 piece
- Electrical assortment kit

Includes:
- Spade terminals
- Ring terminals
- Button terminals
- Joiners
- Scotch clips
- Male & Female square push-on non insulated terminals

CODE	SIZE	TYPE
G18378	80 Piece	Assorted

WIRE TERMINALS & CRIMPER SELECTION BOX

- Wire terminal and crimper tool selection box

CODE	SIZE	TYPE
G18679	175 Piece	Assorted

360 PIECE WIRE TERMINAL SELECTION BOX

- Wire terminal selection box
- 360 piece electrical assortment kit

I**ncludes:**
- Spade terminals
- Ring terminals
- Button terminals
- Joiners
- Male & Female square push-on non insulated terminals

CODE	SIZE	TYPE
G18667	360 Piece	Assorted

GENFITT CONNECTOR PREPACK

- Join two cables together by passing your main cable along the open end of the joiner and placing the tip of your second wire on the inside second hole
- Then using a locking pliers or vice close the metal tab through the two cables
- Finally close the blue tap when cables are secure

CODE	COLOUR	SUITABILITY
G17501	Blue	AYB531G20
G17491	Red	AYB537G20

GENFITT HEATSHRINK CONNECTOR PREPACK

Close Up Image

- Genfitt heat shrink connector prepack
- Insulated
- Acid and erosion control

CODE	SIZE	COLOUR	SUITABILITY
G17500	6mm²	Blue	ATP112G20

HEAT SHRINK SLEEVING

Close Up Image

- Heat shrinkable
- Flexible, chemical and abrasion resistant tubing
- Designed for optimum high temperature fluid resistance and long term heat resistance
- Black elastomer tubing

CODE	SIZE	COLOUR	RATIO
G18370	1m x 4.8mm	Black	2:1
G18371	1m x 12.7mm	Black	2:1

RATCHET CRIMPING TOOL

- Manufactured from hardened steel with cushioned plastic grips
- Ideal tool for crimping insulated terminals
- Easy to use ratchet mechanism crimping tool
- Crimps insulated terminals and connectors

CODE	TYPE
G18920	Crimper

STRIP & CRIMPING TOOL

- Quick and efficient for stripping, crimping and cutting
- Polypropylene soft-grip handle
- Easy to use wiring strip & crimp tool
- Strips and cut cable/wire 24-10 AWG (0.2-6mm2)
- Crimps insulated terminals 22-10 AWG (0.5-6mm2)
- Crimps non-insulated terminals 22-10 AWG (0.5-6mm2)
- Crimps ignition terminals 7-8mm

CODE	TYPE
G18919	Strip & Crimper

PVC INSULATING TAPE

- Operating temperature ranges between -10°C and 90°C
- Suitable for cable repair
- Dimensions: 19mm x 20m

CODE	SIZE	COLOUR	MATERIAL
G2840	20m	Black	PVC
G12783	20m	Yellow	PVC
G12784	20m	Red	PVC
G12786	20m	Green	PVC
G12787	20m	White	PVC
G12785	20m	Brown	PVC
G15995	20m	Blue	PVC

ADDITIONAL IMAGES

57

GENFITT

JUMP LEADS & CROCODILE CLIPS

600AMP JUMP LEAD - 100% COPPER CABLE

- Heavy duty booster cable
- 100% copper cable
- Oil, acid and heat resistant
- PVC coating
- Fully insulated heavy duty metal booster cable handles
- Supplied in a red nylon bag with zip, clear window and carrying handle

CODE	SIZE	AMP	MATERIAL
G12143	8ft x 25mm	600 AMP	PVC
G12144	8ft x 35mm	600 AMP	PVC
G12119	10ft x 50mm	600 AMP	PVC
G12125	12ft x 50mm	600 AMP	PVC
G13410	16ft x 50mm	600 AMP	PVC

600AMP JUMP LEAD - 30% COPPER / 70% ALUMINIUM COATED

- 600A - 30% Copper / 70% Aluminium Coated
- High conductivity
- Ensures that you get the best possible electrical connection when trying to start your vehicle
- Infused with PVC insulation which makes it water, acid and heat resistant
- High quality jump cables that are oil, acid and heat resistant, strong and sturdy
- All the ends of the cables have been fully insulated with heavy duty metal
- Comes with a red nylon bag with zip, clear window and carrying handle for storage
- A variety of sizes are available
- Carrying one of these jump leads means you will always be ready for any emergency

CODE	SIZE	AMP	MATERIAL
MX0600005	8ft x 25mm²	600 AMP	PVC
MX0600008	8ft x 35mm²	600 AMP	PVC

CROCODILE CLIP 150AMP

Additional Image

- Crocodile clip
- Rubber handle
- Fully insulated

CODE	TYPE	AMP	COLOUR
G1090	Positive	150 AMP	Red
G12656	Negative	150 AMP	Black

CROCODILE CLIP 600AMP

Additional Image

- Crocodile clip
- Rubber handle
- Fully insulated

CODE	TYPE	AMP	COLOUR
G1091	Positive	600 AMP	Red
G12332	Negative	600 AMP	Black

INSULATED CROCODILE CLIPS

Additional Image

- Insulated crocodile clip
- 5 Amps
- Suitable for use with a wide range of multimeter test leads

CODE	TYPE	AMP	COLOUR
G1087	Positive	5 AMP	Red
G12653	Negative	5 AMP	Black

NON INSULATED CROCODILE CLIPS

- Can be used in electrical or laboratory electric testing work or as miniature clamps to hold parts together
- Ideal for your temporary electrical connections
- Made of durable metal

CODE	TYPE	AMP	COLOUR
G1088	Positive	25 AMP	Metallic
G12654	Negative	25 AMP	Metallic
G1089	Positive	50 AMP	Metallic
G12655	Negative	50 AMP	Metallic

SEMI INSULATED CROCODILE CLIP SET

Additional Image

- Semi Insulated Crocodile Clip Set
- 40amp

CODE	TYPE	AMP	COLOUR
G19777	Positive/Negative	40 AMP	Red/Black

SEMI INSULATED CROCODILE CLIP SET

Additional Image

- Semi Insulated Crocodile Clip Set
- 60amp

CODE	TYPE	AMP	COLOUR
G19778	Positive/Negative	60 AMP	Red/Black

ANGLED JAW CROCODILE CLIP 500AMP

Additional Image

- Semi insulated 500amp crocodile clip with angled clip

CODE	TYPE	AMP	COLOUR
G19797	Positive	500 AMP	Red
G19796	Negative	500 AMP	Black

ANGLED JAW CROCODILE CLIP 750AMP

Additional Image

- Semi insulated 750amp brass coated crocodile clip with angled clip

CODE	TYPE	AMP	COLOUR
G19799	Positive	750 AMP	Red
G19798	Negative	750 AMP	Black

61

GENFITT

BATTERY BOOSTERS, CHARGERS & ACCESSORIES

MCANAX START TRUCK 12/24V BOOSTER

- Digital Voltmeter Fully Automatic Charger
- Boost rate: 5000A /2500A
- With automatic charger and lighter socket cord
- Pure brass completely isolated clamps
- Voltage spike protection with built in safety fuse
- Reverse Polarity Alarm
- Industrial ABS shock proof case
- Cable diameter: 5mm²
- Cable length: 165cm

CODE	VOLTAGE	AMP	BATTTERY
P1801015	12/24V	3200/1600 AMP	22Ah x 2

ADDITIONAL IMAGES

MCANAX HYBRID START BOOSTER 12 VOLT 3500A

- High rate 15ah battery
- Peak amp: 3500 amp
- Starting current: 1200 amp
- Fully automatic

CODE	VOLTAGE	AMP	BATTTERY
P1801024	12V	3500 AMP	15Ah

ADDITIONAL IMAGES

MCANAX P18 12V 1400A START BOOSTER

- Light duty unit
- Boost rate: 1400 P.LE
- Internal battery: 12V 14Ah x1
- Cranking rate: 350A
- Recharge: 230V
- Cable diameter: 25mm²
- Cable length: 640mm
- Weight: 5.8kg

CODE	VOLTAGE	AMP	BATTTERY
P1801008	12V	350 AMP	12V 14Ah x1

ADDITIONAL IMAGES

LEMANIA ULTRACAPACITOR STARTER BOOSTER 12/24V

- Here is the new range from Lemania. They function the very same as Battery Boosters, but in a very intriguing way
- A Capacitor is an electronic device which stores electricity. It is capable of discharging its power in a short sharp boost
- The Capacitor can be charged in two ways:
  1. by a trickle charge over up to five hours (on 240 volt AC current stepped down)
  2. by direct contact with a DC current, (usually in our case a battery) for about two minutes
  3. The ultracapacitor can be charged by the flat battery in the vehicle in two minutes

CODE	VOLTAGE
P1801022	12/24V

ADDITIONAL IMAGES

REPLACEMENT BATTERY FOR BOOSTER

PI801058 Image

- Replacement Battery for Booster
- Suitable for most booster pack makes and models

CODE	VOLTAGE	AMP	SUITABILITY
P1801045	12/24V	22 AMP	P1801015
P1801058	12/24V	15 AMP	P1801008 & P1801024

LEMANIA BOOSTER FUSE

- Replacement fuse for 12/24 booster

CODE	VOLTAGE	AMP	SUITABILITY
P1801048	12/24V	300 AMP	12/24 Booster
P1801046	12/24V	500 AMP	12/24 Booster
P1801056	12/24V	500 AMP	55mm SHORT FUSE
P1801057	12/24V	1000 AMP	55mm SHORT FUSE

LEMANIA BOOSTER CHARGER

- Replacement charger for Lemania Booster

CODE	VOLTAGE	AMP	SUITABILITY
P1801026	12V	1.5 AMP	P1801024 & P1801008
P1801026A	12/24V	4 AMP	P1801015

DIGITAL VOLTMETER FOR 12/24V BOOSTERS

- Replacement digital voltmeter for 12/24Volt battery boosters
- Bright red light for clear visibility when reading meter

CODE	VOLTAGE	SUITABILITY
P1801039	12/24V	P1801015 & P1801022

12/24V COMMUTATOR SWITCH

- Replacement commutator switch for 12/24 volt model battery boosters
- A commutator is a rotatory electrical switch that reverses the direction as required within the battery booster
- It is used to switch between 12 volts and 24 volts

CODE	VOLTAGE
P1801038	12/24V

ENERGY FLO PRO SMART BATTERY CHARGER

P1802020

- Smart trickle charger that will recharge your automotive battery, and keep it topped up ready for when it's needed
- Works with 6/12V & 12/24Vbattery systems
- Automatic operation
- 7 stage charging process
- Water resistant IP65
- Polarity protection
- Electronic cut off with trickle charge indicator
- Battery capacity indicator
- Low power consumption

CODE	VOLTAGE	AMP
P1802020	6/12V	3.8 AMP
P1802030	12/24V	7.0 AMP
P1802035	12/24V	25.0 AMP

65

ADDITIONAL IMAGES

P1802030

P1802035

BATIUM AUTOMATIC BATTERY CHARGER

G17447 Image

- Batium 7-12 Automatic Battery Charger
- Charges automatically with no need for supervision
- For use in vehicles such as cars, caravans, motorhomes, boats
- Automatic charge, microprocessor controlled
- Forced charging
- 50% shorter charge time
- Protection against the polarity reversals or battery tension errors
- Automatic compensation for sector fluctuations
- Output: 6-12V 2Reg 11A RMS

CODE	VOLTAGE	BATTERY
G17446	6/12V	15-130AH
G17447	6/12/24V	35-225AH

BATIUM 7-12 BATTERY CHARGER CIRCUIT BOARD

- Replacement circuit board for Batium 7-12 Battery Charger
- Ref: G17446

CODE	TYPE	SUITABILITY
G19824	7-12	G17446

66

BATIUM REPLACEMENT BULKHEAD

- Replacement bulkhead for Batium battery charger
- Spare part

CODE	TYPE	SUITABILITY
G19826	15-24	Spare Part

BATIUM BATTERY CHARGER REPLACEMENT KEYPAD

- Replacement keypad for a Batium battery charger
- Yellow & Blue

CODE	DISPLAY	LED
G19825	7-12	6
G19827	15-24	9

BATIUM 15-24 BATTERY CHARGER FUSE HOLDER

- Spare part for a Batium 15-24 Battery Charger
- Fuse holder

CODE	DISPLAY	TERMINAL
G19828	15-24	6.35

LEMANIA TESTER ANALYSER

- 12/24V Battery tester and electrical system analyser with printer
- 12/24V Starter tests
- 12/24V Alternator tests
- Ground tests

Test Includes: 12V Car & Motorcycle battery tests - WET, AGM, AGM Spirals, EFB, CA & GEL, CCA, SAE, EN, EN1, EN2, IEC, DIN, CA, JIS

CODE	VOLTAGE	TYPE
P1801030	12/24V	Tester

HEAVY DUTY BATTERY TERMINAL

Additional Image

- Battery Terminal
- Suitable for electrical and lighting
- Cable hole size: 11.1mm
- Heavy Duty

CODE	TYPE	HOLE SIZE
G2694	Positive	11.1mm
G2695	Negative	11.1mm

EXTRA HEAVY DUTY BATTERY TERMINAL

Additional Image

- Battery Terminal
- Suitable for electrical and lighting
- Cable hole size: 13.3mm
- Heavy Duty

CODE	TYPE	HOLE SIZE
G2695A	Positive	13.3mm
G2695B	Negative	13.3mm

QUICK RELEASE BATTERY TERMINAL

Additional Image

- Designed for non-permanent attachment to batteries i.e. applications such as machines or vehicles that use a portable battery for quick and easy attachment
- Screw clamp cable attachment
- Cable hole size: 9mm
- Amplitude: 1000 AMP

CODE	TYPE	HOLE SIZE
G18913	Positive	9mm
G18914	Negative	9mm

FORD CARGO BATTERY TERMINAL

Additional Image

- Battery terminal supplied with wing nut & M10 threaded pole
- Amplitude: 1000 AMP

CODE	TYPE	SUITABILITY
G18911	Positive	M10 eyelets
G18912	Negative	M10 eyelets

BRASS BATTERY TERMINAL

Additional Image

- Brass battery terminal with 10mm bolt
- Suitable for M10 eyelets
- Amplitude: 1000 AMP

CODE	TYPE	BOLT SIZE
G18915	Positive	10mm
G18916	Negative	8mm
G18917	Positive	10mm
G18918	Negative	8mm

STARTER BATTERY LEAD

Additional Image

- Battery lead
- Insulated starter to battery lead
- Battery terminal x Eyelet type connection

CODE	SIZE 1	SIZE 2	COLOUR
G18950	18in	16mm²	Black
G18951	24in	16mm²	Black
G18953	18in	16mm²	Red

Available Colours

STARTER SOLENOID LEAD

Additional Image

- Insulated starter to solenoid lead
- Eyelet x Eyelet type connection
- Amplitude: 110 Amp

CODE	SIZE 1	SIZE 2	COLOUR
G18956	9in	16mm²	Black
G18957	12in	16mm²	Black
G18960	24in	16mm²	Black
G18964	24in	16mm²	Red

Available Colours

GENFITT

ELECTRICAL SWITCHES & RELAY

3 POSITION ELECTRICAL TOGGLE SWITCH

- Electrical toggle switch with 3 positions
- On / Off / On. 12V - 6A

CODE	VOLT
G18364	12V-6A

2 POSITION ELECTRICAL TOGGLE SWITCH

- For interior cab
- 2 position
- ON/ON flick switch
- Male spade connectors

CODE	VOLT
G18365	12V-3A

DASH LIGHT

- Vehicle warning dash light

CODE	COLOUR
G18366	Amber
G18367	Red

PUSH PULL SWITCH

- Electrical Push/Pull switch
- 2 position
- Plastic pull handle

CODE	VOLT
G18369	12V

2 POSITION ELECTRICAL FLICK SWITCH

- Electrical flick switch
- For interior cab
- ON/OFF flick switch
- Male spade connectors
- 2 position

CODE	VOLT
G2731	12V

2 POSITION ELECTRICAL FLICK SWITCH H/D

- Electrical flick switch
- For interior cab
- ON/OFF flick switch
- Male spade connectors
- Heavy Duty
- 2 position

CODE	VOLT
G18326	12V

2 POSITION ELECTRICAL TOGGLE SWITCH

- Electrical toggle switch
- For interior cab
- ON/OFF flick switch
- Male spade connectors
- Heavy Duty

CODE	VOLT
G18386	12V

PUSH BUTTON SWITCH

- Suitable for starter or horn

CODE	VOLT
G2708	12v

4 POSITION HEADLIGHT SWITCH WITH HORN

- Headlight switch with horn
- Plastic pull handle
- Controls tractor headlamps and horn

CODE	VOLT
G2715A	12v

PRE-HEAT SWITCH SUITABLE FOR MASSEY FERGUSON

- Supplied with key
- Suitable for a Massey Ferguson

CODE	VOLT
G2712	12V

PRE-HEAT SWITCH SUITABLE FOR DAVID BROWN

- Suitable for David Brown
- 6 terminals
- Supplied with key

CODE	VOLT
G2713	12V

TRACTOR IGNITION KEY SUITABLE FOR FORD

- Tractor Ignition Key
- Key suitable for ignition switch or door handle
- Suitable for Ford Tractors: 2000-7000, (1965 to 1975); 8000-9700, TW10

CODE	VOLT
G2730	12V

MASTER BATTERY CUT-OFF SWITCH

- Maximum load: 100A continuous. 500A for 5 seconds
- Contact resistance: 50m O max
- Insulation resistance: 500V DC 100M O min

CODE	VOLT
G18909	12V

EXTERNAL BATTERY CUT OFF SWITCH 75 AMP

- Suitable for heavy duty applications
- Metal body

CODE	AMP
G2698B	75

EXTERNAL BATTERY CUT OFF SWITCH 250 AMP

- Suitable for heavy duty applications
- Metal body

CODE	AMP
G2698C	250

72

INTERNAL BATTERY CUT OFF SWITCH 100 AMP

- Internal battery cut-off switch
- Suitable for light duty applications for various manufacturers

CODE	AMP
G2698	100

KEY FOR INTERNAL CUT-OFF SWITCH SUITABLE FOR VARIOUS MANUFACTURERS

- Key for internal cut-off switch
- Heavy duty plastic
- Suitable for various manufacturers & G2698

CODE
G2698A

ELECTRICAL STANDARD RELAYS

- Standard electrical relays
- For 12V electrical circuits

CODE	PIN
G18329	4
G18328	5

ELECTRICAL FUSES & CONNECTORS

GENFITT STANDARD BLADE FUSE PREPACK

Additional Image

- One rating per pack
- Comes in packs of 20 pcs

Available Fuse Ratings: Clear: 2A, Violet: 3A, Tan: 5A, Brown: 7.5A, Red: 10A, Blue: 15A, Yellow: 20A, Natural: 25A, Green 30A

CODE	AMP	REFERENCE
G17475	2	ATP0242G20
G17476	3	ATP024G20
G17471	5	ATP026G20
G17472	7.5	ATP027G20
G17467	10	ATP028G20
G17468	15	ATP029G20
G17469	20	ATP030G20
G17473	25	ATP031G20
G17470	30	ATP032G20

GENFITT MINI BLADE FUSE PREPACK

Additional Image

- Genfitt Mini Blade Fuse Prepack

CODE	AMP	REFERENCE
G17477	10	ATP046G20
G17478	15	ATP047G20

GLASS DIN FUSES

Additional Image

- Pack of 25

CODE	AMP
G18377	Assorted

21 PIECE MINI BLADE FUSE SET

Additional Image

- 21 piece set

Available Fuse Ratings: Clear: 2A, Violet: 3A, Tan: 5A, Brown: 7.5A, Red: 10A, Blue: 15A, Yellow: 20A, Natural: 25A, Green 30A, Orange: 40A

CODE	PIECES
G18375	21

35 PIECE STANDARD BLADE FUSE SET

Additional Image

- 35 piece set

Available Fuse Ratings: Clear: 2A, Violet: 3A, Tan: 5A, Brown: 7.5A, Red: 10A, Blue: 15A, Yellow: 20A, Natural: 25A, Green 30A, Orange: 40A

CODE	PIECES
G18383	35

50 PIECE STANDARD BLADE FUSE SET

Additional Image

- 50 piece

Available Fuse Ratings: Red: 10A x 10, Blue: 15A x 10, Yellow: 20A x 10, Natural: 25A x 10, Green: 30A x 10

CODE	PIECES
G18661	50

50 PIECE MINI BLADE FUSE SET

Additional Image

- 50 piece

Available Fuse Ratings: Red: 10A x 10, Blue: 15A x 10, Yellow: 20A x 10, Natural: 25A x 10, Green: 30A x 10

CODE	PIECES
G18662	50

MAXI BLADE FUSES

Additional Image

- 8 piece assortment maxi fuse pack

CODE	PIECES
G18374	8

CONTINENTAL FUSES

Additional Image

- 30 piece assortment continental fuse pack

CODE	PIECES
G18376	30

8 WAY FUSE HOLDER

Additional Image

- Fuse holder
- 2 hole fixing

CODE	TYPE
G18372	8 Way

75

CONTINENTAL FUSE HOLDER

- Inline fuse holder
- Suitable for continental fuses

Additional Image

CODE	TYPE
G18373	2s

IN-LINE BLADE FUSE HOLDER

- For use with blade fuses
- Rated current is 30A
- PVC body and tin/nickel plated brass contacts
- Minimum insulation resistance of 100Mohm at 500VDC

Additional Image

CODE	AMP
G14625	30

SAFETY REFLECTOR & SIGNAGE

OBLONG REFLECTOR

- Keep equipment and vehicles safe with this oblong reflector
- Plastic housing
- 2 hole mounting

CODE	SIZE	COLOUR
G12432	105 x 48mm	Amber
G2804	105 x 48mm	Clear
G12433	105 x 48mm	Red

ADDITIONAL IMAGES

ROUND REFLECTOR

- Keep equipment and vehicles safe and visible with this amber reflector
- Plastic housing
- 1 hole mounting
- Depth: 6mm

CODE	SIZE	COLOUR
G12430	60mm	Amber
G2803	60mm	Clear
G12431	60mm	Red

ADDITIONAL IMAGES

ELECTRICAL & LIGHTING

77

GENFITT

REFLECTOR TRIANGLE WITH WHITE OR BLACK BACKING

- Keep equipment and vehicles safe and visible with this triangle reflector
- Plastic housing
- 2 hole mounting
- Includes lens gasket to protect against dirt and shock

CODE	SIZE	TYPE	COLOUR
G2743	155mm x 137mm x 10mm	Single	Red & White
G19740	155mm x 137mm x 10mm	Single	Red & Black
G19741	155mm x 137mm x 10mm	Set	Red & Black

ADDITIONAL IMAGES

3M RIGID REFLECTIVE TAPE

- Suitable for curtain sided, rigid vehicles, tankers and trailers
- Designed for ease of application and durability
- Regulation: ECE-104 ECE-48

CODE	SIZE	COLOUR
G17390	50mm x 12.5m	White
G17391	50mm x 12.5m	Yellow
G17392	50mm x 12.5m	Red
G16921	50mm x 50m	White
G16919	50mm x 50m	Yellow
G16920	50mm x 50m	Red

ADDITIONAL IMAGES

3M VALUE RIGID REFLECTIVE TAPE

- Suitable for curtain sided, rigid vehicles, tankers and trailers
- Designed for ease of application and durability
- Regulation: ECE-104 ECE-48

CODE	SIZE	COLOUR
G18990	50mm x 50m	Yellow
G18991	50mm x 50m	Red
G18992	50mm x 50m	White

ADDITIONAL IMAGES

3M SEGMENTED RIGID REFLECTIVE TAPE

- Suitable for curtain sided, rigid vehicles, tankers and trailers
- Designed for ease of application and durability
- Regulation: ECE-104 ECE-48

CODE	SIZE	COLOUR
G18989	50mm x 50m	Red

SIGN - WIDE LOAD

- Wide Load aluminium support kit - 1 pc
- Suitable for heavy road use and power washing
- Can be fixed to a trailer, truck or tractor

CODE	SIZE	TYPE
G18153	1265 x 225 x 0.8 mm	Single

SIGN - LONG VEHICLE

- Used to inform and protect road users
- Fully reflective metal vehicle sign
- Heavy gauge aluminium with yellow reflective and red fluorescent panels
- Durable, safe and highly visible

CODE	SIZE	TYPE
G14621	1265 x 225mm	Single
G19870	470 x 145 x 0.8mm	Set
G14620	525 x 250mm	Set

ADDITIONAL IMAGES

VEHICLE SPEED SAFETY STICKER

- Can be applied to a range of different vehicles which are limited to a certain speed
- Ideal for vans, lorries, farm machinery & construction vehicles
- Speed limit sticker PVC - kit 1 pc
- Diameter: Ø 200 mm
- Easily removable adhesive

CODE	DIAMETER	SPEED
G18239	200 mm	30Km
G18214	200 mm	40Km
G18156	200 mm	50Km
G18215	200 mm	60Km

SLOW MOVING TRIANGLE

- Slow moving triangle
- Rear warning sign
- Warns other road users that the vehicle is moving slower than the normal speed of traffic
- ECE69.01
- Slow moving triangle - class 3

CODE	SIZE	TYPE
G18222	470 x 145 x 0.8mm	1 Piece

SIGN - AGRI SAFETY CHEVRON DIN 11030 CLASS 1

- Agri safety sign
- Flat safety sign complying with DIN 11030 - class 1

CODE	SIZE	TYPE
G18154	423 x 423mm	Self Adhesive
G18155	423 x 423mm	Galvanised Plate

BREAKDOWN TRIANGLE

- Warns other road users when you have broken down
- Strong warning triangle with solid four point base and ultra effective reflectors
- Folds compactly into its own storage case

CODE	SIZE	COLOUR
G2751	465 x 158 x 33mm	Red

ALUMINIUM SAFETY SIDE & REAR MARKING

- Safety marking signage
- Heavy gauge aluminium plates with yellow reflective and fluorescent panels
- Right hand and left hand sides available

CODE	SIZE	TYPE	POSITION
G2683	48in	Side	Left Hand
G2683A	48in	Side	Right Hand
G2684	39in	Rear	Left Hand
G2684A	39in	Rear	Right Hand

WARNING ALARM

- Warns anyone in a vehicle's path that it is moving backwards
- For use in construction machinery or other environments where noise pollution is frequent in order to alert individuals working in these areas of potential danger of moving machinery i.e. Excavator, Truck, Teleporter
- Current: 250mA
- Frequency: 1.4kHz
- Power Consumption: 15W
- Cycle: 80+/- 5 minutes
- Approvals: ECE R10.05, E9-10R-05.11398, IP67

CODE	VOLTAGE	MATERIAL
G18514	12-80V	Nylon

81

ELECTRICAL & LIGHTING

LUCAS BULBS

LUCAS P45T STANDARD HEADLIGHT BULB

• Headlight bulb
• Voltage: 12V
• Lucas P45T

CODE	WATTAGE
LLB012	60/55W
LLB410	45/40W

LUCAS BA15S SCC (SINGLE CENTRE CONTACT) STANDARD SIDE BULB

• Side light bulb
• Voltage: 12V
• Lucas BA15S

CODE	WATTAGE
LLB207	5W
LLB245	10W

LUCAS BA15S SCC (SINGLE CENTRE CONTACT) 21W STANDARD SIDE BULB

• Vehicle warning dash light

CODE	WATTAGE
LLB382	21W

LUCAS BAU15S STANDARD INDICATOR BULB

• Indicator bulb
• Voltage: 12V
• Lucas BAU15S

CODE	WATTAGE
LLB581	21W

LUCAS BA9S MCC (MINIATURE CENTRE CONTACT) STANDARD SIDE BULB

• Side bulb
• Voltage: 12V
• Lucas BA9S

CODE	VOLT
LLB233	4W

LUCAS BA15D SBC (SMALL BAYONET CAP) STANDARD SIDE BULB

• Side light bulb
• Voltage: 12V
• Lucas BA15D

CODE	VOLT
LLB209	5W

82

LUCAS BA15D SBC SMALL BAYONET CAP) STANDARD SIDE BULB

- Stop light bulb
- Voltage: 12V
- Lucas BA15D

CODE	WATTAGE
LLB335	21W
LLB380	21/5W

LUCAS BAW15D SBC (SMALL BAYONET CAP) STANDARD STOP BULB

- Stop light bulb
- Voltage: 12V
- Lucas BAW15D

CODE	WATTAGE
LLB383	21/5W

LUCAS BA15S SCC (SINGLE CENTRE CONTACT) T16 PACK OF 10 BULBS

- Side light bulb
- Voltage: 28V
- Lucas BA15D

CODE	WATTAGE
LLB874T	7W

LUCAS W2.1 X 9.5D CAPLESS STANDARD BULB

- Multiple applications
- Voltage: 12V
- Fits a push fit holder

CODE	VOLT
LLB286	1.2W

LUCAS FESTOON STANDARD BULB

- Suitable for multiple vehicles
- Voltage: 12V
- Size: 11x35mm

CODE	VOLT
LLB239	5W

LUCAS H1 P14.5S HALOGEN HEADLIGHT BULB

- SHalogen Headlight Bulb
- Voltage: 12V
- Lucas H1P14 5S E
- Cap/Base: H1 Single pin
- Type: Headlight
- Clear

CODE	VOLT
LLB448	55W

83

GENFITT

LUCAS H3 PK22S HALOGEN HEADLIGHT BULB

- Halogen Headlight Bulb
- Voltage: 12V
- Lucas H3PK22S
- Cap/Base: H1 Single pin
- Type: Headlight
- Clear

CODE	WATTAGE
LLB453	55/100W

LUCAS H4 P43T HALOGEN HEADLIGHT BULB

- Halogen Headlight Bulb
- Voltage: 12V
- Lucas H4P43T
- Cap/Base: H4
- Type: Headlight
- Clear

CODE	WATTAGE
LLB472	60/55W

LUCAS H7 PX26D HALOGEN HEADLIGHT BULB

- Halogen Headlight Bulb
- Voltage: 12V
- Lucas H7PX26D
- Cap/Base: H7 double pin
- Type: Headlight
- Clear

CODE	WATTAGE
LLB477	55W

LUCAS HB3 P20D HALOGEN HEADLIGHT BULB

- Halogen Headlight Bulb
- Voltage: 12V Lucas HB3 P20D
- Cap/Base: HB3
- Type: Headlight
- Clear

CODE	VOLT
LLB9005	60W

LUCAS HB4 P22D HALOGEN HEADLIGHT BULB

- Halogen Headlight Bulb
- Voltage: 12V
- Lucas HB4 P22D
- Cap/Base: H1 Single pin
- Type: Headlight
- Clear

CODE	VOLT
LLB9006	51W

LUCAS BAX9S HALOGEN REVERSE BULB

- Halogen reverse bulb
- Voltage: 12V
- Reverse light bulb
- Lucas BAX9S

CODE	VOLT
LLB434	6W

84

BULB LIGHTING SYSTEMS

TRAILER LIGHTING BOARD

- Suitable for all types of trailers
- EU approved light clusters
- Incorporates a brake/side light and indicator light
- Incorporates dual reflector triangle
- Supplied with cable and a male 7-pin plug
- Light Dimension: 104 x 97 x 49mm

CODE	SIZE	VOLTAGE
G2747A	3ft x 4m	12V
G2748	4ft x 5m	12V
G2748A	4ft x 7m	12V
G2749	4ft x 10m	12V

MAGNETIC TRAILER LIGHTING SET

- Suitable for all types of agricultural machinery
- and trailers
- Easily interchangeable
- Metal plates must be fitted if used on wooden or aluminium structures
- EU approved light cluster
- Incorporates a brake side light and indicator light
- Supplied with cable and a male 7 pin plug
- Replacement 7 pin plug: G2739
- Replacement cable: G2733A

CODE	SIZE	VOLTAGE
G2798A	7.5m Cable	12V

85

MAGNETIC BASE FOR TRAILER LIGHT SET

- Magnetic base for trailer light set
- Without rod attachment
- Suitable for magnetic trailer lighting set: G2798A, G17753

CODE	SUITABILITY
G14095	G2798A, G17753

DUAL VOLTAGE MAGNETIC BEACON

- Amber acrylic lens confirms to EU standards
- Plastic base
- Plug in electric cable (dual function plug to fit cigar/cigarette lighter socket)

CODE	VOLTAGE	STANDARD
G18625	12/24V	ECE R65

DUAL VOLTAGE BOLT ON BEACON

- Amber acrylic lens confirms to EU standards
- Plastic base
- Fixing bolt supplied
- 12V and 24V bulb supplied

CODE	VOLTAGE	STANDARD
G18626	12/24V	ECE R65

3/1 SQUARE MARKER LIGHT LENS FOR TRAILER LIGHTING BOARD

- Light lens for a trailer lighting board
- Red and amber plastic
- G2774 & G2774B: Replacement lens for square old bulb tail light
- G2772: Replacement lens for old rectangle bulb tail light

CODE	TYPE	TYPE
G2774	Square	3/1
G2774B	Square	3/1
G2772	Rectangular	3/1

2/1 RECTANGULAR LAMP

- 2 function light
- Supplied with bulbs
- Plastic base plate
- Snap fastening lens
- Distance between screws: 55mm
- Spade connectors

CODE	VOLTAGE	FUNCTION
G2752B	12V	2 Function

ELECTRICAL & LIGHTING

88

ELECTRICAL & LIGHTING

89

ELECTRICAL & LIGHTING

90

ELECTRICAL & LIGHTING

91

GENFITT

**GENERATIONS OF KNOWLEDGE
AT YOUR SERVICE**