


GENFITT

GENERATIONS OF KNOWLEDGE
AT YOUR SERVICE



HARDWARE GUIDE 2021

BUTT HINGE LOOSE PIN



FEATURES: Door Hardware

- Light narrow steel butt hinge
- Comes with loose pin & Sold in pairs
- Cranked knuckle, length x open width stated
- 6 holes for screws on 75mm
- 8 holes for screws on 100mm
- Finish: **BZP**

CODE	DESCRIPTION
G19555	75mm x 49mm
G19556	90mm x 59mm
G19557	100mm x 72mm

BUTT HINGE LIFT OFF



FEATURES: Door Hardware

- Lift off steel butt hinge
- Cranked knuckle, length x open width stated
- Sold in pairs
- 8 holes for screws
- Left hand & right hand configurations
- Finish: **BZP**

CODE	DESCRIPTION
G19560	LH 100mm x 60mm
G19561	RH 100mm x 60mm

BUTT HINGE HEAVY DUTY



FEATURES: Door Hardware

- Double pressed butt hinge
- Comes with fixed pin & Sold in pairs
- Uncranked knuckle, length x open width stated
- 6 holes for screws on 75mm
- 8 holes for screws on 100mm
- Finish: **BZP**

CODE	DESCRIPTION
G19558	75mm x 60mm
G19559	100mm x 75mm

BUTT HINGE RISING



FEATURES: Door Hardware

- Rising steel butt hinge
- Cranked knuckle lift off pattern flush pin
- Length x open width stated
- Left hand & right hand configurations
- Sold in pairs / 8 holes for screws
- Finish: **BZP**

CODE	DESCRIPTION
G19562	LH 76mm x 73mm
G19563	RH 76mm x 73mm

BUTT HINGE RISING



FEATURES: Door Hardware

- Rising steel butt hinge
- Cranked knuckle lift off pattern flush pin
- Length x open width stated
- Left hand & right hand configurations
- Sold in pairs /8 holes for screws
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19564	LH 76mm x 73mm
G19565	RH 76mm x 73mm

SCOTCH TEE HINGE HEAVY DUTY



FEATURES: Door Hardware

- Weighty scotch tee hinge
- Uncranked knuckle with fixed pin
- 10 holes for screws
- Sold in pairs
- Finish: **Epoxy black**

CODE	DESCRIPTION
G19570	4in Pair
G19571	6in Pair
G19572	8in Pair
G19573	10in Pair

SCOTCH TEE HINGE HEAVY DUTY




FEATURES: Door Hardware

- Weighty scotch tee hinge
- Uncranked knuckle with fixed pin & Sold in pairs
- 10 holes for screws
- Finish: **BZP**

CODE	DESCRIPTION
G19566	4in Heavy Duty
G19567	6in Heavy Duty
G19568	8in Heavy Duty
G19569	10in Heavy Duty

CROSS PATTERN BOLT HEAVY DUTY



FEATURES: Door Hardware

- A very strong door cross bolt with security lockable latch
- Finish: **Galvanised**

CODE	DESCRIPTION
G19584	8in Galvanised
G19585	10in Galvanised
G19586	12in Galvanised

FOLDED EYE BAND COMES WITH HOOKS ON PLATE HEAVY DUTY



CODE	DESCRIPTION
G19574	10in Galvanised Pair
G19575	12in Galvanised Pair
G19576	14in Galvanised Pair
G19577	16in Galvanised Pair
G19578	18in Galvanised Pair
G19579	20in Galvanised Pair
G19580	24in Galvanised Pair

FEATURES: Door Hardware

- Folded eye band c/w hooks on plate
- Heavy duty
- Sold in pairs
- Width of band: 10in-16in ~ 38mm / 18in-20in ~ 50mm / 24in ~ 57mm
- Thickness: 5mm
- Screw size: 10inch-14in ~ 12mm / 16in-24in ~ 14mm
- Finish: **Galvanised**

HASP & STAPLE WIRE



FEATURES: Door Hardware

- Hasps & staple - wire
- Used for closing doors or cabinets using a lock
- Finish: **Epoxy black**

CODE	DESCRIPTION
G19587	63mm
G19588	75mm
G19589	100mm

HASP & STAPLE SHORT PATTERN - HEAVY DUTY



FEATURES: Door Hardware

- Hasps & staple - short pattern
- Used for closing doors or cabinets using a lock
- Finish: **Galvanised**

CODE	DESCRIPTION
G19590	150mm Galvanised
G19591	180mm Galvanised

CABIN HOOK WIRE



FEATURES: Door Hardware

- Cabin hook
- Used for holding doors opened or closed
- Finish: **Epoxy black**

CODE	DESCRIPTION
G19592	3in
G19593	4in
G19594	6in

GATE EYE WELD-ON



FEATURES: Gate Hardware

- Suitable for garden and general farm gates depending on the weight/duty
- The most suitable hanger should be chosen for the application bearing in mind the size of the gate
- Finish: **Self colour**

CODE	DESCRIPTION
G19582	12mm
G19583	16mm
G19665	25mm
G19666	32mm

GATE HOOK WELD-ON




FEATURES: Gate Hardware

- Suitable for garden and general farm gates depending on the weight/duty
- The most suitable hanger should be chosen for the application bearing in mind the size of the gate
- Finish: **Self colour**

CODE	DESCRIPTION
G19511	12mm
G19512	16mm
G19663	25mm
G19664	32mm

EYE BOLT HANGER



FEATURES: Gate Hardware

- Supplied with 2 nuts
- Suitable for garden and general farm gates depending on the weight/duty
- The most suitable hanger should be chosen for the application bearing in mind the size of the gate
- Finish: **Galvanised**

CODE	DESCRIPTION
G19667	INC.2 NUTS - 200 x 25mm
G19668	INC.2 NUTS - 200 x 32mm

ADJUSTABLE HANGER HOOK ON PLATE




FEATURES: Gate Hardware

- Extendable shoulder
- Adjustable hooks on 4in plates with 19mm pin
- 4 Bolt fixing plate
- Finish: **Galvanised**

CODE	DESCRIPTION
G19581	19mm PIN

CLOSING BOLT SPRING LOADED



FEATURES: Gate Hardware

- Rubber end
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19669	3/8in
G19670	1/2in
G19671	5/8in

LIFT OFF HINGE SET LEFT HAND



FEATURES: Gate Hardware

- Size: **45 x 38 x 8mm**
- Weld-on lift of hinge set
- Supplied with left hand male hinge and female lift-off hinge

CODE	DESCRIPTION
G19937	45 x 38 x 8mm

LIFT OFF HINGE SET RIGHT HAND



FEATURES: Gate Hardware

- Size: **45 x 38 x 8mm**
- Weld-on lift of hinge set
- Supplied with right hand female hinge and female lift-off hinge

CODE	DESCRIPTION
G19938	45 x 38 x 8mm

CROSS BOLT PADLOCK



FEATURES

- Cross bolt for padlocks with staple
- Finish: **Galvanised**

CODE	DESCRIPTION
G19595	150mm
G19596	180mm

SPRING ARM DOOR CLOSER



FEATURES:

- Door closer spring loaded arm for medium heavy duty doors i.e. 40kg
- Arm length: **235mm**
- Fixing plate position: **100mm**
- Finish: **Galvanised**

CODE	DESCRIPTION
G19597	100 x 235mm 40kg

SPRING ARM DOOR CLOSER



FEATURES:

- Door closer spring for medium heavy duty doors i.e. 60kg
- Spring length: **200mm**
- Diameter: **20mm**
- Finish: **Yellow passivated**

CODE	DESCRIPTION
G19598	200mm 60kg

HINGE LONG TYPE




FEATURES:

- Long narrow style butt hinge with fixed pin
- 6 holes for screws
- Finish: **Galvanised**

CODE	DESCRIPTION
G19599	20mm x 50mm
G19600	25mm x 90mm
G19601	25mm x 100mm
G19602	26mm x 120mm
G19603	31mm x 150mm

GATE HINGE WING



FEATURES:

- Heavy duty hinges for gates
- Comes with 2/3 wings & removable pin

CODE	DESCRIPTION	CAPACITY
G19604	90mm	40kg
G19605	180mm	60kg

GATE HINGE REGULATING



FEATURES:

- Eye bolt combined with locking washers and weld or bolt on U shaped bracket

CODE	DESCRIPTION	CAPACITY	TYPE
G19606	53mm	30kg	M16
G19607	72mm	50kg	M20

180° GATE HINGE REGULATING



FEATURES:

- Eye bolt combined with flat plate and weld on bracket

CODE	DESCRIPTION	CAPACITY	TYPE
G19608	105mm	20kg	M12
G19609	110mm	30kg	M16
G19610	165mm	50kg	M20

GATE HINGE PLATE REGULATING



FEATURES:

- Eye bolt combined with 4 bolt square BZP plate and weld-on or bolt-on U shaped bracket

CODE	DESCRIPTION	CAPACITY	TYPE
G19611	110mm	30kg	M16
G19612	165mm	50kg	M20

HINGE PLATE REGULATING



FEATURES:

- 4 bolt square plate
- Finish: **Galvanised steel**

CODE	TYPE
G19613	M16
G19614	M20

PULLEY FIXED EYE



FEATURES:

- Supplied with bearing, bushion and bolt
- 16mm round groove
- Single sheave

CODE	DESCRIPTION	CAPACITY
G19615	80mm x 16mm	150kg
G19616	100mm x 16mm	200kg
G19617	120mm x 16mm	200kg

PULLEY FIXED EYE



FEATURES:

- Supplied with bearing, bushion and bolt
- 20mm round groove
- Single sheave

CODE	DESCRIPTION	CAPACITY
G19618	60mm x 20mm	100kg
G19619	80mm x 20mm	150kg
G19620	100mm x 20mm	200kg
G19620	120mm x 20mm	200kg

STRAIGHT HANDLE SLIDING GATE



FEATURES:

- Straight handle for sliding gate
- 8 fixing holes
- Steel lackered & black finish

CODE	DESCRIPTION
G19622	180mm x 15mm
G19623	230mm x 15mm

CRANKED HANDLE SLIDING GATE



FEATURES:

- Cranked handle for sliding gate
- 8 fixing holes
- Finish: **Steel lackered & black**

CODE	DESCRIPTION
G19624	180mm x 15mm
G19625	230mm x 15mm

STRAIGHT HANDLE SLIDING GATE



FEATURES:

- Straight handle for sliding gate
- 8 fixing holes
- Finish: **Steel lackered & black**

CODE	DESCRIPTION
G19626	180mm x 20mm
G19627	280mm x 28mm

CRANKED HANDLE SLIDING GATE



FEATURES:

- Cranked handle for sliding gate
- 8 fixing holes
- Finish: **Steel lackered & black**

CODE	DESCRIPTION
G19628	180mm x 20mm
G19629	280mm x 28mm

HINGE LIFT OFF



FEATURES:

- Weld on lift off hinge
- Finish: **Stainless steel**

CODE	DESCRIPTION	CAPACITY
G19630	60mm	10kg
G19631	80mm	20kg
G19632	100mm	25kg
G19633	120mm	30kg

GATE HINGE REGULATING



FEATURES:

- Eye bolt combined with locking washers and weld on or bolt on U shaped bracket
- Size: **62mm**
- Thread Size: **M20**

CODE	DESCRIPTION
G19634	M20 x 62mm

SHUTTER EYELET



FEATURES:

- Steel eyelet for shutters with brass staple
- Forged galvanised steel eyelets
- Hole diameter: **18mm**

CODE	DESCRIPTION
G19638	18mm

PULLEY FIXED EYE



FEATURES:

- Single sheave & stainless steel finish
- 20mm round groove
- Supplied with bearing, bushion and bolt

CODE	DESCRIPTION	CAPACITY
G19635	80mm x 20mm	150kg
G19636	100mm x 20mm	200kg
G19637	120mm x 20mm	200kg

PADLOCK BRASS



FEATURES:

- Brass padlocks with hardened steel shackle
- Square body & complete with 2 keys

CODE	DESCRIPTION
G19639	5mm x 30mm
G19640	6mm x 40mm
G19641	8mm x 50mm
G19642	11mm x 70mm

PADLOCK BRASS (LONG)




FEATURES:

- Long brass padlocks with hardened steel shackle
- Square body & complete with 2 keys

CODE	DESCRIPTION
G19643	5mm x 30mm
G19644	6mm x 40mm
G19645	8mm x 50mm

PADLOCK BRASS (EXTRA LONG)




FEATURES:

- Long brass padlocks with hardened steel shackle
- Square body & complete with 2 keys

CODE	DESCRIPTION
G19646	6mm x 40mm
G19647	8mm x 50mm

PADLOCK BRASS



FEATURES:

- Rectangular body & complete with 2 keys
- Brass padlocks with hardened slide bolt

CODE	DESCRIPTION
G19648	8mm x 50mm
G19649	10mm x 60mm
G19650	12mm x 90mm

PADLOCK STAINLESS STEEL



FEATURES:

- Inox padlocks with hardened steel shackle
- Square body & complete with 2 keys

CODE	DESCRIPTION
G19651	5mm x 30mm
G19652	6mm x 40mm
G19653	8mm x 50mm

PADLOCK BRASS (HEAVY DUTY)



FEATURES:

- Armoured rectangular padlock
- Heavy duty slide bolt & complete with 2 keys

CODE	DESCRIPTION
G19654	10mm x 62mm
G19655	12mm x 90mm

FIXED ROLLERS DOOR TRACKING



FEATURES:

- Fixed pin
- Size: **M12 x 55mm**

CODE	DESCRIPTION	CAPACITY
G19407	Single	200kg
G19408	Double	400kg

**WE HAVE A HUGE RANGE OF
HARDWARE ACCESSORIES AVAILABLE.**

D SHACKLES



FEATURES:

- These Dee Shackles can be used for lifting purposes
- Certified and stamped with a Load Limit(SWL)
- Finish: **Stainless steel**

CODE	LOADED RATE	SIZE
G19234	0.33T	3/16 x 1/4in
G19235	0.50T	1/4 x 5/16in
G19236	0.75T	5/16 x 3/8in
G19237	1.0T	3/8 x 7/16in
G19238	2.0T	1/2 x 5/8in
G19239	3.0T	5/8 x 3/4in

FEMALE EYE NUT



FEATURES:

- Tested and stamped DIN580 lifting nut
- Can be used for commercial lifting
- Finish: **Stainless steel - DIN 580**

CODE	THREAD SIZE	WEIGHT
G19243	M8	140kg
G19244	M10	230kg
G19245	M12	340kg

MALE EYE BOLT



FEATURES:

- Tested and stamped DIN580 lifting bolt
- Can be used for commercial lifting
- Finish: **Stainless steel - DIN 580**

CODE	THREAD SIZE	WEIGHT
G19240	M8	140kg
G19241	M10	230kg
G19242	M12	340kg

TURNBUCKLE HOOK & EYE



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19246	5mm
G19247	6mm
G19248	7mm
G19249	8mm
G19250	9mm

WIRE ROPE THIMBLE



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19251	3mm
G19252	4mm
G19253	5mm
G19254	6mm
G19255	8mm
G19256	10mm
G19257	12mm
G19258	14mm

CARBINE HOOK



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19266	5mm
G19267	6mm
G19268	7mm
G19269	8mm
G19270	10mm

WIRE ROPE GRIP



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19259	3mm
G19260	4mm
G19261	5mm
G19262	6mm
G19263	8mm
G19264	10mm
G19265	13mm

CARBINE HOOK WITH EYELET



FEATURES:

- Supplied with safety catch end
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19271	5mm
G19272	6mm
G19773	7mm
G19274	8mm
G19275	10mm

SWIVEL HOOK WITH SAFETY CATCH



FEATURES:

- Supplied with safety catch end
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19276	6mm - Size 2: (1/4in)
G19277	8mm - Size 2: (5/16in)
G19278	10mm - Size 2: (3/8in)
G19279	12mm - Size 2: (1/2in)

SLIP HOOK WITH SAFETY CATCH



FEATURES:

- Supplied with safety catch end
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19280	8mm - Size 2: (5/16in)
G19281	10mm - Size 2: (3/8in)

GRAB HOOK WITH CLEVIS



FEATURES:

- Comes with Clevis
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19282	8mm - Size 2: (5/16in)
G19283	10mm - Size 2: (3/8in)

QUICK REPAIR LINK



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19284	5mm
G19285	6mm
G19786	7mm

DOUBLE CHAIN SWIVEL



FEATURES:

- Finish: **Stainless steel**

CODE	DESCRIPTION
G19287	5mm
G19288	6mm
G19289	8mm
G19290	10mm

PULLEY BLOCK WITH SWIVEL EYE




FEATURES:

- Supplied with safety catch end
- Finish: **Stainless steel**

CODE	DESCRIPTION	CAPACITY
G19291	25mm	12.2kN
G19292	32mm	13.4kN
G19293	50mm	19.1kN

R CLIP



FEATURES:

- Spring clip for linkage and implements
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19294	2mm
G19295	3mm

SQUARE HINGE



FEATURES:

- Standard 4 hole Butterfly Hinge
- Comes with riveted pin
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19296	46mm

SMALL DOOR HINGE



FEATURES:

- 5 hole long sided butterfly hinge
- Suitable for internal small doors
- Finish: **Stainless steel 316**

CODE	DESCRIPTION
G19297	56mm
G19298	76mm

DOOR HINGE



FEATURES:

- 6 hole long butterfly Hinge
- Suitable for internal small doors
- Finish: **Stainless steel 316**

CODE	DESCRIPTION
G19299	76mm
G19300	100mm

BUTTERFLY HINGE



FEATURES:

- 6 hole standard butterfly hinge
- Comes with riveted pin
- Suitable for Internal Doors
- Finish: **Stainless steel 316**

CODE	DESCRIPTION
G19301	75mm Size 2: 73mm

WING HINGE



FEATURES:

- 8 hole butterfly hinge
- Comes with riveted pin
- Suitable for Internal Doors
- Finish: **Stainless steel 304**

CODE	DESCRIPTION
G19302	40mm x 180mm

TEE HINGE



FEATURES:

- 4 hole Hinge
- Comes with riveted pin
- Suitable for Internal Doors
- Finish: **Stainless steel 316**

CODE	DESCRIPTION
G19303	134mm

BRENTON BOLT



FEATURES:

- Closing bolt may be used with a padlock for extra security
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19304	110mm

EYE PLATE



FEATURES:

- May be used to fix chain, wire and rope
- Fixed eye
- Finish: **Stainless steel 304**

CODE	DESCRIPTION
G19305	5mm
G19306	6mm
G19307	8mm

RING PLATE



FEATURES:

- May be used to fix chain, wire and rope
- Fixed eye with swivel ring
- Finish: **Stainless steel 304**

CODE	DESCRIPTION
G19308	5mm
G19309	6mm
G19310	8mm



Suppliers of high quality hardware products.

visit **WWW.GENFITT.IE**

to order your now!

PULLEY BLOCK



FEATURES:

- Suitable for off-road 4x4
- Opening top eye to assist with fitting of rope
- Finish: **Galvanised**
- Material: **Mild Steel**

CODE	DESCRIPTION	WEIGHT
G19334	3in	1.5T WLL
G19335	4in	3T WLL
G19336	5in	4.5T WLL
G19337	6in	6T WLL
G19338	8in	8T WLL

BASE EYE PLATE RECTANGULAR




FEATURES:

- Material : High tensile steel
- Weld on Plate
- Finish: **Self colour**

CODE	DESCRIPTION
G19317	10mm
G19318	12mm
G19319	16mm
G19320	20mm
G19321	22mm
G19322	25mm

BREAKAWAY CABLE RED



FEATURES:

- PVC Coating
- For use with trailer hitches as a safety device
- Finish: **Galvanised**
- Material: **Mild Steel**

CODE	DESCRIPTION
G19315	1m

BREAKAWAY CABLE HIGH VIZ



FEATURES:

- PVC Coating
- For use with trailer hitches as a safety device
- Finish: **Galvanised**
- Material: **Mild Steel**

CODE	DESCRIPTION
G19316	1m

WIRE ROPE REEL STAINLESS STEEL




FEATURES:

- Supplied in 100m reel
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19311	3mm - 100m Reel
G19312	4mm - 100m Reel
G19313	5mm - 100m Reel
G19314	6mm - 100m Reel

WIRE ROPE GALVANISED PVC



FEATURES:

- Finish: Galvanized with PVC coating
- Supplied in 100m reel
- Material: **Mild steel**

CODE	DESCRIPTION
G19344	3mm x 4mm od Black
G19348	4mm x 6mm od Black
G19345	3mm x 4mm od Clear
G19347	4mm x 6mm od Clear
G19349	5mm x 7mm od Clear
G19346	3mm x 4mm od Red

SHORT CHAIN LINK STAINLESS STEEL




FEATURES:

- Available in barrels of 100m
- General purpose short link chain
- Finish: **Stainless steel**

CODE	DESCRIPTION
G19339	3mm x 16mm
G19340	4mm x 16mm
G19341	5mm x 18mm
G19342	6mm 18.5mm
G19343	8mm x 24mm

WIRE ROPE HIGH VIZ PVC




FEATURES:

- Supplied in 100m reel
- Finish: Galvanized with High Viz PVC coating
- Material: **Mild steel**

CODE	DESCRIPTION
G19651	5mm x 30mm

TURNBUCKLE JAW X JAW GALVANISED



FEATURES:

- Comes with lock nuts & Drop forged
- Material : **Mild steel**

CODE	DESCRIPTION
G19323	6mm
G19324	8mm
G19325	10mm
G19326	12mm
G19327	16mm
G19328	20mm
G19329	24mm

CARBINE HOOK EYELET & SCREWGATE



FEATURES:

- Comes with Eyelet and Screwgate ends
- Finish: **Zinc plated**

CODE	DESCRIPTION
G19330	6mm
G19331	8mm
G19332	10mm
G19333	12mm



**GENERATIONS OF KNOWLEDGE
AT YOUR SERVICE**

Genfitt Mayo Ltd.
Knock Road
Kiltimagh
Co. Mayo
F12 K732
Ireland

info@genfitt.ie

094 - 938 1377

www.genfitt.ie