



GENERATIONS OF KNOWLEDGE
AT YOUR SERVICE



WORKSHOP SUPPLIES

PRODUCT CATALOGUE

■ 2022



WORKSHOP SUPPLIES

Genfitt is a leading supplier of workshop equipment and consumables to the trade across Ireland and the UK. We offer a high quality range of Welding Equipment such as our own brand Mcanax Inverter Welders along with Welding Rods, Welding Wire, Cable and Clamps.

We have a wide selection of steel cutting and grinding discs in the SADU brand to suit every customer. Our diamond disc range is also gaining traction in recent times. Our brushes & wheels range complement the offering also.

Genfitt offer a full range of greasing and lubrication solutions. We stock brands such as Maxol, Holts & Action Can. We have a wide range of grease guns: manual, two handed, pistol grip and cordless in Mcanax, Lumeter & Pressol brands. Storage containers, Jerry cans and Funnels are always in demand all year round and customers' are sure to find something suitable in our range for their requirements.

In Agriculture, Construction & Gardening work, the focus must be on Health & Safety and ensuring best practice is used when completing hazardous tasks or operating powerful equipment. Our range of PPE and Safety gear will help to make sure you are properly protected at all times. Our cleaning solutions range, including our own brand Mcanax Oil Cleaner & Degreaser, will ensure your equipment and your workspace can be kept as safe & hygienic as possible.

For further information, images and technical details on all products listed in this catalogue please visit our website www.genfitt.ie or contact your sales representative.

TABLE OF CONTENTS

WELDING EQUIPMENT **02**

CUTTING &
GRINDING DISCS **14**

PPE SAFETY GEAR **24**

GREASE & OIL **30**

STORAGE
CONTAINERS & FUNNELS **45**

WORKSHOP
AIR ACCESSORIES **55**

CLEANING SOLUTIONS
& HAND SANITISER **64**

LUBRICANTS & SEALANTS **68**

HOLTS AUTO
ACCESSORIES **72**

GENERAL
PURPOSE TAPES **76**

GLUE & GASKET MAKER **78**

CABLE TIES **80**

BLOW LAMP & TORCHES **81**

INDEX **82**

ITEM CODE INDEX **86**

WELDING EQUIPMENT

MCANAX INVERTER WELDER MMA AND LIFT TIG



- Lower cost operation, more portable, more compact, superior output
- Excellent arc properties and solution droplet transfer
- With the protections of over-heating, over-voltage, over-current
- Digital display function when in use (only for plastic shell)
- Plastic handle makes it easy to carry
- Convenient quick connection for the output makes it quick, safe, simple and stable
- Welding machine standards: GB 4208-93
- Protection Class (IP Code): EN 60974-1
- Arc welding machine standards: EN 60974-1, JB / T 7824-95
- Rohs compliant
- Efficiency: >85%
- Protection class: IP21
- Insulation grade: H
- Welding Guidelines

Packaging includes:

Earth Clamp & lead
Electrode holder & lead
Welding shield & wire brush
Plastic briefcase & carry strap

ELECTRODE DIAMETER	AMP RANGE	STEEL THICKNESS
2.5mm	65-90	up to 3mm
3.25mm	85-115	2mm up to 20mm
4.0mm	120-145	16mm and over

CODE	TYPE	CURRENT OUTPUT	VOLTAGE
MX4100007	MMA/Lift Tig	160 amp	230v +/- 10%
MX4100008	MMA/Lift Tig	200 amp	230v +/- 10%

ADDITIONAL IMAGES



MCANAX INVERTER WELDER MIG MMA AND LIFT TIG



- MIG, MMA & LIFT TIG Functions
- VRD function built in
- Light weight design makes it easy to carry
- Adopt advanced single IGBT technology, increased reliability
- 2T/4T mode
- Arc force, hot start and anti-stick built in.
- Lower cost operation, more portable, more compact, superior output
- Excellent arc properties and solution droplet transfer
- With the protections of over-heating, over-voltage, over-current
- Digital display function when use
- Plastic handle makes it easy to carry
- Convenient quick connection for the output makes it quick, safe, simple and stable
- Welding machine standards: GB 4208-93
- Protection Class (IP Code): EN 60974-1
- Arc welding machine standards: EN 60974-1, JB / T 7824-95
- Rohs compliant
- Efficiency: >85%
- Protection class: IP21
- Insulation grade: H
- Welding Wire Diameters:
 - 0.6mm
 - 0.8mm
 - 1.0mm

Packaging includes:

- Earth Clamp & lead
- Electrode holder & lead
- 15AK MIG Torch & lead

ELECTRODE DIAMETER	AMP RANGE	STEEL THICKNESS
2.5mm	65-90	up to 3mm
3.25mm	85-115	2mm up to 20mm

CODE	TYPE	CURRENT OUTPUT	VOLTAGE
MX4100004	MIG/MMA/Lift Tig	200 amp	230v +/- 10%

ADDITIONAL IMAGES



GY S 160A INVERTER WELDER



- 230V single phase, direct current
- DC welding for all types of electrodes (except cellulosic)
- Light weight (4.9 kg)
- Low power consumption (16 A maximum)
- Easy to work due to : arc force, hot start, anti sticking
- Continuous use of electrode $\varnothing 2.5$
- Scratch TIG
- Protected against over and under voltage (+ / - 15 %)
- Delivered in a plastic box with cables, electrode holder and ground clamp

ELECTRODE DIAMETER	AMP RANGE	STEEL THICKNESS
2.5mm	65-90	up to 3mm
3.2mm	85-115	2mm up to 20mm
4.0mm	120-145	16mm and over

CODE	TYPE	CURRENT OUTPUT	VOLTAGE	ELECTRODE DIAMETER
G17641	MMA/Arc/Stick	160 amp	230v +/- 10%	2.5mm, 3.2mm, 4.0mm

4

ADDITIONAL IMAGES



GYS 200A INVERTER WELDER



- 10 - 200A Inverter Welder
- Welding unit with inverter technology piloted by microprocessor
- Suitable for all types of electrodes: rutile, basic, stainless steel, cast iron in direct current
- Very handy, thanks to its small weight (5 kg) and its highly reduced volume
- Immediate start thanks to its very high no-load voltage
- Prevents the electrode sticking

ELECTRODE DIAMETER	AMP RANGE	STEEL THICKNESS
2.5mm	65-90	up to 3mm
3.2mm	85-115	2mm up to 20mm
4.0mm	120-145	16mm and over

CODE	TYPE	CURRENT OUTPUT	VOLTAGE	ELECTRODE DIAMETER
G18129	MMA/Arc/ Stick	200 amp	230v +/- 10%	2.5mm, 3.2mm, 4.0mm

ADDITIONAL IMAGES



MCANAX AUTO DARKENING WELDING HELMET



- Auto darkening head helmet
- Automatically switches from a clear shade to dark as soon as the arc is formed and switches back to clear as soon as the arc is finished
- Enables greater precision for a superior weld
- Comfort and visual security
- Powered by lithium battery and solar power supply
- UV/IR DIN 16 Protection
- Suitable for MMA/MIG-MAG/TIG : from 25 to 175 A
- Filter Size: 110 × 90 × 9mm
- Active Viewing Area: 92.5 × 42.5mm
- Light Shade: DIN4
- Dark Shade: DIN9 - 13

CODE	TYPE
MX4100016	Auto Darkening

MCANAX REPLACEMENT FILTER GLASS FOR AUTO DARKENING HELMET




- Replacement filter glass for auto darkening welding helmet MX4100016

CODE	TYPE
MX4100026	Auto Darkening

6

MCANAX WELDING HELMET CLEAR LENS



- Replacement inner and outer clear glass for Mcanax Auto Darkening Welding Helmet ref MX4100016
- Dimensions: 117 x 95mm & 104 x 47mm

CODE	TYPE
MX4100017	Clear Lens

WELDING HELMET INNER GLASS LENS



- Replacement glass filter lens
- Replacement inner lens for G17668
- 5 pack

CODE	TYPE	POSITION	DIMENSIONS
G18131	Clear	Inner	102 x 40mm

WELDING HELMET OUTER GLASS LENS



- Replacement glass filter lens
- Replacement outer lens for G17668
- 5 pack

CODE	TYPE	POSITION	DIMENSIONS
G18130	Clear	Outer	110 x 90mm

BLACK WELDING CABLE



- For welding machine or power machine
- Flexible copper conductor
- PVC insulated
- Black sheath
- Standard: IEC245-81
- Voltage: 200V
- Supplied in 50m rolls

CODE	COLOUR	SIZE	VOLTAGE
G1790	Black	25mm	200V
G1791	Black	35mm	200V
G1792	Black	50mm	200V

RED WELDING CABLE



- For welding machine or power machine
- Flexible copper conductor
- PVC insulated
- Red sheath
- Standard: IEC245-81
- Voltage: 200V
- Supplied in 50m rolls

CODE	COLOUR	SIZE	VOLTAGE
G12693	Red	25mm	200V
G12694	Red	35mm	200V
G12695	Red	50mm	200V

CROCODILE EARTH CLAMP



- Suitable for any welding machine with capacity up to 400A
- Industrial quality

CODE	CURRENT OUTPUT
G18318	150/200 amp
G1788	400 amp

CROCODILE EARTH CLAMP WITH CABLE



- Suitable for any welding machine with capacity up to 400A
- Industrial quality
- 4m cable
- Replacement for G17641 & G18129 inverter welders

CODE	CURRENT OUTPUT
G18322	400 amp

HEAVY DUTY CROCODILE EARTH CLAMP



- Heavy duty screw type earth clamp
- Industrial quality

CODE	CURRENT OUTPUT
G1788A	600 amp

CROCODILE ELECTRODE HOLDER



- Holder for manual metal arc welding electrodes
- Easy fit, and simple to use
- Industrial quality

CODE	CURRENT OUTPUT
G18319	200 amp
G1778	400 amp

CROCODILE ELECTRODE HOLDER WITH CABLE



- Replacement holder with cable for manual metal arc inverter welding electrodes
- Easy fit, quick and simple to use
- Industrial quality
- Replacement for G17641 and G18129 inverter welders

CODE	CURRENT OUTPUT
G18323	200 amp

MCANAX EARTH CLAMP HOLDER



- Replacement inverter welder 300amp earth cable
- Comes with 1.5m cable and quick connector
- Suitable for MX4100007 and MX4100008

CODE	CURRENT OUTPUT
MX4100021	300 amp

MCANAX ELECTRODE HOLDER



- Replacement inverter welder 200amp electrode holder
- Comes with 1.5m cable and quick connector
- Suitable for MX4100007 and MX4100009

CODE	CURRENT OUTPUT
MX4100022	200 amp

TWECO WELDING TIP



- Standard welding contact tip
- Copper construction
- For use with MIG Guns Tweco MS2123545, Tweco MS212, M3545, Tweco M3512 and Tweco L3512

CODE	SIZE
G12630	1.0mm


MCANAX WELDING TIPS



- Standard welding contact tip
- Copper construction
- Pack of 5

CODE	SIZE
MX4100036	0.6mm
MX4100037	0.8mm
MX4100038	1.0mm

WELDING MAGNET POSITIONER



- Useful positioner holds the job while welding
- Angles for 45° and 90°
- Ideal for holding the job for tack welding

CODE	POSITION
G1816	45° and 90°

10

WELDING ROD



- A range of universal electrodes for arc welding. These electrodes are suitable for all welding positions, including vertical-down position
- Easy slag removal, striking and re-striking along with a finely rippled bead surface make these easy to use
- Applications include; general fabrication and construction work, agricultural repairs and maintenance and much more
- Electrode type:
 - AWS A5.1: E 6013 – All other items
 - AWS A5.4: E312-16 – G13736
 - AWS A.515: ENiFe-CI – G1769
- Items G1769 & G13736 are sold singularly
- All other items are sold in 2.5kg pack

CODE	TYPE	SIZE	WEIGHT	MATERIAL	BRAND
G1766	12G	2.5mm	2.5kg	Mild Steel	Hilco
G1767	10G	3.25mm	2.5kg	Mild Steel	Hilco
G1768	8G	4mm	2.5kg	Mild Steel	Hilco
G1770	12G	2.5mm	2.5kg	Mild Steel	-
G1771	10G	3.25mm	2.5kg	Mild Steel	-
G1772	8G	4mm	2.5kg	Mild Steel	-
G1769	10G	3.25mm	0.02kg	Cast	-
G13736	29/9	3.25mm	0.04kg	Dissimilar	-

SOLID MILD STEEL WELDING WIRE 5KG SPOOL



- For MIG welding mild steel
- Use with CO2 or argon/CO2 mix gas
- Maxi spool: 200mm diameter, 52mm centre hole
- 5kg wire
- 5kg spool

CODE	SIZE	MATERIAL	HOLE DIAMETER	DIAMETER	WEIGHT
G18555	0.6mm	Mild Steel	52mm	200mm	5KG
G18556	0.8mm	Mild Steel	52mm	200mm	5KG
G18557	1.0mm	Mild Steel	52mm	200mm	5KG

SOLID MILD STEEL WELDING WIRE 15KG SPOOL



- For MIG welding mild steel
- Use with CO2 or argon/CO2 mix gas
- Maxi spool: 300mm diameter
- 52mm centre hole
- 15kg of wire

CODE	SIZE	MATERIAL	HOLE DIAMETER	DIAMETER	WEIGHT
G1774	0.8mm	Mild Steel	52mm	300mm	15KG
G1775	1.0mm	Mild Steel	52mm	300mm	15KG
G1776	1.2mm	Mild Steel	52mm	300mm	15KG

11

FLUX CORED GASLESS WELDING WIRE



- Self shielded flux cored wire for welding in all positions
- Used for on-site assembly of sheet and plate metal or profile sections (thickness 3 to 15mm)
- Also for the spot welding of round bars for reinforced concrete and for joining galvanised parts

CODE	SIZE	HOLE DIAMETER	DIAMETER	WEIGHT
G18558	0.9mm	16mm	100mm	0.5KG
G18559	1.0mm	16mm	200mm	4KG

CIRCUIT BOARD FOR INVERTER WELDER 4000 160AMP



- Replacement circuit board for G17641 inverter welder

CODE	SUITABILITY
G17851	G17641

CIRCUIT BOARD FOR INVERTER WELDER 4000 160AMP
(MODELS FROM 01/04/17+)

- Replacement circuit board for 160amp GYS inverter welders from models manufactured from (01/04/2017) onwards

CODE	SUITABILITY
G19021	G17641

CIRCUIT BOARD FOR GYS 200A



- Replacement circuit board for 200amp GYS inverter welders G18129

CODE	SUITABILITY
G18320	G18129

MCANAX INVERTER WELDER CIRCUIT BOARD



- Replacement inverter welder circuit board

CODE	SUITABILITY
MX4100024	MX4100007
MX4100025	MX4100008

INVERTER WELDER REPLACEMENT FAN



- Replacement fan for inverter welder

CODE	SUITABILITY
G18143	G17641
G18321	G18129

MCANAX INVERTER WELDER FAN



- Replacement inverter welder cooling fan

CODE	SUITABILITY
MX4100023	MX4100007 & MX4100008

CAT 2 RED WELDERS GAUNTLET / GLOVE



- All leather construction
- One size fits all
- Abrasion resistance: 4
- Blade cut resistance: 1
- Tear resistance: 4
- Puncture resistance: 2
- EN388 4142

CODE	TYPE	MATERIAL
G16843	One size fits all	Leather

WE HAVE A
**HUGE RANGE OF
WELDING EQUIPMENT**

CUTTING & GRINDING DISCS

SADU FLAT STEEL CUTTING DISC



- All around disc, economical and efficient
- Quick cutting and long lasting
- Designed for several materials
- Guarantees an optimal cutting result
- Can cut Stainless Steel
- Pack Qty - 25pcs

CODE	TYPE	SIZE
G19674	Flat	115 x 1.0 x 22mm
G19675	Flat	115 x 1.6 x 22mm
G19676	Flat	125 x 1.0 x 22mm
G19678	Flat	300 x 2.8 x 20mm

SADU DPC STEEL CUTTING DISC



- All around disc, economical and efficient
- Quick cutting and long lasting
- Designed for several materials
- Guarantees an optimal cutting result
- Can cut Stainless Steel
- Depressed stops disc from flexing when cutting
- Pack Qty - 25pcs

CODE	TYPE	SIZE
G19677	DPC	230 x 1.9 x 22mm

DEWALT CUTTING DISC



- High grain concentration for aggressive cutting action and smooth running wheels
- Proprietary material mix ensures durable, long life wheels
- Superior resin compound so that the grains are refreshed only when their cutting ability wears out

CODE	TYPE	SIZE
DWDT42610-XJ	SS DPC	230 x 3.0 x 22.2mm
DWDT42240-XJ	INOX ZZ	115 x 1.0 x 22mm

ORANGE CUTTING DISC



- For cutting and fluting stainless steel tubes, steel plate, walled tubes
- Fast cutting time
- Long life
- Very low formation of burrs
- Very high accuracy
- Working free of vibration
- Extremely high efficiency
- High performance

CODE	TYPE	SIZE 1	SIZE 2
G1805A	DPC	230 x 3.0 x 22.2mm	9in

SADU STONE CUTTING DISC



- For cutting stone
- High quality but extremely competitive range of cutting discs
- Excellent value for money

CODE	TYPE	SIZE
G19884	DPC	115 x 2.5 x 22mm
G19885	DPC	230 x 3.0 x 22mm

SADU FLAT CHOP SAW BLADE DISC



- Works with standard abrasive steel chop saws
- All around disc, economical, long life time and efficient
- These are special designed for several materials, guarantees an optimal cutting result

CODE	TYPE	SIZE
G20067	Flat	350 x 3.0 x 25.4mm

SADU BASIC DIAMOND CUTTING DISC



- Affordable diamond cutting disc
- Normal segmented style
- Suitable for various types of hard and medium-hard construction materials

CODE	TYPE	SIZE 1	SIZE 2
G19696	Diamond	115 x 22 x 10mm	4.5in blade
G19694	Diamond	230 x 22 x 10mm	9in blade

SADU PREMIUM DIAMOND CUTTING DISC



- Premium long life segmented diamond blade
- Suitable for iron, wire mesh reinforcement, ductile cast iron pipes, reinforced concrete, natural stone, building materials

CODE	TYPE	SIZE 1	SIZE 2
G19698	Diamond	115 x 22 x 10mm	4.5in blade
G19695	Diamond	230 x 22 x 10mm	9in blade

SADU STONE DIAMOND CUTTING DISC



- Laser welded
- Segmented
- Suitable for concrete, reinforced concrete, clinkers, hard bricks, gravel tiles, and other types of hard stone

CODE	TYPE	SIZE 1	SIZE 2
G19691	Diamond	300 x 20 x 10mm	12in

SADU ECO STONE DIAMOND CUTTING DISC



- Budget general purpose blade suitable for stone cutting
- 12in blade with 10mm segment
- Good all around and on price point

CODE	TYPE	SIZE 1	SIZE 2
G19693	Diamond	300 x 20 x 10mm	12in blade with 10mm segment

SADU ASPHALT DIAMOND CUTTING DISC



- Laser welded
- With wide segments
- With pin hole
- With triangle shaped guard segments
- Suitable for asphalt

CODE	TYPE	SIZE 1	SIZE 2
G19692	Diamond	300 x 20 x 10mm	12in

17

SADU PREMIUM EXTRA THIN TILE DIAMOND CUTTING DISC



- High quality thin blade for cutting tiles
- Quick cutting with fast speed smooth cutting
- Precise edges
- Extra thin diamond disc
- Thin cut - thickness: 1.2mm
- Double X segmented
- Suitable for wall tiles, floor tiles, natural stone, porcelain, gres

CODE	TYPE	SIZE 1	SIZE 2
G19697	Diamond	115 x 22 x 10mm	4.5in

SADU SLIM-FAST DIAMOND CUTTING DISC



- High quality thin blade
- Extra thin diamond disc
- Thin cut precise edges and quick cut
- Thin turbo segment
- For wall tiles, floor tiles, granite, natural stone, porcelain

CODE	TYPE	SIZE 1	SIZE 2
G19699	Diamond	115 x 22 x 10mm	4.5in

SADU DPC STEEL GRINDING DISC



- All round grinding disc, economical and efficient
- Quick cutting and long lasting
- Designed for several materials
- Guarantees an optimal grinding result
- Depressed stops disc from flexing when grinding

CODE	TYPE	SIZE
G19679	DPC	115 x 6.4 x 22mm
G19680	DPC	230 x 6.4 x 22mm

DEWALT GRINDING DISC



- High grain concentration for aggressive grinding action and smooth running wheels
- Proprietary material mix ensures durable, long life wheels
- Superior resin compound so that the grains are refreshed only when their grinding ability wears out

CODE	TYPE	SIZE
DWDT42220-XJ	SS DPC	115 x 6.0 x 22.2mm

SADU STANDARD MOP DISC



- For wood, metal and stainless steel
- Polycotton cloth - 70% zirconium grain inside
- Needs higher watt machines over 1.000 Watt
- Grinding is easier and quieter
- Can be applied without support disc
- Lifetime: 20 to 25 times longer than fibre discs
- Standard quality

CODE	TYPE	SIZE
G19685	40 Grit	115 x 22mm
G19686	60 Grit	115 x 22mm
G19687	80 Grit	115 x 22mm

SADU PREMIUM MOP DISC



- Suitable for wood, metal and stainless steel
- Material: Polycotton Cloth - 70% zirconium grain inside
- This is a more specific product and performs well on rough and tough applications, for example when working on sharp edges
- The life of this product is longer, but needs more pressure, and needs higher watt machines over 1.000 Watt

Advantages:

- Damped vibration: Only slight vibration thanks to the structure of the flaps
- Optimal cooling
- Grinding is easier and quieter
- Can be applied without support disc
- Lifetime 20 to 25 times longer than fibre discs

CODE	TYPE	SIZE
G19681	40 Grit	115 x 22mm
G19682	80 Grit	115 x 22mm
G19683	120 Grit	115 x 22mm

SADU ROUND EDGE FLAP DISC



- High-performance flap disc with particularly high stock removal rates for demanding grinding work
- Suitable for fillet weld grinding, chamfering, deburring and fast, aggressive grinding
- Suitable for steel and stainless steel (INOX)
- Dimensional stability suitable for precise and optimal grinding due to fillet welds
- Abrasive: Zirconia alumina Z
- Cloth: VSM765 Grit
- Grain: 40

CODE	TYPE	SIZE
G19684	40 Grit	125 x 22mm

DIAMOND DRY LIQUID TILE DRILL



- Fits to Angle Grinder (M14) for drilling all types of tiles
- Diamond tipped

CODE	SIZE	SIZE
G19864	Diamond Liquid Dry	M14 x 6mm
G19865	Diamond Liquid Dry	M14 x 8mm
G19866	Diamond Liquid Dry	M14 x 10mm
G19867	Diamond Liquid Dry	M14 x 12mm

SADU TCT EXTREME CHOP SAW BLADE DISC



- Saw blade for universal purpose
- Extremely high durability
- Extremely fast
- Extremely accurate for precise cutting
- For dry cutting
- Specially designed blade with strengthened teeth and balanced core for a minimum level of vibration
- For optimum performance use with the Dewalt 872, Jepson 9435, Ridgid 590 L and Marcris 355
- Max RPM 1450
- Please note a TCT saw runs at a slower rate than an abrasive blade saw, so the blades are not suitable for an abrasive saw as the machine rpm too fast for a TCT blade, on the other side a TCT saw runs too slow for a standard abrasive disc

CODE	TYPE	SIZE
G20066	TCT	355 x 25.4mm

SADU UNIVERSAL CARBIDE WOOD BLADE



- Universal carbide circular saw blade for use with Angle Grinder
- This saw blade should only be used in combination with a suitable safety device
- Consult the manual of your machine for more information

CODE	TYPE	SIZE 1	SIZE 2
G19688	6T	115 x 2.0 x 22mm	Core: 1.6mm. Teeth: 2.0mm
G19689	10T	125 x 2.0 x 22mm	Core: 1.6mm. Teeth: 2.0mm
G19690	12T	230 x 2.2 x 22mm	Core: 1.4mm. Teeth: 1.8mm

KNOTTED ANGLE GRINDER BRUSH



- For removal of rust, paint and other contaminants
- Wire twist knot cup

CODE	DIMENSIONS
G13920	75 x 14mm
G1806	100 x 14mm

CRIMPED ANGLE GRINDER BRUSH



- For removal of rust, paint and other contaminants
- Wire crimped cup

CODE	DIMENSIONS
G13921	75 x 14mm
G1806A	125 x 14mm

SADU CUP CRIMPED ANGLE GRINDER BRUSH



- Suitable for deburring, removing lacquer, derusting, removing slag, descaling, cleaning
- For hard cleaning jobs and brushing large surfaces
- The removable bridle controls the flexibility of the brushboards

CODE	DIMENSIONS
G19700	60 x 14mm
G19701	80 x 14mm
G19702	100 x 14mm
G19703	125 x 14mm

SADU CUP KNOTTED ANGLE GRINDER BRUSH



- Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning.
- For hard cleaning jobs and brushing large surfaces

CODE	DIMENSIONS
G19704	65 x 14mm
G19705	80 x 14mm
G19706	100 x 14mm

SADU BEVEL CRIMPED ANGLE GRINDER BRUSH



- Deburring, removing lacquer, derusting, removing slag, de-scaling, cleaning
- For hard cleaning jobs
- Due to their conical shape these brushes are ideal for brushing hard-to-reach areas
- For cleaning panels, boards

CODE	DIMENSIONS
G19707	100 x 14mm
G19708	100 x 14mm

SADU SHANK CUP STEEL WIRE BRUSH



- For cleaning jobs such as removing paint, rust, scale, incrustations and burrs
- With efficient brushing results in almost all kind of materials (metal, wood, plastic)

CODE	DIMENSIONS
G19711	50mm
G19712	75mm

SADU WIRE STEEL WHEEL BRUSH



- For cleaning jobs such as removing paint, rust, scale, incrustations and burrs
- Due to their small diameter these brushes are ideal for brushing hard-to-reach areas
- With medium fill material density
- With efficient brushing results in almost all kind of materials (metal, wood, plastic)

CODE	DIMENSIONS
G19713	50mm
G19714	75mm
G19715	100mm

SADU WHEEL BRUSH



- Mounted as a roller brush, these brushes give highly satisfactory results when used for deburring cut edges

CODE	DIMENSIONS
G19709	150 x 25 x 29mm
G19710	200 x 25 x 42mm

SADU BRUSH END SHANK



- For cleaning jobs such as removing paint, rust, scale, incrustations and burrs
- Due to their small diameter these brushes are useful for brushing difficult areas
- Efficient brushing results for almost all kind of materials (metal, wood, plastic)

CODE	DIMENSIONS
G19716	17 x 6mm
G19717	25 x 6mm
G19718	30 x 6mm

SADU BRUSH TUBE SHANK



- Suitable for tube cleaning, deburring, removing lacquer, derusting, cleaning
- Cylindrical tube brushes with steel wires for cleaning of capacitors and heating tubes

CODE	SIZE
G19719	16 x 55 x 100mm
G19720	25 x 55 x 100mm

PPE & SAFETY GEAR

POLYCARBONATE SAFETY VISOR



- Polycarbonate visor with adjustable headgear
- ANSI Z87.1 & EN166 rated

CODE	TYPE
G19902	Polycarbonate Clear

MESH SAFETY VISOR



- Steel Mesh visor with adjustable headgear
- EN1731 rated

CODE	TYPE
G19903	Mesh

VISOR SCREEN



- Material: High quality steel mesh

CODE	TYPE
G1757C	Mesh

ANTI-SCRATCH SAFETY GOGGLES



- Anti-Scratch & Anti-Fog Lense
- Very flexible PVC frame
- Special design to prevent entry of liquids

CODE	TYPE	STANDARD
G19907	Anti-Scratch	EN166

ECO SAFETY GOGGLES



- Anti-dust and anti-impact goggles
- Direct vents on top of frame provide extra resistance on both sides
- EN166 B rated

CODE	TYPE	STANDARD
G19906	Economy	EN166

ARK CLEAR SAFETY GOGGLES



- Traditional styling for maximum protection
- Protects against industrial chemical splashes or dust
- Black elastic headband

CODE	TYPE	STANDARD
G16841	Clear	EN166

CUSHIONED EAR DEFENDERS



- Offers ideal protection for high noise environments
- Adjustable, cushioned headband for greater comfort.
- Foldable for easy storage
- SNR 29.8 dB

CODE	TYPE	STANDARD
G19905	Comfort Cushioned	EN352

ECO EAR DEFENDERS



- Lightweight, economic design
- Adjustable headband
- SNR 23.9dB

CODE	TYPE	STANDARD
G19904	Economy	EN352

PELTOR OPTIME II EAR DEFENDER



- Adjustable moulded ear cup grips the head to make fitting and alignment of the ear protection quick and easy
- Ear muff can also be worn behind neck or under chin in conjunction with head protection products

CODE	TYPE	STANDARD
G16654	Optime II	EN352-1

PELTOR OPTIME III EAR DEFENDER



- The Peltor Optime III is designed to provide high level of attenuation, particularly sound dominated by low frequencies, in some key applications where extreme noise levels are encountered
- When correctly selected and worn these products help reduce exposure to hazardous levels of noise and loud sounds

CODE	TYPE	STANDARD
G19892	Optime III	EN352-1

26

REUSABLE EAR PLUGS



- Flexible hearing protection with soft silicone rubber ear plugs for a comfortable fit
- SNR 19dB

CODE	TYPE	STANDARD
G19908	Re-usable	EN352

SCREW ON RESPIRATOR MASK



- Double cartridge respirator
- Made of rubber with an interior fold
- Double inner lining allows mask to hang around neck when not in use
- Quick fastening buckle
- Takes Screw on cartridges (not included)
- Takes cartridge ref: G19914, G19915

CODE	TYPE	STANDARD
G19912	Screw-On	EN140

SCREW ON A1 CARTRIDGE



- Protects against organic vapours and gases
- Reusable screw on cartridge
- For use with G19912

CODE	TYPE	STANDARD
G19914	Screw-On	EN14387

SCREW ON ABEK1 CARTRIDGE



- Protects against organic vapours and gases, inorganic gases and vapours, sulphur dioxide and other acidic vapours and gases, ammonia and organic ammonia derivatives
- Reusable screw on cartridge
- For use with G19912

CODE	TYPE	STANDARD
G19915	Screw-On	EN14387

RESPIRATOR MASK



- Double cartridge respirator
- Easy Mount cartridge system
- Wide flange covers face and ensures comfort
- Adjustable head harness

CODE	TYPE	STANDARD
G19913	Easy-Mount	EN140

A1 CARTRIDGE



- Protects against organic vapours and gases
- Reusable Screw on Cartridge
- For use with G19913

CODE	TYPE	STANDARD
G19916	Easy-Mount	EN14387

P2 CARTRIDGE



- Protects against toxic particles, P2 - Limit value between 10 mg/m³ and 0.1 mg/m³
- Anti-Dust
- For use with G19912

CODE	TYPE	STANDARD
G19917	Screw-On	EN143

CN P1 SEGRE RESPIRATOR



- Approved class FFP1 protective mask
- For protection against coarse health-hazardous dry and liquid-borne particles
- Typical application areas include wood sanding dust, coarser allergenic particles, pollen, etc.
- Nominal protection factor 4
- Assigned protection factor 4

CODE	TYPE
G16655	CN P1

SEGRE CN P2 DUST MASK



- Traditional styling for maximum protection
- Protects against industrial chemical splashes or dust
- CE Marked and EN166

CODE	TYPE
G16838	CN P2 CV

CUP FACE MASK



- For protection against coarse health-hazardous dry and liquid-borne particles
- Typical application areas include wood sanding dust, coarser allergenic particles, pollen, etc.

CODE	TYPE
G1762	Disposable

EXTRA GRIP GREEN GLOVE



- Honeycombed grip glove designed for added gripping power
- Criss-cross pattern increases tackiness for a superior grip

CODE	TYPE	SIZE	COLOUR
G16216	Extra-Grip	No. 10	Green

GREEN GRIP GLOVE



- Cotton dipped green latex grip glove
- EN388

CODE	TYPE	SIZE	COLOUR
G16839	Grips	No. 9	Green

DISPOSABLE NITRILE GLOVE



- Latex-free formulation
- Non-Sterile
- Ambidextrous
- Beaded cuff and smooth external finish
- Dispenser box contains 100 pairs

CODE	TYPE	SIZE	COLOUR
G16847	Nitrile	Large	Blue
G16916	Nitrile	X Large	Blue

AVAILABLE NOW!

**PROTECT YOURSELF WITH OUR
NEW RANGE OF PPE GEAR.**



GREASE & OIL

HIGH PRESSURE GREASE PUMP



- Manual pump for grease supply up to NLGI 2
- Suction tube
- Dust cover, with integral pump fixing bracket, fixing screws and follower plate
- High pressure grease hose, 11 x 1200 mm
- Spout, angled, 1/8in, 150 mm
- Coupler, 4 jaws, 1/8in
- Robust carrying handle
- Packed in single carton box
- Delivery rate / stroke: 3.8 cm³
- Length suction tube: 370 mm
- Discharge hose: high pressure hose: 11 x 1200 mm
- Grease supply: Manually lever operated
- Follower plate: For 15 kg container
- Follower plate: 240 mm up to 270 mm
- Discharge pressure (bar): 200 bar
- Surface treatment: All steel components are galvanised
- Pump body: Steel
- Pump head: Impact-resistant zinc die casting
- Lacquering dust cover
- Weight (including package): 4.9 kg

DELIVERY RATE	GREASE SUPPLY	FOLLOWER PLATE
Stroke: 3.8 cm ³ Length suction tube: 370 mm	Manually lever operated	For 15 kg container

CODE	DIMENSIONS
G1415	670 x 420 x 100 mm

ADDITIONAL IMAGES



LOW PRESSURE MIDI GREASE PUMP



- Suitable for grease supply up to NLGI
- 2 Filling nipple, M 10 x 1, enclosed without package, for upgrading grease guns from other manufacturers
- Dust cap on filling coupler secured by chain
- Grease gun packed in single carton box
- Length suction tube: 510 mm
- Connection discharge side: For grease guns, with filling nipple
- Discharge: by means of a hand pump
- Follower plate: For 15 kg container
- Diameter: follower plate: 240 mm up to 270 mm
- Delivery rate / stroke: 30 cm³
- Grease supply: 8 Bar
- Application: For filling lever, one hand and air operated grease guns
- Surface treatment: All steel components are galvanised
- Pump head: Impact-resistant zinc die casting
- Pump body: Steel
- Weight (including package): 5.6 kg

DELIVERY RATE	GREASE SUPPLY	FOLLOWER PLATE
Stroke: 30 cm ³	8 Bar	For 15 kg container

CODE	DIMENSIONS
G1416	670 x 420 x 100mm

ADDITIONAL IMAGES



15KG AIR BUCKET GREASER




- Suitable for grease supply up to NLGI
- 2 High pressure grease hose- 11 x 1200 mm
- Spout, angled, 1/8in, 150 mm
- Coupler, 4 jaws, 1/8in
- Robust carrying handle
- Supplied with trolley
- Delivery rate / stroke: 3.8 cm³
- Length suction tube: 370 mm
- Discharge hose: High pressure hose - 11 x 1200 mm
- Grease supply: Air operated
- Follower plate: For 15 kg container
- Diameter follower plate: 240 mm up to 270 mm
- Discharge pressure: 200 Bar
- Surface treatment: All steel components are galvanised
- Pump body: Steel
- Pump head: Zinc die casting
- Weight (including package): 4.9 kg

DELIVERY RATE	GREASE SUPPLY	FOLLOWER PLATE
Stroke: 3.8 cm ³ Length suction tube: 370 mm	Air operated	For 15 kg container

CODE	DIMENSIONS
G1417	200 x 350 x 100mm

ADDITIONAL IMAGES



TELESCOPIC PUSH TYPE GREASE GUN



- Volume: 150ml
- Media: Grease
- Material of casing: Plastic
- Coupler: Universal coupler
- Connection: for hydraulic and ball type grease nipples
- DIN 71412, DIN 3402
- Pressure: 20 bar
- Diameter: 50mm
- Length: 210 mm
- Weight: 0.09kg

CODE	TYPE
G1476	Telescopic

QUICK RELEASE MALE GREASER COUPLING



- Finish: Brass
- Male quick release grease coupler with female thread 1/4in

CODE	SIZE	TYPE
G13765	1/4in	Male

QUICK RELEASE FEMALE GREASER COUPLING



- Finish: Brass
- Female quick release grease coupler with female thread 1/4in

CODE	SIZE	TYPE
G13766	1/4in	Female

MCANAX HEAVY DUTY ONE HANDED GREASE GUN



- Heavy-duty pistol grease gun
- Working pressure: up to 3600 psi
- Burst Pressure: 8,000 psi
- Delivers Minimum: 1 oz. / 40 strokes
- Black outer handle grip
- Loading way: 14 oz. Cartridge / 400c.c. Bulk / Dispenser
- Standard Accessory: Metallic Straight Spout, 18in high pressure flexible nylon hose, steel hose and 4 jaw coupler
- Suitability: 400g cartridge

CODE	TYPE	CAPACITY
MX0804031	One handed pistol grip	400g

MCANAX ONE HANDED GREASE GUN



- Handi-grip pistol lube
- All-purpose gun attaches to handy screw in tubes of grease (not included)
- Includes spring-returned plated steel lever
- Aluminium die cast body, riveted plated steel link and standard duty coupler
- Supplied with 12in flexible nylon hose, steel hose and 4 jaw coupler
- Suitability: 500g screw in cartridge

CODE	TYPE	CAPACITY
MX0804032	One handed pistol grip	500g


PISTOL GRIP GREASE GUN



- Straight spout G 1/8in, 150 mm
- Coupler, 4 jaws G 1/8in
- Greases up to NLGI grade 2 Acc. to DIN 1283
- Wall thickness of grease gun tube: 1.0 mm
- Colour: Silver
- Suitability: 400g push in cartridge

CODE	TYPE	CAPACITY
G1419	Pistol grip	400g

ONE HANDED GREASE GUN



- One handed grease gun
- Complete with high pressure hose
- Suitable for 500g cartridges

CODE	TYPE	CAPACITY
G17908	One handed	500g

MCANAX HEAVY DUTY GREASE GUN



- Heavy duty grease gun comes with flexible nylon hose, steel hose and 4 jaw coupler
- Suitability: 400g push in cartridge

CODE	TYPE	CAPACITY
MX0804001	Heavy Duty	400g

UNIVERSAL GREASE GUN



- Angled spout, G 1/8in, 150 mm
- Coupler, 4 jaws G 1/8in
- Greases up to NLGI grade 2 Acc. to DIN 1283
- Wall thickness of grease gun tube: 1.0 mm
- Colour: Silver
- Suitability: 400g push in cartridge

CODE	TYPE	CAPACITY
G1390	Universal	400g

GREASE GUN WITH FLEXIBLE HOSE



- High pressure hose, G 1/8in, 8 x 300 mm
- Coupler, 4 jaws G 1/8in
- Greases up to NLGI grade 2 Acc. to DIN 1283
- Wall thickness of grease gun tube: 1.0 mm
- Colour: Silver
- Suitability: 400g push in cartridge

CODE	TYPE	CAPACITY
G1392	Manual	400g

PROFESSIONAL GREASE GUN



- Angled spout , M 10 x 1, 150 mm
- Precision machined coupler, 4 jaws, M 10 x 1
- Variable stroke system double lock greases up to NLGI grade 2
- Designed to be utilized under rough conditions Acc. to DIN 1283
- Wall thickness of grease gun tube: 1.5 mm
- Colour: Graphite-grey
- Suitability: 400g push in cartridge

CODE	TYPE	CAPACITY
G1392B	Manual	400g

35

MCANAX TWO HANDED GREASE GUN



- Heavy duty two handed grease gun comes with flexible nylon hose and 4 jaw coupler
- No 126
- Suitability: 500g screw in cartridge

CODE	TYPE	CAPACITY
MX0804029	Two handed	500g



UNIVERSAL TWO HANDED GREASE GUN



- Heavy duty two handed grease gun
- Complete with armoured pipe and nozzle tube
- Suitable for 500g cartridges

CODE	TYPE	CAPACITY
G17680	Two handed	500g

MULTI FUNCTION TWO HANDED GREASE GUN



- Multi purpose two handed grease gun
- Takes 500g screw type grease cartridge as standard

Kit includes:

- 18in hose and 4 jaw coupler
- 400g cartridge adaptor & sleeve holder

CODE	TYPE	CAPACITY
G18696	Two handed	400g/500g

AUTOMATIC AIR GREASE GUN



- Straight spout M 10 x 1,150 mm
- Precision machined coupler, 4 jaws, M 10 x 1
- Greases up to NLGI grade 2
- Wall thickness of grease gun tube: 1.0 mm
- Colour: Graphite-grey

CODE	TYPE	CAPACITY
G1418	Automatic air	400g

GUN TRIGGER FOR AUTO GREASER



- Angled spout 4-jaw coupler, G 1/8in (12 743), precision design, machined and slotted
- Ergonomic contoured safety hand grip
- Operating pressure maximum: 400 Bar
- Operating temperature: +60 °C
- Connection 1: G 1/8in female
- Connection 2: Coupler, for hydraulic grease nipples, DIN 71412
- Application range: Greases NLGI 2

CODE	TYPE
G13292	Automatic air

12V CORDLESS BATTERY GREASE GUN 6,000 PSI



- 12V rechargeable battery grease gun kit
- Suitable for 400g cartridge or 500cc bulk fill
- Maximum pressure 6000 PSI

Kit includes:

- Carry case
- Battery charger
- 2 Batteries
- 4 Jaw coupler
- 400mm hose

CODE	TYPE
G18699	Cordless

14.4V CORDLESS GREASE GUN 6,000 PSI



- 14.4V Rechargeable battery grease gun kit
- Suitable for 400g cartridge or 500cc bulk fill
- Maximum pressure 6000 PSI

Kit includes:

- Carry case
- Battery charger
- 2 Batteries
- 4 Jaw coupler
- 400mm hose

CODE	TYPE
G18701	Cordless

Z SWIVEL FOR AUTOMATIC GREASER



- 360° swivel joint
- 1/8in male thread x 1/4in female thread
- Finish: Zinc plated
- Material: Steel

CODE	TYPE
G15898	Automatic air

RUBBER GREASE HOSE



- Complete with installed 1/8in NPT hose ends
- Material: Rubber
- Coupler not included

CODE	SIZE
G1401	18in

MCANAX NYLON GREASE HOSE



- Complete with installed 1/8in NPT hose ends
- Material: Nylon
- Coupler not included

CODE	SIZE
MX0804035	8in
MX0804036	12in
MX0804037	18in
MX0804038	24in

HEAVY DUTY RUBBER GREASE GUN HOSE



- Complete with installed 1/8in NPT hose ends
- Material: Rubber
- Coupler not included

CODE	TYPE	COLOUR
G1399A	8in	Black
G1400A	10in	Black

STEEL GREASE TUBE



- For grease gun

CODE	TYPE	COLOUR
G1401B	8in	Silver

BOLT-ON GREASE GUN HOLDER



- Bolt-on grease gun holder

CODE	TYPE
G19135	Bolt-on

QUICK RELEASE GREASE COUPLER



- Compact easy to use grease gun 4 jaw quick release coupler
- Unique designed lever creates effortless coupling between grease gun and grease nipple
- Suitable for hand, battery or air operated grease guns and pumps
- Fits all SAE Metric zerk fitting

CODE	TYPE	THREAD SIZE	LENGTH
G18697	Quick release	1/8in BSP	74mm
G18698	Quick release	10mm	74mm

4-JAW HYDRAULIC COUPLER



- Replacement 4-Jaw grease coupler for grease guns
- H-Nipple
- Finish: Galvanised steel

CODE	TYPE	SIZE	LENGTH	DIAMETER	END TYPE 2
G1395	4-Jaw punched	13mm wrench	36mm	15mm	Female 1/8in
G19351	4-Jaw punched	13mm wrench	36mm	15mm	Female 1/8in

4-JAW HYDRAULIC COUPLER FOR TWO HANDED GREASE GUN



- Replacement 4-Jaw grease coupler for grease guns
- H-Nipple
- Finish: Galvanised steel
- Colour: Silver

CODE	TYPE	SIZE 1	LENGTH	DIAMETER	END TYPE 2
G17784	4-Jaw punched	13mm wrench	36mm	15mm	Female 10mm

PUSH-ON BUTTON HEAD GREASE COUPLER



- Replacement push-on button head grease coupler for button head grease nipples
- Finish: Galvanised steel

CODE	TYPE	DIMENSIONS	END TYPE 1	END TYPE 2
G1396A	Push on button head	29 x 21 x 16mm	Button head 16mm	Female M10 x 1

HOOK-ON BUTTON HEAD GREASE COUPLER



- Hook-on coupler for grease nipples
- Location of coupling: Opposite to screw-in direction

CODE	TYPE	DIMENSIONS	END TYPE 1	END TYPE 2
G1396	Hook-on	29 x 21 x 16mm	Button head 16mm	Female M10 x 1



Anti Seize **Grease**
 Galvanised **Spray**
 Multi-Purpose **Fluid**
 Grease **Lubricants**
 Penetration **Oil**
 Maintenance **Spray**

Available at www.genfitt.ie

MAXOL MULTI-PURPOSE EP2 GREASE



- Lithium thickened lubricating grease based on mineral oil
- Contains antioxidants, corrosion inhibitors and EP/AW additives
- State-of-the-art multipurpose EP grease which can be used in various applications within given temperature limits
- Offers good mechanical stability, load carrying capacity making it suitable for heavily loaded bearings
- Can be used in various applications within given temperature limits

CODE	TYPE	CAPACITY	COLOUR
G1393	Push-in	400g	Brown
G16693	Screw-in	500g	Brown
G18517	Tub	5kg	Brown
G1461	Tub	12.5kg	Brown

MAXOL LONG LIFE GREASE R2L CARTRIDGE



- Lithium thickened lubricating grease based on mineral oil
- Contains antioxidants, corrosion inhibitors and EP/AW additives
- State-of-the-art multipurpose EP grease which can be used in various applications within given temperature limits
- Offers good mechanical stability, load carrying capacity making it suitable for heavily loaded bearings
- The polymer gives the product improved adhesiveness and water resistant properties

Box Qty: 30

CODE	TYPE	CAPACITY
G16694	Screw-in	500g

41

MAXOL PIN & BUSH GREASE



- A tenacious grease designed for heavy duty application where adhesion, shock loading and good corrosion protection is needed
- It has found good use on tractor fifth wheel, crane slews and as an assembly and running in compound

G17405 - Box Qty: 12 | G16695 - Box Qty: 20

CODE	TYPE	CAPACITY
G17405	Push-in	400g
G16695	Screw-in	500g



MAXOL LITHIUM COMPLEX GREASE



- A lithium complex thickened lubricating grease based on mineral oil
- Contains antioxidants, corrosion inhibitors and EP/AW additives
- The lithium complex soap makes the product suitable for applications within a very wide temperature range and especially applications at elevated temperatures
- The complex soap structure also gives the product a high degree of mechanical stability
- This enhances the performance in vibrating housings and prolongs re-lubrications intervals

G17406 - Box Qty: 12 | G16697 - Box Qty: 20

CODE	TYPE	CAPACITY	COLOUR
G17406	Push-in	400g	Red
G16697	Screw-in	500g	Red

MAXOL CHIPPING HAMMER GREASE CARTRIDGE



- Recommended for lubrication of socket tools and wearing bushes of hydraulic and compressed air hammers
- Protects against corrosion
- Water resistance
- Excellent oxidation and mechanical stability

Box Qty: 30

CODE	TYPE	CAPACITY
G16696	Screw-in	500g

MAXOL SUPER GREASE



- Super Grease is a light, multipurpose grease developed for use on hinges, bushes and pivot points
- Directions for use : spray onto the surface from a distance of 20-30cm

Box Qty: 12

CODE	TYPE	CAPACITY
G19373	Spray grease	400ml

MAXOL TWOSTROKE OIL 100ML



- This product has been specifically designed for the lubrication of high speed, air-cooled two stroke engines
- Mixing instructions : mix contents of this bottle with 5 litres of petrol for 50:1 fuel/oil ratio
- Always follow the manufacturers dilution ratios in your operators manual
- Sold in a Retail Counter Display Box :
Box Qty: 2 boxes of 25 bottles

CODE	TYPE	CAPACITY
G19367	Two stroke	100ml

MAXOL TWOSTROKE OIL 500ML



- Two Stroke oil suitable for mixing with petrol
- This product has been specifically designed for the lubrication of high speed, air-cooled two stroke engines
- For mixing instructions please refer to your operator manual
- Performance Level : API TC, JASO FD, ISO-L-EGD Global GD, Husqvarna 272, 2-Stroke DFI
Box Qty: 20

CODE	TYPE	CAPACITY
G19366	Two stroke	500ml

43

MAXOL TWOSTROKE OIL 1LITRE



- Two Stroke oil suitable for mixing with petrol
- This product has been specifically designed for the lubrication of high speed, air-cooled two stroke engines
- For mixing instructions please refer to your operator manual
- Performance Level : API TC, JASO FD, ISO-L-EGD Global GD, Husqvarna 272, 2-Stroke DFI
Box Qty: 20

CODE	TYPE	CAPACITY
G19365	Two stroke	1 litre



MAXOL LAWNMOWER OIL 500ML



- This product has been specifically designed for petrol and diesel lawnmower engines, under light service conditions, in all seasons
- Suitable for all brands of lawnmowers
- Performance level : API SF/CG-4/GL-4, ACEA E3

Box Qty: 20

CODE	TYPE	CAPACITY
G19369	Lawnmower	500ml

MAXOL LAWNMOWER OIL 1LITRE



- This product has been specifically designed for petrol and diesel lawnmower engines, under light service conditions, in all seasons
- Suitable for all brands of lawnmowers
- Performance level : API SF/CG-4/GL-4, ACEA E3

Box Qty: 20

CODE	TYPE	CAPACITY
G19368	Lawnmower	1 litre

MAXOL CHAIN OIL



- Maxol Chainsaw Oil is specially formulated for use in all types of chainsaws with either manual or auto chain oiling
- This oil is produced using top grade mineral base stocks combined with special anti-fling and thickness additives
- Performance Level: ISO 150
- **G19371: Box Qty: 20**
- **G19370: Box Qty: 4**

CODE	TYPE	CAPACITY
G19371	Chain oil	1 litre
G19370	Chain oil	5 litre

STORAGE CONTAINERS & FUNNELS

POLYETHYLENE WATER TANK WITH TAP



- Polyethylene with ABH
- Closing cap with fixing tag
- Detachable tap, easy to clean
- Foodstuff-compatible
- Robust and impact-resistant

CODE	CAPACITY	COLOUR	MATERIAL
G17076	10 litres	Transparent	HDPE
G17077	15 litres	Transparent	HDPE
G17549	20 litres	Transparent	HDPE
G17550	35 litres	Transparent	HDPE

WATERING JERRY CAN



- Polyethylene jerry cans
- Suitable for water transport and storage
- Made of HDPE (high density polyethylene)

CODE	CAPACITY	COLOUR	SUITABILITY
G19981	10 litres	Transparent	Water
G19982	20 litres	Transparent	Water

Order you Watering Cans Now!
WWW.GENFITT.IE



WATERING JERRY CAN WITH TAP



- Polyethylene jerry can with tap
- suitable for water transport and storage
- Made of HDPE (high density polyethylene)

CODE	CAPACITY	COLOUR	SUITABILITY
G19983	10 litres	Transparent	Water
G19984	20 litres	Transparent	Water

SPARE TAP FOR JERRY CAN



- Replacement tap for watering jerry cans

CODE	COLOUR	MATERIAL
G19986	White	Plastic

GREEN WATERING CAN WITH SPOUT



- This watering can be used for all outdoor watering requirements
- Easy to fill to the top
- Long strong handle for controlling the distribution of the liquid
- Litre indicator in-print on outside of can

CODE	CAPACITY	COLOUR	MATERIAL
G19974	2 litres	Green	Plastic
G19975	5 litres	Green	Plastic
G19976	10 litres	Green	Plastic

SPARE ROSE FOR WATERING CAN



- Replacement rose for green watering cans

CODE	COLOUR
G19985	Black

ADDITIONAL IMAGES



TRIGGER SPRAYERS



- Hand held trigger sprayer for dispensing of water and washing liquids etc.

CODE	CAPACITY	COLOUR
G20124	500ml	Red cap
G20125	1000ml	Black cap

MCANAX JERRY CAN



- Approved for use on U.N vehicles
- Strong safe construction with durable green powder paint finish
- Hi-grade phosphate treated steel
- Interior anti-corrosion coated
- Wide channel breather for smoother pouring
- Locking pin to ensure that cap cannot be opened accidentally
- **Spout sold separately**

CODE	CAPACITY	FINISH	MATERIAL
MX1650028	5 litres	Powder Coated Green	Phosphate treated steel
MX1650026	10 litres	Powder Coated Green	Phosphate treated steel
MX1650022	20 litres	Powder Coated Green	Phosphate treated steel

MCANAX JERRY CAN SPOUT



- Approved for use on U.N vehicles
- Strong safe construction with durable green powder coated finish
- Hi-grade phosphate treated steel

CODE	COLOUR	MATERIAL
MX1650015	Powder Coated Green	Phosphate treated steel
MX1650016	Stainless Steel	Phosphate treated steel

MCANAX RED JERRY CAN



- Approved for use on U.N vehicles
- Strong safe construction with durable RED powder paint finish
- Hi-grade phosphate treated steel
- Interior anti-corrosion coated
- Wide channel breather for smoother pouring
- Locking pin to ensure that cap cannot be opened accidentally
- **Spout sold separately**

CODE	CAPACITY	FINISH	SIZE	MATERIAL
MX1650030	5 litres	Powder Coated Red	8mm	Phosphate treated steel
MX1650031	10 litres	Powder Coated Red	8mm	Phosphate treated steel
MX1650032	20 litres	Powder Coated Red	8mm	Phosphate treated steel

MCANAX RED JERRY CAN SPOUT



- Approved for use on U.N vehicles
- Strong safe construction with durable red powder powder finish
- Hi-grade phosphate treated steel

CODE	FINISH	MATERIAL
MX1650033	Powder Coated Red	Phosphate treated steel

20 LITRE POLYETHYLENE JERRY CAN



- The alternative to the traditional metal jerry can
- Lightweight – easy to handle – clean
- Robust and impact-resistant
- UV resistant and reinforced material construction
- Closing cap with fixing tag
- Flexible discharge spout with integral ventilation length 245mm - Ø 20mm
- The flexible discharge spout will be stored inside the can preventing dirt, contamination of the spout and liquid contamination of the vehicle after refilling
- Resistant against lead-free petrol

CODE	CAPACITY	COLOUR	MATERIAL
G17436	20 litres	Black	HDPE

RED PLASTIC FUEL CAN



- Suitable for liquid fuels
- Spout included
- Cover cap is secured against loss with flexible band
- Robust and resistant against impact
- UN approved

CODE	CAPACITY	COLOUR	MATERIAL	SUITABILITY
G19977	5 litres	Red	HDPE	Petrol
G19978	10 litres	Red	HDPE	Petrol
G19979	20 litres	Red	HDPE	Petrol

49

PLASTIC PETROL CAN INC. NOZZLE



- Spout is stored inside jerry can
- With flexible spout
- Spout with integrated ventilation
- Cover cap is secured against loss with flexible band
- Robust and resistant against impact
- TÜV approved, UN/BAM-approved
- Suitable for liquid fuels

CODE	CAPACITY	COLOUR	MATERIAL
G16383	5 litres	Red	Plastic
G16384	10 litres	Red	Plastic
G16385	20 litres	Red	Plastic

DOUBLE FUEL TANK



- Suitable for liquid fuels
- Robust and resistant against impact
- Rigid spout
- Volume of chamber 1: 5 litre
- Volume of chamber 2: 3 litre
- Material: Polyethylene
- Colour: Red
- Length of discharge tube: 90mm
- Height: 320mm
- Base L x B: 310mm x 140mm
- Weight: 0.82kg

CODE	CAPACITY	COLOUR	MATERIAL
G17078	1.5 / 2.3 litre	Red	HDPE

MCANAX STEEL OIL CAN



- Superflex spout, transparent
- Ergonomic design
- Single acting plastic pump
- Robust pump provides trickle feed supply
- All valves are ball valve type
- High surface quality, lacquered with environmentally-friendly water based paint

CODE	CAPACITY	COLOUR	MATERIAL
MX0804120	200cc	Red	Steel
MX0804121	300cc	Red	Steel
MX0804122	500cc	Red	Steel
MX0804123	1000cc	Red	Steel

MCANAX PVC OIL CAN



- Superflex spout, transparent
- Ergonomic design
- Single-acting plastic pump
- Pump enables drip feed
- All valves are ball valve type
- High surface quality

CODE	CAPACITY	COLOUR	MATERIAL
MX0804110	500cc	Red/Black	PVC

MCANAX OIL JUG WITH SPOUT



- White, transparent, polyethylene
- Oil, acid and fuel-resistant
- Ergonomic design
- Discharge: Funnel-shaped
- Flexible spout
- European, English and American scale division

CODE	CAPACITY	COLOUR	MATERIAL
MX0804140	1 litre	White/Red	Polyethylene
MX0804142	2 litre	White/Red	Polyethylene
MX0804144	3 litre	White/Red	Polyethylene
MX0804146	5 litre	White/Red	Polyethylene

PRESSURE SPRAYERS



- Chemical brake pressure sprayer comes in 1L & 1.5L capacities
- Chemical brake cleaner comes with a brass nozzle

CODE	CAPACITY	COLOUR
G18695	1 litre	White/Blue/Brass
G18694	1.5 litre	White/Blue

51

MCANAX ROUND FUNNEL



- Material: Polyethylene
- Oil, petrol and acid-resistant
- Straight spout, with ventilation tube
- With grip tab and integral suspension eye

CODE	COLOUR	SIZE	MATERIAL
MX0804140	Orange	100mm	PVC
MX0804172	Orange	150mm	PVC

MCANAX ROUND FUNNEL INCLUDING FILTER



- Oil, fuel and acid-resistant
- Straight tube, safety discharge spout
- Removable strainer, brass
- High overflow rim functions as splash guard
- With grip tab and integral suspension eye

CODE	COLOUR	SIZE	MATERIAL
MX0804174	Orange	200mm	PVC
MX0804176	Orange	250mm	Polyethylene

MCANAX FLEXIBLE FUNNEL



- Material: Polyethylene
- For special use in industry and workshops
- Oil, petrol and acid-resistant
- Ideal for fuel filler pipes with small diameter filling necks
- With two-step flex spout (removable)
- High overflow rim functions as splash guard
- With safe handle
- Removable strainer, brass

CODE	COLOUR	SIZE	MATERIAL
MX0804178	Orange	150mm	Polyethylene

MCANAX TRACTOR FUNNEL



- Material: Polyethylene
- Oil, petrol and acid-resistant
- High overflow rim functions as splash guard
- Removable strainer, brass
- Straight spout
- High flow rate
- 10 x 7in

CODE	COLOUR	SIZE	MATERIAL
MX0804190	Orange	250 x 175mm	Polyethylene

4-PIECE FUNNEL SET



- Material: Polyethylene
- Oil, petrol and acid-resistant
- Straight spout, with ventilation tube with grip tab and integral suspension eye
- Multiple application possibilities

CODE	COLOUR	MATERIAL
G1406	Orange	Polyethylene

METAL FUNNEL



- Material: Tin plate For special use in industry and workshops
- Oil, petrol and acid-resistant
- Flexible metal discharge spout (detachable), safety discharge spout, PE
- With removable strainer, brass
- High overflow rim functions as splash guard
- Preserved surface
- Packed in polybag

CODE	COLOUR	SIZE	MATERIAL
G1425	Silver/Orange	150mm	Tin Plate

ROUND FUNNEL WITH ANGLED SPOUT



- Material: HDPE
- Oil, fuel and acid-resistant
- Angled tube, safety discharge spout
- Removable strainer, brass
- High overflow rim functions as splash guard
- With handle, grip tab and integral suspension eye
- Capacity: 1.2L

CODE	COLOUR	SIZE
G17080	Orange	160mm

MCANAX FUNNEL FILTER



- Material: Brass
- Fine strainer
- For tractor-funnel, PE, grey
- To suit MX0804190

CODE	DIAMETER	MATERIAL
MX0804192	65mm	Brass

POLYETHYLENE DRUM TAP



- Polyethylene drum tap comes with 2in BSP thread

CODE	COLOUR	SIZE	MATERIAL
G18691	Yellow	2in	HDPE

AERFLOW TAP



- Aerflow tap self venting for smooth splash free flow
- Fits male threaded 25 litre drums

CODE	COLOUR	SIZE
G18693	Red/Transparent	61mm

4 ROW DROP DOWN BIN



- Plastic bodied
- Clear drawers for easy viewing of contents

CODE	COLOUR	SIZE
G17257	Cream	4 Row

WORKSHOP AIR ACCESSORIES

12V TWIN PISTON COMPRESSOR KIT



- For inflating 4WD vehicles and tractor tyres
- Inflates a 10R.15 tyre in approx 1 min (from 15 - 32psi)
- Max flow: 85 Lpm
- Direct battery connection
- 3m lead and croc clips included
- Hose: 8m coily air outlet hose with quick connector and pressure gauge
- 12V, 30 A, thermal overload protector
- Weight: 4.5kg
- Includes carry case and bike tyre/ball/inflatable adaptors

CODE	TYPE	MAX FLOW	VOLTAGE
G17628	Battery Connect	85 Lpm	12V

ADDITIONAL IMAGES



55

RAPID 12V AIR COMPRESSOR



- High pressure gauge
- Easy to use valve connector
- On/Off switch
- Low power consumption
- Fits any 12V cigar lighter socket
- 4 Minute inflation time (175/70 R13 tyre 0 to 30psi)
- Range 0 - 100psi
- Suitable for car, motor cycle and bicycle tyres

CODE	TYPE	VOLTAGE
G17584	Plug-In	12V

PTO TWIN CYLINDER AIR COMPRESSOR



- Supplied complete with all hose and fittings
- Pressure: 105 psi
- Revolutions per minute: 540 RPM
- Absorbed power: 2hp
- Tank size: 2.5L
- Fits a 540 splined PTO shaft

CODE	TYPE	CAPACITY	MAX PRESSURE
G1906	PTO	2.5L	105 PSI

ADDITIONAL IMAGES




PTO AIR COMPRESSOR



- Supplied complete with all hose and fittings
- Average pumping duration 4.5 minutes
- Air line hose: 3/8inch x 4m
- Maximum Working Pressure: 8 Bar / 116 PSI
- Revolutions per minute: 540 RPM
- Fits onto a 1 3.8inch 6 spline PTO shaft
- Dimension: 330mm x 220mm x 140mm
- Weight: 9kg

CODE	TYPE	MAX PRESSURE
G17072	PTO	8 Bar / 116 PSI

ADDITIONAL IMAGES



PTO COMPRESSOR BLOW-OFF VALVE



- Replacement valve suitable for PTO Twin Cylinder Compressor (G1906)
- Used in conjunction with PTO Compressor Tank (G1961)
- Finish: Brass

CODE	FINISH
G1962	Brass

PTO COMPRESSOR HOSE CONNECTION



- Replacement hose connection suitable for PTO Twin Cylinder Compressor (G1906)
- Used in conjunction with PTO Compressor Coupling (G1964)

CODE	MATERIAL
G1963	Steel


PORTABLE 230V COMPRESSOR



- Direct drive portable BM-50 Litre - 2HP compressor
- Comes with regulator
- 230V, DOL Control
- Cylinder: 48mm
- Power: 1.5kW/2HP
- Speed: 2850rpm
- Working pressure: 8bar/116PSI
- Dimensions: 77cm x 33cm x 74cm

CODE	CAPACITY	POWER	VOLTAGE
G18647	50L	1.5kW/2HP	230V

ADDITIONAL IMAGES



AIR INFLATING GUN CHUCK



- Thumb locking
- Finish: Brass

CODE	FINISH
G1933	Brass

PCL PROFESSIONAL HEAVY DUTY TYRE INFLATOR WITH GAUGE



- Cotton dipped green latex grip glove
- EN388

CODE	TYPE
G1940	MK4

INFLATING GUN WITH GAUGE



- Air tyre inflator for use on motor vehicles, cycles and inflatables
- Dial reads 0-15 bar, 0-15 bar, 0-22 psi and 0-1000 Pa
- 1/4in fitted male quick connector

CODE	TYPE	SIZE	COLOUR
G1931	Inflator	1/4in	Grey

AC100 FEMALE COUPLING



- Finish: Yellow passivated
- 1/2in female PCL coupling
- Female threaded coupling for airline probe G12749

CODE	SIZE	TYPE	REF. NUMBER
G12748	1/2in	Female	AC5JF

AC100 FEMALE PROBE



- Finish: Yellow passivated
- 1/2in probe x 3/8in female PCL
- Male probe airline fitting with female thread for G12748
- Ref no.: ACA2994

CODE	SIZE	TYPE	REF. NUMBER
G12749	1/2 x 3/8in	Probe x Female	ACA2994

AC100 MALE PROBE



- Finish: Yellow passivated
- 1/2in probe x 1/2in male PCL
- Male probe airline fitting with male thread for G12748

CODE	SIZE	TYPE	REF. NUMBER
G12751	1/2 x 1/2in	Probe x Male	ACA3035

PCL MALE COUPLING



- Finish: Yellow passivated
- Female airline coupling with male thread

CODE	SIZE	TYPE	REF. NUMBER
G2144	1/4in	Probe x Male	AC21CM
G2145	3/8in	Probe x Male	AC21EM
G2146	1/2in	Probe x Male	AC21JM

PCL FEMALE COUPLING



- Finish: Yellow passivated
- Female airline coupling with female thread

CODE	SIZE	TYPE	REF. NUMBER
G2142	1/4in	Female	AC21CF
G2143	3/8in	Female	AC21EF

PCL Y-PIECE COUPLING



- Finish: Yellow passivated
- 3/8in Plain Y- piecePCL
- Airline PCL Y/3-way joint with female thread for connecting multiple airlines

CODE	SIZE	TYPE	REF. NUMBER
G12754	3/8in	Plain	ZO-17
G12755	1/4in	Plain	ZO-13

PCL MALE HOSETAIL



- Finish: Yellow passivated
- Hosetail with male probe comes in several sizes. Suitable for connecting hosetail directly to airline hose

CODE	SIZE	TYPE	REF. NUMBER
G2187	1/4 x 1/4in	Probe x Hosetail	ACA1793
G2188	1/4 x 5/16in	Probe x Hosetail	ACA2487
G2189	1/4 x 3/8in	Probe x Hosetail	ACA2488
G2190	1/4 x 1/4in	Male x Hosetail	HC5656
G2191	1/4 x 5/16in	Male x Hosetail	HC1206

PCL DOUBLE HOSETAIL



- Finish: Yellow passivated
- Double hosetail airline fitting. Suitable for connecting tow lengths of airline hose together

CODE	SIZE	TYPE	REF. NUMBER
G2192	1/4	Double Hosetail	HC2983
G2192A	5/16in	Double Hosetail	HC2984
G219AB	3/8in	Double Hosetail	HC2985
G15269	1/2in	Double Hosetail	HC2986

PCL MALE PROBE



- Finish: Yellow passivated
- Male probe airline fitting with male thread

CODE	SIZE	TYPE	REF. NUMBER
G2147	1/4 x 1/4in	Probe x Male	ACA2593
G12750	1/2 x 3/8in	Probe x Male	ACA2999

PCL FEMALE PROBE



- Finish: Yellow passivated
- 1/4in probe x 1/4in female PCL
- Male probe airline fitting with female thread

CODE	SIZE	TYPE	REF. NUMBER
G2147A	1/4 x 1/4in	Probe x Female	ACA2746

PCL HOSETAIL PROBE



- Finish: Yellow passivated
- 1/2in probe x 1/2in hosetail PCL
- Hosetail with male probe comes in several sizes
- Suitable for connecting hosetail directly to airline hose

CODE	SIZE	TYPE	REF. NUMBER
G12752	1/2in x 1/2in	Probe x Hosetail	ACA3036
G15267	1/2in x 3/8in	Male x Hosetail	HC2808
G15268	1/2in x 1/2in	Male x Hosetail	HC2954
G15284	3/8in x 1/4in	Male x Hosetail	HC1217

SPRAY GUN FOR COMPRESSOR



- Air pressure (bar-psi): 2.0-3.5bar (30-50psi)
- Air inlet: 1/4in
- Air consumption (cfm): 4.5-8.5cfm
- Cup capacity: Aluminium 600ml
- Feed type: Suction

CODE	CAPACITY	MATERIAL
G1928	600ml	Aluminium

OILER GUN FOR COMPRESSOR



- Air pressure (bar-psi): 2.0-3.5bar (30-50psi)
- Air inlet: 1/4in
- Air consumption(cfm): 4.5-8.5cfm
- Cup capacity: Aluminium 1000ml
- Feed type: Suction

CODE	TYPE	MAX PRESSURE
G1929	Suction	2.0-3.5bar (30-50PSI)

COMPRESSOR AIR GUN



- Air pressure (Bar-psi): 2.0-3.5bar (30-50psi)
- Air inlet: 1/4in
- Air consumption (cfm): 4.5-8.5cfm

CODE	TYPE	MAX PRESSURE
G1930	Air	2.0-3.5bar (30-50PSI)

RECOIL AIR HOSE



- Self-storing design springs back into coiled shape after each use
- Rugged oil- and abrasion-resistant nylon construction
- Leak-resistant, 360° swivel brass end connectors
- Spring bend restrictors prevent kinks near hose end

CODE	TYPE	SIZE
G1932	Coil	3m

HAND PUMP



- Heavy duty hand pump, expert quality
- Stainless steel barrel
- 30mm diameter with hardwood pump handle

CODE	MATERIAL
G1576	Stainless Steel Barrel

HAND PUMP HOSE



- 450mm hose with nylon connector

CODE	SIZE	COLOUR
G1577	450mm	Red

HAND PUMP CHUCK



- Nylon connector

CODE	COLOUR
G1578	Black

SINGLE FOOT PUMP



- Foot pump with 120mm barrel and 450mm (approx) hose with nylon connector and football inflator adaptor
- Pressure gauge marked 0-100 psi and 0-7kg/cm² (0-7 Bar)

CODE	TYPE	COLOUR
G1580	Single	Blue

DOUBLE FOOT PUMP



- High performance, suitable for applications where a high volume of air or fast pumping action is required
- 120mm barrel and 450mm (approx) hose with nylon connector and football inflator adaptor
- Pressure gauge marked 0-100 psi and 0-7kg/cm² (0-7 Bar)

CODE	TYPE	COLOUR
G1581	Double	Blue

FOOT PUMP HOSE



- 450mm hose with nylon connector

CODE	TYPE	COLOUR
G1582	Air	Red

CLEANING SOLUTIONS & HAND SANITISER

MCANAX OIL CLEANER & DEGREASER



All round cleaner for most surfaces, including vehicles, plastics and painted surfaces

APPLICATION

- General purpose cleaning: Dilute up to 100:1 depending upon the degree of soiling. Work well into dirt, allow a few minutes contact time then rinse away
- Car/lorry cleaning: Use at up to 1 to 150 parts water via machine dilution system. Work from bottom to top of vehicle under low pressure. Allow a few minutes contact time and then remove with high-pressure jet again working from bottom to top
- Brush washing: Pre-dilute 1:50 in water and brush liberally all over vehicle. Allow a few minutes contact time, then rinse well. It is advisable to pre-wet the vehicle prior to using this method to remove loose road dirt and avoid scratching

FEATURES:

- Effective at high dilution
- Easily and gently removes dirt and grime
- Does not contain ingredients which accelerate metal corrosion
- Safe on aluminium, metal surfaces, glass and rubber
- Food processing equipment
- Ideal for hot or cold pressure wash machines
- Effective in hard and soft waters
- Contains rinse off additive
- Non-Fragranced
- Biodegradable

CODE	CAPACITY
MX3100001	1 Litre
MX3100002	5 Litre
MX3100003	25 Litre

- Contains: ALCOHOLS, C9-II ETHOXYLATED
- Contains less than 5% nonionic surfactants, less than 5% cationic surfactants, less than 5% amphoteric surfactants, perfume (Limonene)
- H315: Causes skin irritation
- H318: Causes serious eye damage
- P280: Wear protective gloves/protective clothing/eye protection/face protection
- P302+352: IF ON SKIN: Wash with plenty of water/soap
- P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes
- Remove contact lenses, if present and easy to do. Continue rinsing
- P310: Immediately call a first aider
- P332+313: If skin irritation occurs: Get medical advice
- P362: Take off contaminated clothing

GRAFTERS ALL TRADES WIPES JUMBO 300 TUB



- Grafters all trades wipes have been specifically formulated for cleaning sealants, adhesives, semi-cured paints, polyurethanes, expanding foams, polyester fillers, & epoxy glues from hands as well as tools & other surfaces
- These fantastic wipes are the ideal cleaning aid for GRAFTERS of ALL TRADES and to make sure that your hands are looked after, even during the most arduous jobs
- Grafters contains Aloe Vera, an effective moisturiser added to the powerful cleaning formula
- Grafters all trades wipes are dermatologically tested and have been tested against E-Coli, Listeria, MRSA and Salmonella

CODE	CAPACITY
G19966	300 Tub

HAND CLEANER 1 LITRE



- Heavy duty skin cleanser with poly beads
- Contains skin conditioning agents
- Removes heavy contamination from the skin

CODE	CAPACITY
G1647A	1 Litre

65

HAND CLEANER 5 LITRE



- Heavy duty skin cleanser with poly beads
- Contains skin conditioning agents
- Removes heavy contamination from the skin

CODE	CAPACITY
G1647	5 Litre

AIRMEDICA HAND SANITISER 70% 100ML



- A protecting and caring 70% alcohol – based hand sanitiser
- Airmedica is specially formulated to be hard on bacteria, but soft on skin
- Ensures that your hands are left sanitised but not dried out
- Handy sized bottles are ideal for use on the go, in your car or at your workplace

Box Qty: 24

CODE	CAPACITY
G19918	100ml

AIRMEDICA HAND SANITISER 70% 250ML



- A protecting and caring 70% alcohol – based hand sanitiser
- Airmedica is specially formulated to be hard on bacteria, but soft on skin
- Ensures that your hands are left sanitised but not dried out
- Handy sized bottles are ideal for use on the go, in your car or at your workplace

Box Qty: 24

CODE	CAPACITY
G19919	250ml

AIRMEDICA HAND SANITISER 70% 500ML



- A protecting and caring 70% alcohol – based hand sanitiser
- Airmedica is specially formulated to be hard on bacteria, but soft on skin
- Ensures that your hands are left sanitised but not dried out
- Handy sized bottles are ideal for use on the go, in your car or at your workplace

Box Qty: 12

CODE	CAPACITY
G19920	500ml

AIRMEDICA HAND SANITISER 70% 1 LITRE



- A protecting and caring 70% alcohol – based hand sanitiser
- Airmedica is specially formulated to be hard on bacteria, but soft on skin
- Ensures that your hands are left sanitised but not dried out
- Handy sized bottles are ideal for use on the go, in your car or at your workplace

Box Qty: 12

CODE	CAPACITY
G19921	1 Litre

AIRMEDICA HAND SANITISER 70% 5 LITRE



- A protecting and caring 70% alcohol – based hand sanitiser
- Airmedica is specially formulated to be hard on bacteria, but soft on skin
- Ensures that your hands are left sanitised but not dried out
- Handy sized bottles are ideal for use on the go, in your car or at your workplace

Box Qty: 2

CODE	CAPACITY
G19922	5 Litre

67



STAY SANITISED ON THE MOVE!

AIRMEDICA HAND SANITISERS

Available at www.genfitt.ie

LUBRICANTS & SEALANTS

ACTION CAN AC-90 MAINTENANCE SPRAY



- Multipurpose industrial spray lubricant/cleaner
- Strong water and moisture displacing action
- Penetrates rust and corrosion
- Cleans and protects all metals against rust
- Suitable for electronic ignition systems
- Does not contain Silicone or CFC

Box Qty: 15

CODE	TYPE	CAPACITY
FAC905	AC-90	500ml
FAC905T	AC-90	500ml

ACTION CAN CG-90 CLEAR GREASE LUBRICANT + PTFE (FOOD GRADE H1)



- Food Grade certified to H1 standard by InS 1795391
- Clean and clear
- Non toxic and no odour
- Reduced stick slip behaviour
- Corrosion inhibitor built into formulation
- Water, steam, acid and alkalis resistant
- Wide temperature range from -40°C to +200°C (applies to base product before aerosol packing)

Box Qty: 15

CODE	TYPE	CAPACITY
FACCG90	CG-90	500ml

ACTION CAN AS-90 WELDER'S MULTIPURPOSE FLUID ® ANTI SPLATTER SPRAY



- Anti splatter
- Welding Wire lubricant
- Post weld
- Corrosion protector
- Prevents the formulation of rust
- Silicone free
- Easy to wipe or rub away
- Non flammable product
- Non flammable propellant

Box Qty: 15

CODE	TYPE	CAPACITY
FACAS90	AS-90	400ml

ACTION CAN WG-90 GENERAL PURPOSE WHITE GREASE + PTFE SPRAY



- General purpose lubricant
- Reduces wear and friction
- Heat and water resistant
- PTFE additive for superior long lasting performance
- Corrosion inhibitor built into formulation
- White colour for easy identification of treated components

Box Qty: 15

CODE	TYPE	CAPACITY
FACWG90	WG-90	500ml

ACTION CAN CS-90 COPPER ANTI-SEIZE GREASE



- High quality grease
- Free from lead, zinc, nickel and silicone
- Contains pure micro fine copper flakes and micro fine graphite flakes
- Very high temperature resisting rate 1200°C
- Increased lubrication with added graphite
- Waterproof, anti-corrosion, anti-rust, anti-acid and heat resistant

CODE	TYPE	COLOUR	CAPACITY
FACCS90A	Spray	Copper	500ml
FACCS90	Compound	Copper	500g

ACTION CAN ZG-90 COLD ZINC GALVANISING SPRAYS



- Optimum galvanic protection
- An ultra long term corrosion protection for metal components requiring a permanent zinc-rich mid-grey coating
- Ideal for components that cannot be galvanised using a hot dip process
- Excellent corrosion protection
- Can be used to repair the surface of galvanised components that have been damaged or removed due to welding or other mechanical operations
- Cathodic mechanism - scratches are re-sealed by the formation of zinc oxide and carbonates
- Non-toxic formulation - lead and chromate free
- Temperature range -30°C to 450°C

Galvanised

Black

Green

Red

White

CODE	TYPE	COLOUR	CAPACITY
FACZG90	ZG-90	Galvanised	500ml
FACZBLACK	ZG-90	Black	500ml
FACZGREEN	ZG-90	Green	500ml
FACZRED	ZG-90	Red	500ml
FACZWHITE	ZG-90	White	500ml

GENFITT COLD ZINC GALVANISING SPRAY



- Optimum galvanic protection
- An ultra long term corrosion protection for metal components requiring a permanent zinc-rich mid-grey coating
- Ideal for components that cannot be galvanised using a hot dip process
- Excellent corrosion protection
- Can be used to repair the surface of galvanised components that have been damaged or removed due to welding or other mechanical operations
- Cathodic mechanism - scratches are re-sealed by the formation of zinc oxide and carbonates
- Non-toxic formulation - lead and chromate free
- Temperature range: -30°C to 450°C



CODE	TYPE	COLOUR	CAPACITY
G19771	Zinc Spray	Black	400ml
G19772	Zinc Spray	Galvanised	400ml
G19773	Zinc Spray	Green	400ml
G19774	Zinc Spray	Red	400ml
G19775	Zinc Spray	White	400ml

MAXOL TARGET PENETRATION OIL



- This product is designed to free and loosen seized nuts, bolts, hinges etc
- It is extremely useful in any workshop, garage or farmyard
- Directions for use: spray onto the surface from a distance of 20-30cm

Box Qty: 12

CODE	TYPE	CAPACITY
G19372	All-Purpose	400ml



Lubricants & Sprays

Available at www.genfitt.ie

SILICONE SEALANT



- High modulus silicone sealant that adheres to most smooth and non-porous materials
- Contains an anti-fungal compound to prevent mould growth in areas of high humidity
- Forms a permanently flexible rubber seal
- Conforms to BS 5889(B)

CODE	TYPE	COLOUR	CAPACITY
G600	General-Purpose	Clear	310ml
G601	General-Purpose	White	310ml
G602	General-Purpose	Brown	310ml
G603	General-Purpose	Black	310ml

BLACK ROOF GUTTER SEALANT



- Roof and gutter sealant is a premium quality bitumen based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications
- Adheres to most common roofing materials such as:
Bitumen, asphalt, felt, metals and wood

CODE	TYPE	COLOUR	CAPACITY
G604	Roof / Gutter	Black	310ml

PROFESSIONAL SEALANT GUN



- Sturdy skeleton gun with hexagonal rod
- Reinforced ring and hook end

CODE	TYPE	COLOUR
G599	Manual	Orange

PTFE TAPE



- Essential for use with all screw plumbing fittings, to achieve a water tight seal

CODE	TYPE	COLOUR	SIZE
G1481	P.T.F.E.	White	12mm x 12m x 0.075mm

HOLTS AUTO ACCESSORIES

HOLTS 1 SHOT SCREEN WASH



- Holts Intensive Cleaning Screen Wash is a concentrated one shot formula which makes up to 5l of screen wash
- Its fast cleaning action keeps your windscreen clear and prevents dangerous sun glare
- No Mixing, No Measuring, No Mess

Box Qty: 24

CODE	CAPACITY
G19817	125ml

HOLTS CONCENTRATED SCREEN WASH



- Holts concentrated Screen Wash quickly removes the dirt that builds up while you drive
- Contains a specially developed no-smear formula to leave your windscreen crystal clear
- Dilute the screen wash with water to your needs, and use it in all seasons
- High visibility, no streak formula Intensive cleaning
- Quickly removes stubborn dirt and traffic film
- Melts ice and can be used all year round

Box Qty: 12

CODE	CAPACITY
G19816	1 Litre

BRADEX EASY START



- If an engine fails to start repeatedly, it may require a starting aid like Bradex Easy Start
- Designed for use in an emergency where the engine won't start, which could be caused by a number of different ignition problems
- Can be used on all engines, whether diesel, petrol or paraffin
- Simply spray into the air intake for a few seconds

Box Qty: 12

CODE	CAPACITY
G19809	300ml

HOLTS GUN GUM PASTE



- Gun Gum paste provides a gas tight seal on your exhaust, permanently repairing small holes and leaks in silencers and exhaust systems
- Gun Gum is a leading car exhaust repair paste which has been trusted by car lovers for decades
- It creates a gas tight seal, and permanent repair is guaranteed, giving you peace of mind that your exhaust is working as it should
- You simply press and smooth the paste over the hole or damaged area and leave it to dry, making it an easy DIY solution for home exhaust repairs

CODE	CAPACITY
G19810	200g

HOLTS EGR AND CARB CLEANER




- Holts EGR & Carb cleaner is a professional product formulated to quickly remove deposits caused by petrol in carburettors or exhaust gases in diesel engines
- Performance and power is restored and emissions reduced

Box Qty: 6

CODE	CAPACITY
G19811	500ml

HOLTS SILICONE SPRAY



- Holts Silicone Spray is trusted by mechanics as a professional product, but can be used at home for your DIY maintenance needs too
- Specially formulated spray for use on rubber and plastic, for example on car window seals
- Provides protection, lubrication and waterproofing to keep any plastic or rubber parts in top condition
- Easy to use spray with a clear finish to reduce mess and unsightly marks
- Simply spray on to ensure plastic and rubber surfaces remain problem free

Box Qty: 6

CODE	CAPACITY
G19812	500ml

HOLTS RUSTOLA RELEASE SPRAY



- Holts Release Spray is a multi-purpose lubricant that penetrates inside the seized parts, making them easy to remove
- Simply spray on to the part and leave to work
- The Release Spray will act quickly to loosen it, even if it's rusted

Box Qty: 6

CODE	CAPACITY
G19813	500ml

HOLTS ELECTRICAL CONTACT CLEANER



- Holts Electrical Contact Cleaner is specially formulated to quickly remove oil, grease and dirt and restore electrical connectivity without causing damage
- It is easy to use without removing any parts thanks to its ability to spray at all angles, including upside down
- Holts Electrical Contact Cleaner has a powerful cleaning action, is quick to dry and to leaves no sticky or oily residue

Box Qty: 6

CODE	CAPACITY
G19814	500ml

HOLTS ENGINE AND PARTS DEGREASER



- Holts Engine & Parts Degreaser works quickly to clean a range of metal and plastic surfaces, without causing damage
- For cleaning engines or car parts, you need a powerful degreaser to remove oil, tar, grease and dirt
- It even sprays upside down for difficult to reach areas such as the engine bay and chassis
- Just spray and work into the dirt, rinse and leave to dry for professional results

Box Qty: 6

CODE	CAPACITY
G19815	500ml

HOLTS COPPER PASTE



- Copper Paste is a no nonsense anti-seize assembly paste that eliminates wasted time and labour whilst preventing corrosion
- Effective from -35°C to 1100°C
- Can be applied in thin layers on screws, bolts, exhaust manifolds, cylinder head bolts, spark plug thread, wheel nuts, screws and bolts of the chassis, braking systems (to avoid whistling of the disks), radiator assembly (mounts), battery terminals, all joints and sealing gaskets

Box Qty: 12

CODE	CAPACITY
G19818	100g

HOLTS BRAKE CLEANER



- Holts Brake Cleaner is a powerful cleaner and degreaser which can be used on a huge range of metal parts and surfaces including brakes and clutches to remove brake dust, pad residue, grease, dirt and oily deposits
- Brake Cleaner cleans faster and with less product than competitors, giving you great value for your money

Box Qty: 12

CODE	CAPACITY
G19819	600ml

HOLTS SPEEDFLUSH



- Holts Speedflush is a cooling system cleaner that clears the radiator and cooling system quickly
- Flushing out harmful scale and deposits will prevent overheating and extend the life of your vehicle
- It can be used on any engine to clear out scale and debris, ready for filling with antifreeze/coolant

Box Qty: 12

CODE	CAPACITY
G19820	250ml

HOLTS RADWELD PLUS



- Radweld Plus is an easy to use, total cooling system leak repair
- It works through your system to quickly seal leaks in Radiators, Engine Blocks, Cylinder Heads, Hoses, Heater Core & Water Pump Gaskets

Box Qty: 6

CODE	CAPACITY
G19821	250ml

GENERAL PURPOSE TAPES

EXTRA STRONG TOUGH TAPE



- This rugged, super strong, waterproof cloth tape that works when you need to rely on it most
- Extreme conditions are no problem for this tape, excellent in low temperatures, use in construction, cars, boats and garden projects

CODE	COLOUR	SIZE
G19988	Silver	48mm x 25m
G19987	Silver	50mm x 50m

MASKING TAPE



- Multi-purpose crepe paper tape for general painting, bundling and protection
- It has good, instant grab and will remove easily on most surfaces

CODE	COLOUR	SIZE
G19989	Tan	18mm x 50m
G19990	Tan	36mm x 50m
G19991	Tan	48mm x 50m

DOUBLE SIDED TAPE



- Ultratape double sided general purpose tape will solve most problems, joining surfaces including carpets, paper, grips and plastics, except vinyl

CODE	COLOUR	SIZE
G19992	White	12mm x 33m
G19993	White	25mm x 33m
G19994	White	50mm x 33m

PARCEL TAPE



- A variety of grades, including economical, heavy duty, solvent, low-noise and vinyl stocked

CODE	COLOUR	SIZE
G19995	Clear	19mm x 66m
G19996	Clear	25mm x 66m
G19997	Clear	48mm x 66m
G19998	Buff	48mm x 50m

HAZARD WARNING TAPE



- A statutory requirement for safety in the workplace
- These tapes are used to warn people of dangerous areas such as low beams, rotating machinery and scaffolding towers

CODE	COLOUR	SIZE
G20000	Black / Yellow	50mm x 33m
G20001	Red / White	50mm x 33m

MULTI PURPOSE PROTECTION TAPE



- Red tinted, self-adhesive film mainly used for worktop protection in kitchens and protection for laminate flooring
- A temporary film which leaves no residue

CODE	COLOUR	SIZE
G20002	Red	600mm x 100m

CARPET PROTECTION TAPE



- For full protection against dust, mud and paint
- This heavy duty, self-adhesive, clear film will protect carpets during refurbishment and maintenance contracts
- It can withstand high foot traffic and has extremely high puncture and tear resistance
- Best removed within 3 weeks for residue-free carpet

CODE	COLOUR	SIZE
G20003	Clear	600mm x 100m

GLUES & GASKET MAKER

SUPER GLUE



- A general purpose cyanoacrylate instant bond adhesive, developed for the industrial market now sold in a convenient 5g size

CODE	CAPACITY
G19999	5g

NUTLOCK GLUE



- An oil tolerant, medium strength thread locker designed for direct application onto "as received parts" where an oily film exists or where contamination is a problem
- Chemical, fuel and oil resistant
- Viscosity: 1800cps
- Breakaway strength: 25Nm
- Colour: Blue
- Temperature: -55 °C - +180 °C
- Reference: B243

CODE	CAPACITY	COLOUR
G13604	10ml	Blue
G13605	50ml	Blue

STUDLOCK GLUE



- A high strength thread locker designed for locking studs up to M80, ideal for permanent threaded assemble
- Suitable for use with diesel and petrol
- Viscosity: 500cps
- Breakaway strength: 33Nm
- Colour: Red
- Temperature: -55 °C - +180 °C
- Reference: B271

CODE	CAPACITY	COLOUR
G13609	10ml	Red
G13796	50ml	Red

HYDRAULIC SEAL GLUE



- This medium strength sealant is used for hydraulic valves, threaded couplings, adaptors, quick disconnect parts, compression fittings and vibration proofing joints
- Viscosity: 600 - 800cps
- Breakaway strength: 18Nm
- Colour: Brown
- Temperature: -55 ° Deg C - +150 ° C
- Reference: B542

CODE	CAPACITY	COLOUR
G15900	10ml	Brown

INSTANT GASKET MAKER BLACK



- Vital Black Pro RTV gasket maker is specially designed for dealership warranty requirements that ensure extended drivetrain warranty compliance
- It features fast-curing, sensor-safe, low odour, and non-corrosive formulation that meets performance specs of OE silicone gaskets
- It forms reliable "formed-in-place" gaskets that resist cracking and shrinkage caused by thermal cycling. It is permanently flexible and stable between -80 °F to 600 °F (-62 °C to 315 °C). It is also resistant against automotive fluids

Application: Rear valve covers, oil pans, timing covers, water pumps, thermostat housing, transmission pans etc.

CODE	CAPACITY	COLOUR
G20243	70g	Black

79

INSTANT GASKET MAKER SF060 RED TUBE 70G



- Vital Red RTV is an original gasket maker formulated for high temperature and heavy duty applications. It forms reliable "formed-in-place" gaskets that resist cracking, shrinking and migration caused by thermal cycling
- Ideal to replace almost any cut gasket and can be used to coat pre-cut gaskets to increase reliability
- It is permanently flexible and stable at temperatures of between -80 °F to 650 °F (-62 °C to 343 °C). It is also highly resistant to automotive fluids

Application: Rear main bearing cap split line, damper keyway sealing, differential cover, intake end seals, OHC cap, oil pan corner seals, oil pan gasket, side cover plate, thermostat housing, timing cover, transmission pan, valve cover gasket, vibration damper, water pump cover gasket and intake manifolds

CODE	CAPACITY	COLOUR
G20244	70g	Red

CABLE TIES

NATURAL NYLON CABLE TIE



- Finish: Natural / clear
- Material: Nylon

CODE	COLOUR	SIZE
G20105	Clear	200 x 2.5mm
G20106	Clear	200 x 4.8mm
G20107	Clear	300 x 4.8mm
G20108	Clear	370 x 4.8mm
G20109	Clear	300 x 7.6mm
G20110	Clear	370 x 7.6mm
G20111	Clear	430 x 9mm
G20112	Clear	710 x 9mm
G20113	Clear	580 x 13mm

BLACK NYLON CABLE TIE



- Finish: Black
- Material: Nylon

CODE	COLOUR	SIZE	TYPE	THICKNESS
G18969	Black	140 x 7.6mm	Resealable	7.6mm
G18970	Black	300 x 8mm	Resealable	8mm
G2845	Black	100 x 2.5mm	-	7.6mm
G2846	Black	140 x 3.6mm	-	3.6mm
G2847	Black	160 x 4.8mm	-	4.8mm
G2849	Black	200 x 2.5mm	-	2.5mm
G2848	Black	200 x 4.8mm	-	4.8mm
G2850	Black	300 x 4.8mm	-	4.8mm
G2853	Black	300 x 7.6mm	-	7.6mm
G2851	Black	370 x 4.8mm	-	4.8mm
G2854	Black	370 x 7.6mm	-	7.6mm
G18965	Black	450 x 9mm	-	9mm
G18966	Black	762 x 9mm	-	9mm
G18967	Black	580 x 12.7mm	-	12.7mm

BLOW LAMP & TORCHES

KEMPER BLOW TORCH KIT



- Blow torch "TORNADO"
- Traditional ignition
- Base with patented safety system against cartridge unlocking
- Rubber handgrip
- Use standard cartridges EN 417 190g for a life of up to 6 hours
- Complete of 4 cartridges 1120S2 190g
- Jet diameter: 0.25
- Power: 1.54kW
- Consumption: 118g/h

CODE	MATERIAL	POWER
G19656	Rubber Handgrip	1.54Kw

KEMPER GAS REFILL PACK



- Set of 3 pcs of Butane gas cartridge
- 190g piercing cartridge with safety system
- Stop Gas System
- Complying with EN 417
- Use with G19656 Gun

CODE	TYPE
G19657	Butane Gas

www.genfitt.ie
everything you need in one place

Aerflow			
Aerflow Tap.....	54		
Action Can			
Action Can AC-90 Maintenance Spray.....	68		
Action Can AS-90 Welder's Multipurpose			
Fluid Anti Spatter Spray.....	68		
Action Can CG-90 Clear Grease			
Lubricant + PTFE (Food Grade H1).....	68		
Action Can CS-90 Copper Anti-Seize Grease.....	69		
Action Can WG-90 General Purpose			
White Grease + PTFE Spray.....	69		
Action Can ZG-90 Cold Zinc			
Galvanising Spray.....	69		
Air			
15kg Air Bucket Greaser.....	32		
Air Inflating Gun Chuck.....	58		
Automatic Air Grease Gun.....	36		
Compressor Air Gun.....	62		
PTO Air Compressor.....	56		
PTO Twin Cylinder Air Compressor.....	56		
Rapid 12V Air Compressor.....	55		
Recoil Air Hose.....	62		
Airmedica			
Airmedica Hand Sanitiser 70% 1 Litre.....	67		
Airmedica Hand Sanitiser 70% 100ml.....	66		
Airmedica Hand Sanitiser 70% 250ml.....	66		
Airmedica Hand Sanitiser 70% 5 Litre.....	66		
Airmedica Hand Sanitiser 70% 500ml.....	64		
Angle Grinder			
Crimped Angle Grinder Brush.....	21		
Knotted Angle Grinder Brush.....	21		
SADU Bevel Crimped Angle Grinder Brush.....	22		
SADU Cup Crimped Angle Grinder Brush.....	21		
SADU Cup Knotted Angle Grinder Brush.....	22		
Ark			
Ark Clear Safety Goggles.....	25		
Asphalt			
SADU Asphalt Diamond Cutting Disc.....	17		
Bin			
Drop Down Bin.....	54		
Blow Torch			
Kemper Blow Torch Kit.....	81		
Brush			
Crimped Angle Grinder Brush.....	21		
Knotted Angle Grinder Brush.....	21		
SADU Bevel Crimped Angle Grinder Brush.....	22		
SADU Brush End Shank.....	23		
SADU Brush Tube Shank.....	23		
SADU Cup Crimped Angle Grinder Brush.....	21		
SADU Cup Knotted Angle Grinder Brush.....	22		
SADU Shank Cup Steel Wire Brush.....	22		
SADU Wheel Brush.....	23		
SADU Wire Steel Wheel Brush.....	23		
Bucket			
15kg Air Bucket Greaser.....	32		
Cable			
Black Welding Cable.....	7		
Red Welding Cable.....	7		
Cable Tie			
Black Nylon Cable Tie.....	80		
Natural Nylon Cable Tie.....	80		
Can			
Watering Jerry Can.....	45		
20 Litre Polyethylene Jerry Can.....	49		
Action Can AC-90 Maintenance Spray.....	68		
Action Can AS-90 Welder's Multipurpose			
Fluid Anti Spatter Spray.....	68		
Action Can CG-90 Clear Grease			
Lubricant + PTFE (Food Grade H1).....	68		
Action Can CS-90 Copper Anti-Seize Grease.....	69		
Action Can WG-90 General Purpose			
White Grease + PTFE Spray.....	69		
Action Can ZG-90 Cold Zinc Galvanising			
Spray.....	69		
Green Watering Can with Spout.....	46		
Mcanax Jerry Can.....	47		
Mcanax Jerry Can Spout.....	48		
Mcanax PVC Oil Can.....	50		
Mcanax Red Jerry Can.....	48		
Mcanax Red Jerry Can Spout.....	48		
Mcanax Steel Oil Can.....	50		
Plastic Petrol Can Inc. Nozzle.....	49		
Red Plastic Fuel Can.....	49		
Spare Rose for Watering Can.....	47		
Spare Tap for Jerry Can.....	46		
Watering Jerry Can with Tap.....	46		
Cartridge			
Screw on A1 Cartridge.....	27		
A1 Cartridge.....	27		
Maxol Chipping Hammer Grease Cartridge.....	42		
Maxol Long Life Grease R2L Cartridge.....	41		
P2 Cartridge.....	28		
Screw on ABEK1 Cartridge.....	27		
Chain			
Maxol Chain Oil.....	44		
Chop Saw			
SADU Flat Chop Saw Blade Disc.....	15		
SADU TCT Extreme Chop Saw Blade Disc.....	20		
Chuck			
Air Inflating Gun Chuck.....	58		
Hand Pump Chuck.....	63		
Circuit			
Circuit Board for Inverter Welder 4000 160am... 12			
Circuit Board For GYS 200A.....	12		
Circuit Board for Inverter Welder 4000			
160amp (models from 01/04/17+).....	12		
Mcanax Inverter Welder Circuit Board.....	12		
Clamp			
Crocodile Earth Clamp.....	8		
Crocodile Earth Clamp With Cable.....	8		
Heavy Duty Crocodile Earth Clamp.....	8		
Mcanax Earth Clamp Holder.....	9		
Cleaner			
Hand Cleaner 1 Litre.....	65		
Hand Cleaner 5 Litre.....	65		
Holts Brake Cleaner.....	75		
Holts EGR and Carb Cleaner.....	73		
Holts Electric Contact Cleaner.....	74		
Compressor			
12V Twin Piston Compressor Kit.....	55		
Compressor Air Gun.....	62		
Oiler Gun for Compressor.....	61		
Portable 230V Compressor.....	57		
PTO Air Compressor.....	56		
PTO Compressor Blow-Off Valve.....	57		
PTO Compressor Hose Connection.....	57		
PTO Twin Cylinder Air Compressor.....	56		
Rapid 12V Air Compressor.....	55		
Spray Gun for Compressor.....	61		
Coupler			
4-Jaw Hydraulic Coupler.....	39		
4-Jaw Hydraulic Coupler for Two Handed			
Grease Gun.....	39		
Hook - on Button Head Grease Coupler.....	40		
Push - on Button Head Grease Coupler.....	40		
Quick Release Grease Coupler.....	39		
Coupling			
AC100 Female Coupling.....	58		
PCL Female Coupling.....	59		
PCL Male Coupling.....	59		
PCL Y-Piece Coupling.....	60		
Quick Release Female Greaser Coupling.....	33		
Quick Release Male Greaser Coupling.....	33		
Crocodile			
Crocodile Earth Clamp.....	8		
Crocodile Earth Clamp With Cable.....	8		
Crocodile Electrode Holder.....	8		
Crocodile Electrode Holder With Cable.....	9		
Heavy Duty Crocodile Earth Clamp.....	8		
Mcanax Jerry Can.....	47		
Mcanax Jerry Can Spout.....	48		
Mcanax PVC Oil Can.....	50		
Mcanax Red Jerry Can.....	48		
Mcanax Red Jerry Can Spout.....	48		
Mcanax Steel Oil Can.....	50		
Plastic Petrol Can Inc. Nozzle.....	49		
Red Plastic Fuel Can.....	49		
Spare Rose for Watering Can.....	47		
Spare Tap for Jerry Can.....	46		
Watering Jerry Can with Tap.....	46		
Cutting Discs			
DeWalt Cutting Disc.....	14		
Orange Cutting Disc.....	15		
SADU Asphalt Diamond Cutting Disc.....	17		
SADU Basic Diamond Cutting Disc.....	16		
SADU DPC Steel Cutting Disc.....	14		
SADU Eco Stone Diamond Cutting Disc.....	17		
SADU Flat Chop Saw Blade Disc.....	15		
SADU Flat Steel Cutting Disc.....	14		
SADU Premium Diamond Cutting Disc.....	16		
SADU Premium Extra Thin Tile Diamond			
Cutting.....	17		
SADU Slim-Fast Diamond Cutting Disc.....	18		
SADU Stone Cutting Disc.....	15		
SADU Stone Diamond Cutting Disc.....	16		
SADU TCT Extreme Chop Saw Blade Disc.....	20		
Defenders			
Cushioned Ear Defenders.....	25		
Eco Ear Defenders.....	25		
Peltor Optime II Ear Defender.....	26		
Peltor Optime III Ear Defender.....	26		
Degreaser			
Mcanax Oil Cleaner & Degreaser.....	64		
Holts Engine and Parts Degreaser.....	74		
DeWalt			
DeWalt Cutting Disc.....	14		
DeWalt Grinding Disc.....	18		
Diamond			
Diamond Dry Liquid Tile Drill.....	20		
SADU Asphalt Diamond Cutting Disc.....	17		
SADU Basic Diamond Cutting Disc.....	16		
SADU Eco Stone Diamond Cutting Disc.....	17		
SADU Premium Diamond Cutting Disc.....	16		
SADU Premium Extra Thin Tile Diamond			
Cutting Disc.....	17		
SADU Slim-Fast Diamond Cutting Disc.....	18		
SADU Stone Diamond Cutting Disc.....	16		
DPC			
SADU DPC Steel Cutting Disc.....	14		
SADU DPC Steel Grinding Disc.....	18		
Drill			
Diamond Dry Liquid Tile Drill.....	20		
Drop Down			
Drop Down Bin.....	54		
Drum			
Polyethylene Drum Tap.....	54		
Dust			
Segre CN P2 Dust Mask.....	28		
Ear			
Cushioned Ear Defenders.....	25		
Eco Ear Defenders.....	25		
Peltor Optime II Ear Defender.....	26		
Peltor Optime III Ear Defender.....	26		
Reusable Ear Plugs.....	26		
Fan			
Inverter Welder Replacement Fan.....	13		
Mcanax Inverter Welder Fan.....	13		
Filter			
Mcanax Round Funnel Including Filter.....	52		
Mcanax Funnel Filter.....	53		
Flap Disc			
SADU Round Edge Flap Disc.....	19		
Flat			
SADU Flat Chop Saw Blade Disc.....	15		
SADU Flat Steel Cutting Disc.....	14		

Fluid			
Action Can AS-90 Welder's Multipurpose Fluid Anti Spatter Spray.....	68		
Fuel			
Double Fuel Tank.....	50		
Red Plastic Fuel Can.....	49		
Funnel			
4-Piece Funnel Set.....	53		
Mcanax Flexible Funnel.....	52		
Mcanax Funnel Filter.....	53		
Mcanax Round Funnel.....	51		
Mcanax Round Funnel Including Filter.....	52		
Mcanax Tractor Funnel.....	52		
Metal Funnel.....	53		
Round Funnel with Angled Spout.....	53		
Galvanise			
Action Can ZG-90 Cold Zinc Galvanising Spray..	69		
Genfitt Cold Zinc Galvanising Spray.....	70		
Gas			
Kemper Gas Refill Pack.....	81		
Gasket			
Instant Gasket Maker Black.....	79		
Instant Gasket Maker SF060 Red Tube 70G.....	79		
Glass			
Mcanax Replacement Filter Glass for Auto Darkening Helmet.....	6		
Welding Helmet Inner Glass Lens.....	6		
Welding Helmet Outer Glass Lens.....	7		
Gloves			
Cat 2 Red Welders Gauntlet / Glove.....	13		
Disposable Nitrile Glove.....	29		
Extra Grip Green Glove.....	29		
Green Grip Glove.....	29		
Glue			
Hydraulic Seal Glue.....	79		
Nutlock Glue.....	78		
Studlock Glue.....	78		
Super Glue.....	78		
Goggles			
Anti-Scratch Safety Goggles.....	24		
Ark Clear Safety Goggles.....	25		
Eco Safety Goggles.....	25		
Grafters			
Grafters All Trades Wipes Jumbo 300 Tub.....	65		
Grease			
12V Cordless Battery Grease Gun 6,000 PSI.....	37		
14.4V Cordless Grease Gun 6,000 PSI.....	37		
15kg Air Bucket Greaser.....	32		
4-Jaw Hydraulic Coupler for Two Handed Grease Gun.....	39		
Action Can CG-90 Clear Grease Lubricant + PTFE (Food Grade H1).....	68		
Action Can CS-90 Copper Anti-Seize Grease.....	69		
Action Can WG-90 General Purpose White Grease + PTFE Spray.....	69		
Automatic Air Grease Gun.....	36		
Bolt- on Grease Gun Holder.....	39		
Grease Gun with Flexible Hose.....	35		
Gun Trigger For Auto Greaser.....	36		
Heavy Duty Rubber Grease Gun Hose.....	38		
High Pressure Grease Pump.....	30		
Hook - on Button Head Grease Coupler.....	40		
Low Pressure Midi Grease Pump.....	31		
Maxol Chipping Hammer Grease Cartridge.....	42		
Maxol Lithium Complex Grease.....	42		
Maxol Long Life Grease R2L Cartridge.....	41		
Maxol Multi-Purpose EP2 Grease.....	41		
Maxol Pin & Bush Grease.....	41		
Maxol Super Grease.....	42		
Mcanax Heavy Duty Grease Gun.....	34		
Mcanax Heavy Duty One Handed Grease Gun.....	33		
Mcanax Nylon Grease Hose.....	38		
Mcanax One Handed Grease Gun.....	34		
Mcanax Two Handed Grease Gun.....	35		
Multi Function Two Handed Grease Gun.....	36		
One Handed Grease Gun.....	34		
Pistol Grip Grease Gun.....	34		
Professional Grease Gun.....	35		
Push - on Button Head Grease Coupler.....	40		
Quick Release Female Greaser Coupling.....	33		
Quick Release Grease Coupler.....	39		
Quick Release Male Greaser Coupling.....	33		
Rubber Grease Hose.....	38		
Steel Grease Tube.....	38		
Telescopic Push Type Grease Gun.....	33		
Universal Grease Gun.....	35		
Universal Two Handed Grease Gun.....	36		
Z Swivel for Automatic Greaser.....	37		
Grinding			
DeWalt Grinding Disc.....	18		
SADU DPC Steel Grinding Disc.....	18		
Knotted Angle Grinder Brush.....	21		
SADU Cup Crimped Angle Grinder Brush.....	21		
SADU Cup Knotted Angle Grinder Brush.....	22		
SADU Bevel Crimped Angle Grinder Brush.....	22		
Gun			
12V Cordless Battery Grease Gun 6,000 PSI.....	37		
14.4V Cordless Grease Gun 6,000 PSI.....	37		
4-Jaw Hydraulic Coupler for Two Handed Grease Gun.....	39		
Air Inflating Gun Chuck.....	58		
Automatic Air Grease Gun.....	36		
Bolt- on Grease Gun Holder.....	39		
Compressor Air Gun.....	62		
Grease Gun with Flexible Hose.....	35		
Gun Trigger For Auto Greaser.....	36		
Heavy Duty Rubber Grease Gun Hose.....	38		
Holts Gun Gum Paste.....	73		
Inflating Gun with Gauge.....	58		
Mcanax Heavy Duty Grease Gun.....	34		
Mcanax Heavy Duty One Handed Grease Gun.....	33		
Mcanax One Handed Grease Gun.....	34		
Mcanax Two Handed Grease Gun.....	35		
Multi Function Two Handed Grease Gun.....	36		
Oiler Gun for Compressor.....	61		
One Handed Grease Gun.....	34		
Pistol Grip Grease Gun.....	34		
Professional Grease Gun.....	35		
Professional Sealant Gun.....	71		
Spray Gun for Compressor.....	61		
Telescopic Push Type Grease Gun.....	33		
Universal Grease Gun.....	35		
Universal Two Handed Grease Gun.....	36		
Gutter			
Black Roof Gutter Sealant.....	71		
GYS			
Circuit Board For GYS 200A.....	12		
GYS 160A Inverter Welder.....	4		
GYS 200A Inverter Welder.....	5		
Hand			
Airmedica Hand Sanitiser 70% 1 Litre.....	67		
Airmedica Hand Sanitiser 70% 100ml.....	66		
Airmedica Hand Sanitiser 70% 250ml.....	66		
Airmedica Hand Sanitiser 70% 5 Litre.....	66		
Airmedica Hand Sanitiser 70% 500ml.....	64		
Hand Cleaner 1 Litre.....	65		
Hand Cleaner 5 Litre.....	65		
Helmet			
Mcanax Auto Darkening Welding Helmet.....	6		
Mcanax Replacement Filter Glass for Auto Darkening Helmet.....	6		
Mcanax Welding Helmet Clear Lens.....	6		
Welding Helmet Inner Glass Lens.....	6		
Welding Helmet Outer Glass Lens.....	7		
Holder			
Bolt- on Grease Gun Holder.....	39		
Crocodile Electrode Holder.....	8		
Crocodile Electrode Holder With Cable.....	9		
Mcanax Earth Clamp Holder.....	9		
Mcanax Electrode Holder.....	9		
Holts			
Bradex Easy Start.....	72		
Holts 1 Shot Screen Wash.....	72		
Holts Brake Cleaner.....	75		
Holts Concentrated Screen wash.....	72		
Holts Copper Paste.....	75		
Holts EGR and Carb Cleaner.....	73		
Holts Electric Contact Cleaner.....	74		
Holts Engine and Parts Degreaser.....	74		
Holts Gun Gum Paste.....	73		
Holts Radweld Plus.....	75		
Holts Rustola Release Spray.....	74		
Holts Silicone Spray.....	73		
Holts Speedflush.....	75		
Hose			
Foot Pump Hose.....	63		
Grease Gun with Flexible Hose.....	35		
Hand Pump Hose.....	62		
Heavy Duty Rubber Grease Gun Hose.....	38		
Mcanax Nylon Grease Hose.....	38		
PTO Compressor Hose Connection.....	57		
Recoil Air Hose.....	62		
Rubber Grease Hose.....	38		
Hosetail			
PCL Double Hosetail.....	60		
PCL Hosetail Probe.....	61		
PCL Male Hosetail.....	60		
Inflator			
Air Inflating Gun Chuck.....	58		
Inflating Gun with Gauge.....	58		
PCL Professional Heavy Duty Tyre Inflator with Gauge.....	58		
Jerry			
20 Litre Polyethylene Jerry Can.....	49		
Mcanax Jerry Can.....	47		
Mcanax Jerry Can Spout.....	48		
Mcanax Red Jerry Can.....	48		
Mcanax Red Jerry Can Spout.....	48		
Spare Tap for Jerry Can.....	46		
Watering Jerry Can.....	45		
Watering Jerry Can with Tap.....	46		
Jug			
Mcanax Oil Jug with Spout.....	51		
Kemper			
Kemper Blow Torch Kit.....	81		
Kemper Gas Refill Pack.....	81		
Lawnmower			
Maxol Lawnmower Oil 500ml.....	44		
Maxol Lawnmower Oil 1 Litre.....	44		
Lens			
Mcanax Welding Helmet Clear Lens.....	6		
Welding Helmet Inner Glass Lens.....	6		
Welding Helmet Outer Glass Lens.....	7		
Lubricant			
Action Can CG-90 Clear Grease Lubricant + PTFE (Food Grade H1).....	68		
Magnet			
Welding Magnet Positioner.....	10		
Mask			
Cup Face Mask.....	28		
Respirator Mask.....	27		
Screw on Respirator Mask.....	26		
Segre CN P2 Dust Mask.....	28		
Maxol			
Maxol Chain Oil.....	44		
Maxol Chipping Hammer Grease Cartridge.....	42		
Maxol Lawnmower Oil 1 Litre.....	44		
Maxol Lawnmower Oil 500ml.....	44		
Maxol Lithium Complex Grease.....	42		
Maxol Long Life Grease R2L Cartridge.....	41		
Maxol Multi-Purpose EP2 Grease.....	41		
Maxol Pin & Bush Grease.....	41		
Maxol Super Grease.....	42		
Maxol Target Penetration Oil.....	70		
Maxol Twostroke Oil 1 Litre.....	43		
Maxol Twostroke Oil 100ml.....	43		
Maxol Twostroke Oil 500ml.....	43		
Mcanax			
Mcanax Auto Darkening Welding Helmet.....	6		
Mcanax Earth Clamp Holder.....	9		
Mcanax Electrode Holder.....	9		
Mcanax Flexible Funnel.....	52		

Mcanax Funnel Filter.....	53
Mcanax Heavy Duty Grease Gun.....	34
Mcanax Heavy Duty One Handed Grease Gun.....	33
Mcanax Inverter Welder Circuit Board.....	12
Mcanax Inverter Welder Fan.....	13
Mcanax Inverter Welder MIG MMA And Lift Tig.....	3
Mcanax Inverter Welder MMA And Lift Tig.....	2
Mcanax Jerry Can.....	47
Mcanax Jerry Can Spout.....	48
Mcanax Nylon Grease Hose.....	38
Mcanax Oil Cleaner & Degreaser.....	62
Mcanax Oil Jug with Spout.....	51
Mcanax One Handed Grease Gun.....	34
Mcanax PVC Oil Can.....	50
Mcanax Red Jerry Can.....	48
Mcanax Red Jerry Can Spout.....	48
Mcanax Replacement Filter Glass for Auto Darkening Helmet.....	6
Mcanax Round Funnel.....	51
Mcanax Steel Oil Can.....	50
Mcanax Tractor Funnel.....	52
Mcanax Two Handed Grease Gun.....	35
Mcanax Welding Helmet Clear Lens.....	6
Mcanax Welding Tips.....	10
Mcanax Round Funnel Including Filter.....	52

MOP Disc

SADU Premium MOP Disc.....	19
SADU Standard MOP Disc.....	19

Nitrile

Disposable Nitrile Glove.....	29
-------------------------------	----

Oil

Maxol Chain Oil.....	44
Maxol Lawnmower Oil 1 Litre.....	44
Maxol Lawnmower Oil 500ml.....	44
Maxol Target Penetration Oil.....	70
Maxol Twostroke Oil 1 Litre.....	43
Maxol Twostroke Oil 100ml.....	43
Maxol Twostroke Oil 500ml.....	43
Mcanax Oil Jug with Spout.....	51
Mcanax PVC Oil Can.....	50
Mcanax Steel Oil Can.....	50
Oiler Gun for Compressor.....	61

Paste

Holts Copper Paste.....	75
Holts Gun Gum Paste.....	73

Peltor

Peltor Optime II Ear Defender.....	26
Peltor Optime III Ear Defender.....	26

Petrol

Plastic Petrol Can Inc. Nozzle.....	49
-------------------------------------	----

Pistol

Pistol Grip Grease Gun.....	34
-----------------------------	----

Piston

12V Twin Piston Compressor Kit.....	55
-------------------------------------	----

Plugs

Reusable Ear Plugs.....	26
-------------------------	----

Positioner

Welding Magnet Positioner.....	10
--------------------------------	----

Pressol

4-Piece Funnel Set.....	53
20 Litre Polyethylene Jerry Can.....	49
Double Fuel Tank.....	50
Grease Gun with Flexible Hose.....	35
Metal Funnel.....	53
One Handed Grease Gun.....	34
Plastic Petrol Can Inc. Nozzle.....	49
Pistol Grip Grease Gun.....	34
Professional Grease Gun.....	35
Universal Grease Gun.....	35
Universal Two Handed Grease Gun.....	36
Round Funnel with Angled Spout.....	53

Pressure

Pressure Sprayers.....	51
------------------------	----

Probe

AC100 Female Probe.....	59
AC100 Male Probe.....	59
PCL Female Probe.....	61
PCL Hosetail Probe.....	61
PCL Male Probe.....	60

PTO

PTO Air Compressor.....	56
PTO Compressor Blow-Off Valve.....	57
PTO Compressor Hose Connection.....	57
PTO Twin Cylinder Air Compressor.....	56

Pump

Double Foot Pump.....	63
Foot Pump Hose.....	63
Hand Pump.....	62
Hand Pump Chuck.....	63
Hand Pump Hose.....	62
High Pressure Grease Pump.....	30
Low Pressure Midi Grease Pump.....	31
Single Foot Pump.....	63

PVC

Mcanax PVC Oil Can.....	50
-------------------------	----

Respirator

CN P1 Segre Respirator.....	28
Respirator Mask.....	27
Screw on Respirator Mask.....	27

Rod

Welding Rod.....	10
------------------	----

Rose

Spare Rose for Watering Can.....	47
----------------------------------	----

SADU

SADU Asphalt Diamond Cutting Disc.....	17
SADU Basic Diamond Cutting Disc.....	16
SADU Bevel Crimped Angle Grinder Brush.....	22
SADU Brush End Shank.....	23
SADU Brush Tube Shank.....	23
SADU Cup Crimped Angle Grinder Brush.....	22
SADU Cup Knotted Angle Grinder Brush.....	22
SADU DPC Steel Cutting Disc.....	14
SADU DPC Steel Grinding Disc.....	18
SADU Eco Stone Diamond Cutting Disc.....	17
SADU Flat Chop Saw Blade Disc.....	15
SADU Flat Steel Cutting Disc.....	14
SADU Premium Diamond Cutting Disc.....	16
SADU Premium Extra Thin Tile Diamond Cutting Disc.....	17
SADU Premium MOP Disc.....	19
SADU Round Edge Flap Disc.....	19
SADU Shank Cup Steel Wire Brush.....	22
SADU Slim-Fast Diamond Cutting Disc.....	18
SADU Standard MOP Disc.....	19
SADU Stone Cutting Disc.....	15
SADU Stone Diamond Cutting Disc.....	16
SADU TCT Extreme Chop Saw Blade Disc.....	20
SADU Universal Carbide Wood Blade.....	20
SADU Wheel Brush.....	23
SADU Wire Steel Wheel Brush.....	23

Safety

Anti-Scratch Safety Goggles.....	24
Ark Clear Safety Goggles.....	25
Eco Safety Goggles.....	25
Mesh Safety Visor.....	22
Polycarbonate Safety Visor.....	22

Sanitiser

Airmedica Hand Sanitiser 70% 1 Litre.....	67
Airmedica Hand Sanitiser 70% 100ml.....	66
Airmedica Hand Sanitiser 70% 250ml.....	66
Airmedica Hand Sanitiser 70% 5 Litre.....	67
Airmedica Hand Sanitiser 70% 500ml.....	66

Screen

Holts 1 Shot Screen Wash.....	72
Holts Concentrated Screen Wash.....	72
Visor Screen.....	23

Sealant

Black Roof Gutter Sealant.....	71
Professional Sealant Gun.....	71
Silicone Sealant.....	71

Segre

CN P1 Segre Respirator.....	28
Segre CN P2 Dust Mask.....	28

Shank

SADU Shank Cup Steel Wire Brush.....	22
SADU Brush End Shank.....	23
SADU Brush Tube Shank.....	23

Silicone

Holts Silicone Spray.....	73
Silicone Sealant.....	71

Spout

Green Watering Can with Spout.....	46
Mcanax Jerry Can Spout.....	48
Mcanax Oil Jug with Spout.....	51
Mcanax Red Jerry Can Spout.....	48
Round Funnel with Angled Spout.....	53

Spray

Action Can AC-90 Maintenance Spray.....	68
Action Can AS-90 Welder's Multipurpose Fluid Anti Spatter Spray.....	68
Action Can WG-90 General Purpose White Grease + PTFE Spray.....	69
Action Can ZG-90 Cold Zinc Galvanising Spray.....	69
Genfitt Cold Zinc Galvanising Spray.....	70
Holts Rustola Release Spray.....	74
Holts Silicone Spray.....	73
Spray Gun for Compressor.....	61

Sprayer

Pressure Sprayers.....	51
Trigger Sprayers.....	47

Steel

Mcanax Steel Oil Can.....	50
SADU DPC Steel Cutting Disc.....	14
SADU DPC Steel Grinding Disc.....	18
SADU Flat Steel Cutting Disc.....	14
SADU Shank Cup Steel Wire Brush.....	22
SADU Wire Steel Wheel Brush.....	23
Solid Mild Steel Welding Wire 15kg Spool.....	11
Solid Mild Steel Welding Wire 5kg Spool.....	11
Steel Grease Tube.....	38

Stone

SADU Eco Stone Diamond Cutting Disc.....	17
SADU Stone Cutting Disc.....	15
SADU Stone Diamond Cutting Disc.....	16

Swivel

Z Swivel for Automatic Greaser.....	37
-------------------------------------	----

Tap

Aerflow Tap54.....	
Polyethylene Water Tank with Tap.....	45
Polyethylene Drum Tap.....	54
Spare Tap for Jerry Can.....	46
Watering Jerry Can with Tap.....	46

Tape

Carpet Protection Tape.....	77
Double Sided Tape.....	76
Extra Strong Tough Tape.....	76
Hazard Warning Tape.....	77
Masking Tape.....	76
Multi Purpose Protection Tape.....	77
Parcel Tape.....	77
PTFE Tape.....	71

Tank

Double Fuel Tank.....	50
Polyethylene Water Tank with Tap.....	45

Telescopic

Telescopic Push Type Grease Gun.....	33
--------------------------------------	----

Tips

Mcanax Welding Tips.....	10
Tweco Welding Tip.....	9

Trigger

Gun Trigger For Auto Greaser.....	36
Trigger Sprayers.....	47

Tube

Steel Grease Tube.....	38
SADU Brush Tube Shank.....	23

Twostroke

Maxol Twostroke Oil 100ml.....	43
Maxol Twostroke Oil 500ml.....	43
Maxol Twostroke Oil 1 Litre.....	43

Valve

PTO Compressor Blow-Off Valve.....	57
------------------------------------	----

Visor

Mesh Safety Visor.....	24
Polycarbonate Safety Visor.....	24
Visor Screen.....	24

Water

Green Watering Can with Spout.....	46
Polyethylene Water Tank with Tap.....	45
Spare Rose for Watering Can.....	47
Watering Jerry Can.....	45
Watering Jerry Can with Tap.....	46

Welding

Action Can AS-90 Welder's Multipurpose	
Fluid Anti Spatter Spray.....	68
Black Welding Cable.....	7
Cat 2 Red Welders Gauntlet / Glove.....	13
Circuit Board for Inverter Welder 4000	
160amp.....	12
Circuit Board for Inverter Welder 4000	
160amp (models from 01/04/17+).....	12
Fluxcored Gasless Welding Wire.....	11
GYS 160A Inverter Welder.....	4
GYS 200A Inverter Welder.....	5
Inverter Welder Replacement Fan.....	13
Mcanax Auto Darkening Welding Helmet.....	6
Mcanax Inverter Welder Circuit Board.....	12
Mcanax Inverter Welder Fan.....	13
McanaxX Inverter Welder MIG MMA And	
Lift Tig.....	3
Mcanax Inverter Welder MMA And Lift Tig.....	2
Mcanax Welding Helmet Clear Lens.....	6
Mcanax Welding Tips.....	10
Red Welding Cable.....	7
Solid Mild Steel Welding Wire 15kg Spool.....	11
Solid Mild Steel Welding Wire 5kg Spool.....	11
Tweco Welding Tip.....	9
Welding Helmet Inner Glass Lens.....	6
Welding Helmet Outer Glass Lens.....	7
Welding Magnet Positioner.....	10
Welding Rod.....	10

Wipes

Grafters All Trades Wipes Jumbo 300 Tub.....	65
--	----

Wire

Fluxcored Gasless Welding Wire.....	11
SADU Shank Cup Steel Wire Brush.....	22
Sadu Wire Steel Wheel Brush.....	23
Solid Mild Steel Welding Wire 15kg Spool.....	11
Solid Mild Steel Welding Wire 5kg Spool.....	11

Wood Blade

SADU Universal Carbide Wood Blade.....	20
--	----

D

DWDT42220-XJ.....	18
DWDT42240-XJ.....	14
DWDT42610-XJ.....	14

F

FAC905.....	68
FAC905T.....	68
FACAS90.....	68
FACCG90.....	68
FACCS90.....	69
FACCS90A.....	69
FACWG90.....	69
FACZBLACK.....	69
FACZG90.....	69
FACZGREEN.....	69
FACZRED.....	69
FACZWHITE.....	69

G

G219AB.....	60
G599.....	71
G600.....	71
G601.....	71
G602.....	71
G603.....	71
G604.....	71
G1390.....	35
G1392.....	35
G1392B.....	35
G1393.....	41
G1395.....	39
G1396.....	40
G1396A.....	40
G1399A.....	38
G1400A.....	38
G1401.....	38
G1401B.....	38
G1406.....	53
G1415.....	30
G1416.....	31
G1417.....	32
G1418.....	36
G1419.....	34
G1425.....	53
G1461.....	41
G1476.....	33
G1481.....	71
G1576.....	62
G1577.....	62
G1578.....	63
G1580.....	63
G1581.....	63
G1582.....	63
G1647.....	65
G1647A.....	65
G1757C.....	24
G1762.....	28
G1766.....	10
G1767.....	10
G1768.....	10
G1769.....	10
G1770.....	10
G1771.....	10
G1772.....	10
G1774.....	11
G1775.....	11
G1776.....	11
G1778.....	8
G1788.....	8
G1788A.....	8
G1790.....	7
G1791.....	7
G1792.....	7

G1805A.....	15
G1806.....	21
G1806A.....	21
G1816.....	10
G1906.....	56
G1928.....	61
G1929.....	61
G1930.....	62
G1931.....	58
G1932.....	62
G1933.....	58
G1940.....	58
G1962.....	57
G1963.....	57
G2142.....	59
G2143.....	59
G2144.....	59
G2145.....	59
G2146.....	59
G2147.....	60
G2147A.....	61
G2187.....	60
G2188.....	60
G2189.....	60
G2190.....	60
G2191.....	60
G2192.....	60
G2192A.....	60
G2845.....	80
G2846.....	80
G2847.....	80
G2848.....	80
G2849.....	80
G2850.....	80
G2851.....	80
G2853.....	80
G2854.....	80
G12630.....	9
G12693.....	7
G12694.....	7
G12695.....	7
G12748.....	58
G12749.....	59
G12750.....	60
G12751.....	59
G12752.....	61
G12754.....	60
G12755.....	60
G13292.....	36
G13604.....	78
G13605.....	78
G13609.....	78
G13736.....	10
G13765.....	33
G13766.....	33
G13796.....	78
G13920.....	21
G13921.....	21
G15267.....	61
G15268.....	61
G15269.....	60
G15284.....	61
G15898.....	37
G15900.....	79
G16216.....	29
G16383.....	49
G16384.....	49
G16385.....	49
G16654.....	26
G16655.....	28
G16693.....	41
G16694.....	41
G16695.....	41
G16696.....	42
G16697.....	42
G16838.....	28

G16839.....	29
G16841.....	25
G16843.....	13
G16847.....	29
G16916.....	29
G17072.....	56
G17076.....	45
G17077.....	45
G17078.....	50
G17080.....	53
G17257.....	54
G17405.....	41
G17406.....	41
G17436.....	49
G17549.....	45
G17550.....	45
G17584.....	55
G17628.....	55
G17641.....	4
G17680.....	36
G17784.....	39
G17851.....	12
G17908.....	34
G18129.....	5
G18130.....	7
G18131.....	6
G18143.....	13
G18318.....	8
G18319.....	8
G18320.....	12
G18321.....	13
G18322.....	8
G18323.....	9
G18517.....	41
G18555.....	11
G18556.....	11
G18557.....	11
G18558.....	11
G18559.....	11
G18647.....	57
G18691.....	54
G18693.....	54
G18694.....	51
G18695.....	51
G18696.....	36
G18697.....	39
G18698.....	39
G18699.....	37
G18701.....	37
G18965.....	80
G18966.....	80
G18967.....	80
G18969.....	80
G18970.....	80
G19021.....	12
G19135.....	39
G19351.....	39
G19365.....	43
G19366.....	43
G19367.....	43
G19368.....	44
G19369.....	44
G19370.....	44
G19371.....	44
G19372.....	70
G19373.....	42
G19656.....	81
G19657.....	81
G19674.....	14
G19675.....	14
G19676.....	14
G19677.....	14
G19678.....	14
G19679.....	18
G19680.....	18
G19681.....	19

G19682.....	19
G19683.....	19
G19684.....	19
G19685.....	19
G19686.....	19
G19687.....	19
G19688.....	20
G19689.....	20
G19690.....	20
G19691.....	16
G19692.....	17
G19693.....	17
G19694.....	16
G19695.....	16
G19696.....	16
G19697.....	17
G19698.....	16
G19699.....	18
G19700.....	21
G19701.....	21
G19702.....	21
G19703.....	21
G19704.....	22
G19705.....	22
G19706.....	22
G19707.....	22
G19708.....	22
G19709.....	23
G19710.....	23
G19711.....	22
G19712.....	22
G19713.....	23
G19714.....	23
G19715.....	23
G19716.....	23
G19717.....	23
G19718.....	23
G19719.....	23
G19720.....	23
G19771.....	70
G19772.....	70
G19773.....	70
G19774.....	70
G19775.....	70
G19809.....	72
G19810.....	73
G19811.....	73
G19812.....	73
G19813.....	74
G19814.....	74
G19815.....	74
G19816.....	72
G19817.....	72
G19818.....	75
G19819.....	75
G19820.....	75
G19821.....	75
G19864.....	20
G19865.....	20
G19866.....	20
G19867.....	20
G19884.....	15
G19885.....	15
G19892.....	26
G19902.....	24
G19903.....	24
G19904.....	25
G19905.....	25
G19906.....	25
G19907.....	24
G19908.....	26
G19912.....	26
G19913.....	27
G19914.....	27
G19915.....	27
G19916.....	27

G19917.....	28
G19918.....	66
G19919.....	66
G19920.....	66
G19921.....	67
G19922.....	67
G19966.....	65
G19974.....	46
G19975.....	46
G19976.....	46
G19977.....	49
G19978.....	49
G19979.....	49
G19981.....	45
G19982.....	45
G19983.....	46
G19984.....	46
G19985.....	47
G19986.....	46
G19987.....	76
G19988.....	76
G19989.....	76
G19990.....	76
G19991.....	76
G19992.....	76
G19993.....	76
G19994.....	76
G19995.....	77
G19996.....	77
G19997.....	77
G19998.....	77
G19999.....	78
G20000.....	77
G20001.....	77
G20002.....	77
G20003.....	77
G20066.....	20
G20067.....	15
G20105.....	80
G20106.....	80
G20107.....	80
G20108.....	80
G20109.....	80
G20110.....	80
G20111.....	80
G20112.....	80
G20113.....	80
G20124.....	47
G20125.....	47
G20243.....	79
G20244.....	79

M

MX0804001.....	34
MX0804029.....	35
MX0804031.....	33
MX0804032.....	34
MX0804035.....	38
MX0804036.....	38
MX0804037.....	38
MX0804038.....	38
MX0804110.....	50
MX0804120.....	50
MX0804121.....	50
MX0804122.....	50
MX0804123.....	50
MX0804140.....	51
MX0804142.....	51
MX0804144.....	51
MX0804146.....	51
MX0804172.....	51
MX0804174.....	52
MX0804176.....	52
MX0804178.....	52
MX0804190.....	52

MX0804192.....	53
MX1650015.....	48
MX1650016.....	48
MX1650022.....	47
MX1650026.....	47
MX1650028.....	47
MX1650030.....	48
MX1650031.....	48
MX1650032.....	48
MX1650033.....	48
MX3100001.....	64
MX3100002.....	64
MX3100003.....	64
MX4100004.....	7
MX4100007.....	2
MX4100008.....	2
MX4100016.....	6
MX4100017.....	6
MX4100021.....	9
MX4100022.....	9
MX4100023.....	13
MX4100024.....	12
MX4100025.....	12
MX4100026.....	6
MX4100036.....	10
MX4100037.....	10
MX4100038.....	10



**GENERATIONS OF KNOWLEDGE
AT YOUR SERVICE**

Genfitt Mayo Ltd.
Knock Road
Kiltimagh
Co. Mayo
F12 K732
Ireland

info@genfitt.ie

+353 (0) 94 - 938 1377

www.genfitt.ie